



2021 Central Minnesota Community Health Survey



CENTRAL MN ALLIANCE **STRENGTHENING PARTNERSHIPS FOR CHANGE**

Americans with Disabilities Act Advisory:

This information is available in accessible formats to individuals with disabilities. For information about equal access to services call 320-656-6000 (voice). TTY users place calls through 320-656-6204 (TTY).

Acknowledgements

Partnering agencies:



Stearns County



This report was prepared by:

Sam Hageman, Benton County
Ann Kinney, Minnesota Department of Health
Jennifer Lezer, Benton County
Peggy Sammons, Stearns County

The Central Minnesota Alliance would like to thank the many individuals who provided advice and support for the development of the 2021 Central Minnesota Community Health Survey including Sam Hageman, Mariah Klein, Jennifer Lezer and Jaclyn Litfin (Benton County), Ann Kinney (Minnesota Department of Health), Rachel Anyu, Dan Backes, Pam Beckering, Delali Degbey, Hannah Dockendorf, Jodi Gertken, Sergio Guerrero, Angelic Hightand Hani Jacobson (CentraCare), Brian Davis, Allison Dudek, Janet Goligowski, Samantha Heskin, Mike Matanich, Natalia Nice, Danielle Protivinsky, Peggy Sammons, and Jennifer Wald (Stearns County), and Cody Engelhaupt, Amanda Larson, Abdi Osman, Nicole Ruhoff, and Kara Zoller (Sherburne County).

In addition, the Central MN Alliance would especially like to thank the more than 1,500 residents in Benton, Sherburne and Stearns counties who completed the survey.

This study was funded equally by CentraCare and the public health departments of Benton, Sherburne and Stearns Counties, using a portion of their grant funds from the Minnesota Department of Health's Statewide Health Improvement Partnership.

Suggested Citation:

Hageman S, Kinney A, Lezer J, Sammons P; *Central Minnesota Alliance* (2018). *Central Minnesota Community Health Survey Data Book*. October 2021.

Table of Contents

Page Number	Content
4	Survey Methodology Overview
4	Survey Instrument
4	Sample
4	Survey Administration
5	Survey Response
5	Data Entry and Weighting
5	About the Data Tables
7	About the Survey Methods
8	Sample Characteristics
10	Data Tables
10	General Health and Health Care
11	Health Conditions
31	Medical Care
48	Routine Check-Up
54	Delayed Medical Care
70	Delayed Dental Care
89	Delayed Mental Health Care
104	Felt sad, blue or depressed
105	Medications Prescribed
106	Prescriptions Not Filled
107	Health Insurance Status
108	Healthy Eating
125	Active Living
137	Community Safety
139	Discrimination
159	Tobacco Use
169	Isolation
170	Suicide
175	COVID-19 Losses
191	Health, Wellness and Medical Information
208	Body Mass Index Status
209	Community Concerns
211	Issues for Families
217	Social Experience
220	Discrimination
229	Tobacco and Other Drug Use
234	Mental Health
241	Appendices
242	2021 Community Health Survey Tool

Survey Methodology Overview

The *Central Minnesota Community Health Survey* of adults was conducted between March and June 2021 in Benton, Sherburne, and Stearns counties.

Survey Instrument

For the 2021 survey, a number of changes were made to the content of a survey conducted in the region in 2016. Staff from each of the participating public health agencies and from CentraCare Health System selected and developed the questions for the 2016 and 2021 survey instruments, with technical assistance from the Minnesota Department of Health Center for Health Statistics. The 2021 survey was formatted by the survey vendor, Survey Systems, Inc. of Shoreview, MN, as a scannable, self-administered English-language questionnaire.

Sample

A disproportionate stratified design was employed for the sample. Six sampling strata were defined by county and ZIP code boundaries. Within each stratum, a two-stage sampling strategy was used for obtaining a probability sample of adults. For the first stage of sampling, a random sample of residential addresses within each stratum was purchased from a national sampling vendor (Marketing Systems Group of Horsham, PA).

Address-based sampling was used so that all households would have an equal chance of being sampled for the survey. Marketing Systems Group obtained the list of addresses from the U.S. Postal Service. For the second stage of sampling, the “most recent birthday” method of within-household respondent selection was used to specify one adult from each selected household to complete the survey.

Survey Administration

An initial survey packet was mailed to 7,268 sampled households that included a cover letter, the survey instrument, and a postage-paid return envelope on April 5 and 6, 2021. About 10 days after the first survey packets were mailed (April 15), a reminder postcard was sent to all sampled households, reminding those who had not yet returned a survey to do so, and thanking those who had already responded. Three weeks after the reminder postcards were mailed (May 6 and 7), another full survey packet was sent to all households that had still not returned the survey. The remaining completed surveys were received over the next four weeks, with the final date for the receipt of surveys being June 18, 2021.

Survey Response

Reporting area	Number of addresses sampled	Number of completed surveys	Response rate
St. Cloud metro (56301, 56303, 56304, 56374, 56377, 56379, and 56387)	2,468	470	19.0%
Stearns County whole	2,760	604	21.9%
Stearns County "rural" (Stearns excluding 56301, 56303, 56374, 56377, and 56387)	1,600	390	24.4%
Benton County whole	2,400	549	22.9%
Benton County "rural" (Benton excluding 56304, 56379 and 56377)	1,600	403	25.2%
Sherburne County whole	2,108	397	18.8%
Three county region	7,268	1550	21.3%

Data Entry and Weighting

The responses from the completed surveys were scanned into an electronic file by Survey Systems, Inc.

To ensure that the survey results are representative of the adult population of each reporting area, the data were weighted when analyzed. The weighting accounts for the sample design by adjusting for the number of adults living in each sampled household and for the disproportionate stratification. The weighting also includes a post-stratification adjustment so that the gender and age distribution of the survey respondents mirrors the gender and age distribution of the adult population of each reporting area according to U.S. Census 2010 estimates.

About the Data Tables

For every table in this data book, results are displayed for sub-groups of respondents based on:

- Gender: male and female
- Age: 18-34, 35-44, 45-54, 55-64, 65-74, and 75+
- Highest level of education: high school graduate/GED or less, trade or vocational school/some college/Associate degree, bachelor's degree, and graduate or professional degree
- Poverty status: Less than or equal to 200% of poverty level, and more than 200% of poverty level (example: In 2020, a family of 4 with annual income of \$52,500 = 200% of poverty level)

The columns in each table correspond to the response options respondents were given on the survey; each column indicates the percentage of respondents who gave that response to the question. Some questions apply only to certain types of respondents (due to skip patterns in the survey).

Two different types of tables are included in this report:

- Some tables include all response options for a particular question in one table. Each table contains the Benton County level results, as well as gender, age, education, and poverty status. In addition, each table includes “Local Comparisons” as a quick reference to the other geographic area totals for that question.
- Some tables display results for the sub-questions included in a multi-question. These tables only include aggregate data.

Data in each row is rounded to the nearest tenth of a percentage; therefore, some rows may equal 99% rather than 100%.

Data Suppressed (DS): For statistical validity purposes, data is suppressed when the number of respondents to the question is less than 30. At times, only specific breakdowns in the data tables are suppressed if there are less than 30 respondents from a demographic subgroup (Gender, Age groups, Education, and Poverty status). All suppressed data will be indicated on the table with DS. This assures respondents cannot be identified and the survey remains anonymous.

Collection of Sex, Gender Identity, and Sexual Orientation

To respect the dignity and diversity of our region’s residents, for the first time on the Central Minnesota Community Health Survey, an expanded sex (male, female) question was offered by asking “What best describes your gender identity?” and offered six categories and an open-ended text option, and a separate question regarding sexual orientation was added also with six categories and an open-ended text option.

For the purposes of statistical weighting by sex, the survey responses for gender identity were used. For survey respondents that selected categories of transgender male, transgender female, non-binary, or described their identity via a narrative response, the benefit of giving their survey responses a voice by including them was weighed against the negative consequence of having to impute male or female sex for each to allow statistical weighting, and thereby inclusion of their responses. The decision was made to include the responses for the respondents that selected either transgender male, transgender female, non-binary, or described their identity via a narrative response within the male and female subgroups. We acknowledge that this is an imperfect solution. Measurement in survey research faces increasing statistical and ethical challenges as we move toward a more diverse recognition of sex and gender constructs, with no currently recognized single best solution.¹

The survey results by gender identity are included in the Sample Characteristics section of this methodology section. These data are available for researchers interested in pursuing further analyses. As survey science evolves to fully embrace the complexities of sex and gender characteristics, our hope is that both ethical and statistical solutions for measurement will be developed and universally applied to advance health equity.

About the Survey Methods

- This is a mailed survey. According to best practices in survey research (i.e., best response rate for lowest cost), a three-mailing sequence was used for all sampled households, which includes an initial survey packet, a reminder post card, and a final packet.
- The survey was sent to a random sample of households in the three counties. All households had a chance of being sampled.
- The response rates for this survey are within the expected range for surveys using the three-mailing sequence with no incentive offered for participation.
- The survey data are adjusted using design weighting, which is necessary to account for the sample design, and post-stratification weighting, which is a statistical technique commonly used to adjust for nonresponse bias (whereby certain types of people are more or less likely to respond to surveys).
- These methods ultimately produced a final sample that is statistically representative of the adult population.

¹ - Kennedy, L., Khanna, K., Simpson, D. & Gelman, A. (2020). Using Sex and Gender in Survey Adjustment. Unpublished, September 30, 2020. Retrieved April 20, 2021 from, http://www.stat.columbia.edu/~gelman/research/unpublished/Using_gender_in_surveys.pdf

Sample Characteristics

		Unweighted Frequency	Unweighted Percent	Weighted Percent
Benton Total				
Gender	Male	197	39.5	34.8
	Female	346	63.3	59.3
	Transgender male	2	0.4	0.4
	Transgender female	2	0.4	0.1
	Non-binary	2	0.4	5.5
	Other gender identity	1	0.2	0.2
	Sexual Orientation	Straight/heterosexual	513	93.8
Gay/lesbian		22	4.0	7.4
Bisexual		5	0.9	3.1
Pansexual		4	0.7	7.8
Queer		2	0.4	0.2
Asexual		1	0.2	0.0
Other sexual orientation		2	0.4	5.9
Age Group	18-34	42	7.7	31.9
	35-44	75	13.7	15.8
	45-54	86	15.7	19.0
	55-64	140	25.6	13.4
	65-74	130	23.8	8.4
	75+	74	13.5	11.5
Race/Ethnicity	White	524	95.8	94.1
	BIMPOC*	23	4.2	5.9
	Hispanic/Latino/a	5	.9	1.9
	Somali	1	0.2	.3
	American Indian/Alaska Native	12	2.2	2.4
	Asian or Asian American	6	1.1	1.6
	Black or African American	5	0.9	1.3
	African Native	2	0.4	0.5
	Native Hawaiian or Pacific Islander	0	0.0	0.0
	Other race	8	1.5	1.0
Education	High school/GED or less	157	29.0	30.9
	Some college/Trade or vocational school/Associate degree	217	40.0	36.6
	Bachelor's degree	107	19.7	23.5
	Graduate/professional degree	61	11.3	9.0

*BIMPOC (Black, Indigenous, Multiracial, People(s) of Color)

Sample Characteristics

		Unweighted Frequency	Unweighted Percent	Weighted Percent
Benton Total				
Income	\$25,000 or less	76	15.1	16.2
	\$25,501-\$34,500	49	9.7	6.7
	\$34,501-\$43,500	38	7.6	6.2
	\$43,501-\$52,500	43	8.5	8.6
	\$52,501-\$61,500	32	6.4	7.7
	\$61,501-\$70,000	33	6.6	4.6
	\$61,501-\$70,000	28	5.6	6.2
	\$79,001-\$88,000	33	6.6	8.4
	\$88,001-\$100,000	49	9.7	9.0
	More than \$100,000	122	24.3	26.6
Poverty Status	<Less than 200%	121	24.1	29.0
	200% or more	382	75.9	71.0

General Health and Health Care

1. In general, would you say that your health is excellent, very good, good, fair or poor?

		Poor	Fair	Good	Very good	Excellent
Benton Total		1.6%	11.2%	37.6%	36.8%	12.7%
Gender	Male	1.0%	19.6%	43.0%	26.8%	9.6%
	Female	2.0%	5.6%	34.0%	43.6%	14.8%
Age groups	18-34	1.6%	19.4%	29.6%	30.7%	18.8%
	35-44	0.0%	3.8%	44.7%	40.4%	11.2%
	45-54	0.0%	3.6%	47.2%	33.5%	15.7%
	55-64	2.0%	9.5%	42.9%	34.4%	11.2%
	65-74	4.8%	11.7%	35.6%	44.4%	3.6%
	75+	4.0%	13.0%	29.6%	53.4%	0.0%
Education	High school graduate/GED or less	1.8%	28.9%	40.9%	21.2%	7.2%
	Trade/Voc, Associate degree or some college	1.0%	3.5%	42.1%	44.7%	8.7%
	Bachelor's degree	2.7%	2.1%	34.3%	42.5%	18.4%
	Graduate or professional degree	0.0%	6.8%	15.4%	45.1%	32.7%
Poverty status	200% poverty or less	4.6%	36.4%	43.5%	14.0%	1.5%
	Greater than 200% poverty	0.5%	2.2%	35.5%	42.8%	18.9%
<hr/>						
Local Comparisons	Region	0.8%	5.5%	31.4%	51.5%	10.8%
	Rural Benton	0.3%	6.1%	37.5%	37.4%	18.6%
	Sherburne	0.7%	5.4%	29.7%	52.8%	11.4%
	Stearns	0.6%	4.0%	30.7%	54.8%	9.9%
	St. Cloud	0.7%	6.3%	30.4%	53.0%	9.6%

2. Have you ever been told by a doctor, nurse, or other health professional that you had any of the following health conditions?

	No	Yes	Yes, during pregnancy
Benton Total			
Diabetes	87.6%	11.5%	0.8%
Pre-diabetes	88.8%	10.4%	0.8%
High blood pressure/hypertension	73.8%	24.9%	1.3%
Pre-hypertension	93.3%	6.3%	0.4%
Depression	68.6%	30.8%	0.6%
Anxiety or panic attacks	71.7%	28.3%	
Memory loss, Alzheimer's disease or another form of dementia	98.0%	2.0%	
Post-traumatic stress disorder (PTSD)	88.2%	11.8%	
Other mental health issues	88.9%	11.1%	
Sleep-related disorders (such as insomnia, restless leg syndrome or sleep apnea)	84.4%	15.6%	
Cancer	88.7%	11.3%	
Heart trouble or angina	95.6%	4.4%	
Stroke or stroke-related health issues	98.3%	1.7%	
High cholesterol or triglycerides	75.3%	24.7%	
Chronic lung disease (including COPD, chronic bronchitis or emphysema)	96.5%	3.5%	
Asthma	85.8%	14.2%	
Arthritis	80.8%	19.2%	
Risk of falling	90.6%	9.4%	
Sexually transmitted diseases/infections (Chlamydia, HIV, etc.)	97.8%	2.2%	

3. Have you ever been told by a doctor, nurse, or other health professional that you had diabetes?

		No	Yes	Yes, during pregnancy
Benton Total		87.6%	11.5%	0.8%
Gender	Male	82.5%	17.5%	0.0%
	Female	91.1%	7.5%	1.4%
Age groups	18-34	92.0%	6.4%	1.6%
	35-44	84.5%	14.6%	0.9%
	45-54	87.5%	11.4%	1.0%
	55-64	87.3%	12.7%	0.0%
	65-74	76.6%	23.4%	0.0%
	75+	88.5%	11.5%	0.0%
Education	High school graduate/GED or less	87.2%	12.6%	0.2%
	Trade/Voc, Associate degree or some college	93.4%	6.5%	0.2%
	Bachelor's degree	76.0%	21.6%	2.4%
	Graduate or professional degree	96.2%	2.3%	1.5%
Poverty 200%	200% poverty or less	93.1%	6.7%	0.3%
	Greater than 200% poverty	84.1%	14.7%	1.2%
Local Comparisons	Region	90.7%	8.4%	0.9%
	Rural Benton	88.2%	9.3%	2.5%
	Sherburne	90.8%	7.2%	1.9%
	Stearns	91.5%	8.2%	0.3%
	St. Cloud	90.5%	9.1%	0.3%

4. Have you ever been told by a doctor, nurse, or other health professional that you had pre-diabetes?

		No	Yes	Yes, during pregnancy
Benton Total		88.8%	10.4%	0.8%
Gender	Male	90.8%	9.2%	0.0%
	Female	87.5%	11.2%	1.3%
Age groups	18-34	98.4%	1.6%	0.0%
	35-44	91.7%	8.3%	0.0%
	45-54	84.2%	11.6%	4.2%
	55-64	85.4%	14.6%	0.0%
	65-74	67.0%	33.0%	0.0%
	75+	86.3%	13.7%	0.0%
Education	High school graduate/GED or less	86.0%	14.0%	0.0%
	Trade/Voc, Associate degree or some college	87.1%	10.6%	2.2%
	Bachelor's degree	94.5%	5.5%	0.0%
	Graduate or professional degree	89.7%	10.3%	0.0%
Poverty 200%	200% poverty or less	93.7%	6.3%	0.0%
	Greater than 200% poverty	86.5%	12.2%	1.3%
Local Comparisons				
Local Comparisons	Region	91.2%	8.3%	0.6%
	Rural Benton	87.9%	12.0%	0.1%
	Sherburne	91.9%	7.5%	0.5%
	Stearns	91.4%	8.1%	0.5%
	St. Cloud	91.4%	8.3%	0.3%

5. Have you ever been told by a doctor, nurse, or other health professional that you had high blood pressure/hypertension?

		No	Yes	Yes, during pregnancy
Benton Total		73.8%	24.9%	1.3%
Gender	Male	65.3%	34.7%	0.0%
	Female	79.5%	18.3%	2.2%
Age groups	18-34	95.7%	1.6%	2.7%
	35-44	91.9%	5.4%	2.8%
	45-54	60.7%	39.3%	0.0%
	55-64	47.5%	52.5%	0.0%
	65-74	37.5%	62.5%	0.0%
	75+	68.6%	31.4%	0.0%
Education	High school graduate/GED or less	62.3%	37.7%	0.0%
	Trade/Voc, Associate degree or some college	75.5%	23.9%	0.6%
	Bachelor's degree	84.4%	12.4%	3.2%
	Graduate or professional degree	77.2%	19.3%	3.5%
Poverty 200%	200% poverty or less	70.4%	28.0%	1.6%
	Greater than 200% poverty	73.1%	25.6%	1.3%
Local Comparisons				
Local Comparisons	Region	76.0%	22.3%	1.6%
	Rural Benton	73.1%	22.9%	4.0%
	Sherburne	81.0%	17.7%	1.2%
	Stearns	73.8%	24.2%	1.9%
	St. Cloud	74.9%	23.7%	1.4%

6. Have you ever been told by a doctor, nurse, or other health professional that you had pre-hypertension?

		No	Yes	Yes, during pregnancy
Benton Total		93.3%	6.3%	0.4%
Gender	Male	97.0%	3.0%	0.0%
	Female	90.8%	8.5%	0.7%
Age groups	18-34	92.0%	8.0%	0.0%
	35-44	96.3%	0.9%	2.8%
	45-54	94.2%	5.8%	0.0%
	55-64	92.1%	7.9%	0.0%
	65-74	95.8%	4.2%	0.0%
	75+	90.6%	9.4%	0.0%
Education	High school graduate/GED or less	92.7%	7.3%	0.0%
	Trade/Voc, Associate degree or some college	98.2%	1.8%	0.0%
	Bachelor's degree	86.0%	12.1%	1.9%
	Graduate or professional degree	94.1%	5.9%	0.0%
Poverty 200%	200% poverty or less	90.5%	7.8%	1.7%
	Greater than 200% poverty	93.5%	6.5%	0.0%
Local Comparisons				
Local Comparisons	Region	91.6%	8.0%	0.4%
	Rural Benton	95.9%	4.1%	...
	Sherburne	95.4%	4.5%	0.1%
	Stearns	89.0%	10.4%	0.6%
	St. Cloud	89.1%	10.3%	0.5%

7. Have you ever been told by a doctor, nurse, or other health professional that you had depression?

		No	Yes	Yes, during pregnancy
Benton Total		68.6%	30.8%	0.6%
Gender	Male	64.0%	36.0%	0.0%
	Female	71.7%	27.3%	0.9%
Age groups	18-34	55.7%	42.7%	1.6%
	35-44	44.7%	54.9%	0.4%
	45-54	82.7%	17.3%	0.0%
	55-64	81.4%	18.6%	0.0%
	65-74	87.7%	12.3%	0.0%
	75+	83.9%	16.1%	0.0%
Education	High school graduate/GED or less	59.5%	40.5%	0.0%
	Trade/Voc, Associate degree or some college	75.4%	24.6%	0.0%
	Bachelor's degree	67.7%	30.0%	2.4%
	Graduate or professional degree	74.0%	26.0%	0.0%
Poverty 200%	200% poverty or less	38.9%	60.2%	0.9%
	Greater than 200% poverty	76.9%	22.7%	0.5%
Local Comparisons	Region	77.4%	22.1%	0.5%
	Rural Benton	75.4%	22.9%	1.7%
	Sherburne	82.7%	17.1%	0.2%
	Stearns	76.7%	22.7%	0.6%
	St. Cloud	70.1%	29.7%	0.2%

8. Have you ever been told by a doctor, nurse, or other health professional that you had anxiety or panic attacks?

		No	Yes
Benton Total		71.7%	28.3%
Gender	Male	67.4%	32.6%
	Female	74.6%	25.4%
Age groups	18-34	57.5%	42.5%
	35-44	57.2%	42.8%
	45-54	81.3%	18.7%
	55-64	81.3%	18.7%
	65-74	87.7%	12.3%
	75+	91.5%	8.5%
Education	High school graduate/GED or less	65.2%	34.8%
	Trade/Voc, Associate degree or some college	74.3%	25.7%
	Bachelor's degree	74.8%	25.2%
	Graduate or professional degree	74.2%	25.8%
Poverty 200%	200% poverty or less	45.3%	54.7%
	Greater than 200% poverty	78.9%	21.1%
Local Comparisons			
Local Comparisons	Region	76.6%	23.4%
	Rural Benton	74.9%	25.1%
	Sherburne	77.9%	22.1%
	Stearns	77.1%	22.9%
	St. Cloud	71.4%	28.6%

9. Have you ever been told by a doctor, nurse, or other health professional that you had memory loss, Alzheimer's disease or another form of dementia?

		No	Yes
Benton Total		98.0%	2.0%
Gender	Male	98.9%	1.1%
	Female	97.4%	2.6%
Age groups	18-34	100.0%	0.0%
	35-44	97.2%	2.8%
	45-54	95.8%	4.2%
	55-64	99.1%	0.9%
	65-74	99.7%	0.3%
	75+	94.9%	5.1%
Education	High school graduate/GED or less	94.3%	5.7%
	Trade/Voc, Associate degree or some college	99.5%	0.5%
	Bachelor's degree	100.0%	0.0%
	Graduate or professional degree	99.7%	0.3%
Poverty 200%	200% poverty or less	96.0%	4.0%
	Greater than 200% poverty	98.9%	1.1%
Local Comparisons			
	Region	98.3%	1.7%
	Rural Benton	99.3%	0.7%
	Sherburne	99.0%	1.0%
	Stearns	98.0%	2.0%
	St. Cloud	98.1%	1.9%

10. Have you ever been told by a doctor, nurse, or other health professional that you had post-traumatic stress disorder (PTSD)?

		No	Yes
Benton Total		88.2%	11.8%
Gender	Male	83.4%	16.6%
	Female	91.3%	8.7%
Age groups	18-34	74.4%	25.6%
	35-44	95.3%	4.7%
	45-54	94.6%	5.4%
	55-64	90.1%	9.9%
	65-74	94.4%	5.6%
	75+	98.6%	1.4%
Education	High school graduate/GED or less	78.0%	22.0%
	Trade/Voc, Associate degree or some college	94.3%	5.7%
	Bachelor's degree	87.4%	12.6%
	Graduate or professional degree	99.7%	0.3%
Poverty 200%	200% poverty or less	65.1%	34.9%
	Greater than 200% poverty	96.1%	3.9%
Local Comparisons			
Local Comparisons	Region	92.7%	7.3%
	Rural Benton	94.8%	5.2%
	Sherburne	96.8%	3.2%
	Stearns	91.6%	8.4%
	St. Cloud	88.5%	11.5%

11. Have you ever been told by a doctor, nurse, or other health professional that you had other mental health issues?

		No	Yes
Benton Total		88.9%	11.1%
Gender	Male	79.1%	20.9%
	Female	95.5%	4.5%
Age groups	18-34	78.2%	21.8%
	35-44	87.4%	12.6%
	45-54	96.1%	3.9%
	55-64	93.0%	7.0%
	65-74	98.4%	1.6%
	75+	96.7%	3.3%
Education	High school graduate/GED or less	80.9%	19.1%
	Trade/Voc, Associate degree or some college	91.9%	8.1%
	Bachelor's degree	93.5%	6.5%
	Graduate or professional degree	91.7%	8.3%
Poverty 200%	200% poverty or less	64.5%	35.5%
	Greater than 200% poverty	97.4%	2.6%
Local Comparisons			
	Region	93.7%	6.3%
	Rural Benton	97.0%	3.0%
	Sherburne	96.6%	3.4%
	Stearns	93.3%	6.7%
	St. Cloud	90.5%	9.5%

12. Have you ever been told by a doctor, nurse, or other health professional that you had sleep-related disorders (such as insomnia, restless leg syndrome or sleep apnea)?

		No	Yes
Benton Total		84.4%	15.6%
Gender	Male	75.8%	24.2%
	Female	90.1%	9.9%
Age groups	18-34	94.1%	5.9%
	35-44	70.2%	29.8%
	45-54	86.2%	13.8%
	55-64	77.7%	22.3%
	65-74	75.7%	24.3%
	75+	87.8%	12.2%
Education	High school graduate/GED or less	87.9%	12.1%
	Trade/Voc, Associate degree or some college	84.6%	15.4%
	Bachelor's degree	77.8%	22.2%
	Graduate or professional degree	91.0%	9.0%
Poverty 200%	200% poverty or less	81.9%	18.1%
	Greater than 200% poverty	84.2%	15.8%
Local Comparisons			
	Region	83.3%	16.7%
	Rural Benton	79.3%	20.7%
	Sherburne	82.3%	17.7%
	Stearns	83.6%	16.4%
	St. Cloud	83.9%	16.1%

13. Have you ever been told by a doctor, nurse, or other health professional that you had cancer?

		No	Yes
Benton Total		88.7%	11.3%
Gender	Male	95.0%	5.0%
	Female	84.5%	15.5%
Age groups	18-34	100.0%	0.0%
	35-44	95.0%	5.0%
	45-54	95.4%	4.6%
	55-64	88.3%	11.7%
	65-74	80.1%	19.9%
	75+	45.8%	54.2%
Education	High school graduate/GED or less	92.3%	7.7%
	Trade/Voc, Associate degree or some college	82.7%	17.3%
	Bachelor's degree	92.7%	7.3%
	Graduate or professional degree	90.4%	9.6%
Poverty 200%	200% poverty or less	89.2%	10.8%
	Greater than 200% poverty	94.0%	6.0%
Local Comparisons			
	Region	92.4%	7.6%
	Rural Benton	92.2%	7.8%
	Sherburne	92.3%	7.7%
	Stearns	93.4%	6.6%
	St. Cloud	93.2%	6.8%

14. Have you ever been told by a doctor, nurse, or other health professional that you had heart trouble or angina?

		No	Yes
Benton Total		95.6%	4.4%
Gender	Male	93.6%	6.4%
	Female	96.9%	3.1%
Age groups	18-34	100.0%	0.0%
	35-44	99.8%	0.2%
	45-54	98.1%	1.9%
	55-64	90.6%	9.4%
	65-74	87.8%	12.2%
	75+	85.4%	14.6%
Education	High school graduate/GED or less	94.0%	6.0%
	Trade/Voc, Associate degree or some college	95.2%	4.8%
	Bachelor's degree	97.7%	2.3%
	Graduate or professional degree	97.1%	2.9%
Poverty 200%	200% poverty or less	90.1%	9.9%
	Greater than 200% poverty	97.6%	2.4%
Local Comparisons			
	Region	94.7%	5.3%
	Rural Benton	95.0%	5.0%
	Sherburne	95.2%	4.8%
	Stearns	94.2%	5.8%
	St. Cloud	95.1%	4.9%

15. Have you ever been told by a doctor, nurse, or other health professional that you had a stroke or stroke-related health issues?

		No	Yes
Benton Total		98.3%	1.7%
Gender	Male	99.1%	0.9%
	Female	97.8%	2.2%
Age groups	18-34	100.0%	0.0%
	35-44	99.6%	0.4%
	45-54	100.0%	0.0%
	55-64	99.1%	0.9%
	65-74	91.1%	8.9%
	75+	93.3%	6.7%
Education	High school graduate/GED or less	97.9%	2.1%
	Trade/Voc, Associate degree or some college	98.9%	1.1%
	Bachelor's degree	97.7%	2.3%
	Graduate or professional degree	98.6%	1.4%
Poverty 200%	200% poverty or less	96.9%	3.1%
	Greater than 200% poverty	98.7%	1.3%
Local Comparisons			
	Region	97.2%	2.8%
	Rural Benton	97.8%	2.2%
	Sherburne	98.8%	1.2%
	Stearns	95.9%	4.1%
	St. Cloud	96.5%	3.5%

16. Have you ever been told by a doctor, nurse, or other health professional that you had high cholesterol or triglycerides?

		No	Yes
Benton Total		75.3%	24.7%
Gender	Male	67.5%	32.5%
	Female	80.5%	19.5%
Age groups	18-34	97.3%	2.7%
	35-44	67.3%	32.7%
	45-54	79.4%	20.6%
	55-64	52.7%	47.3%
	65-74	39.1%	60.9%
	75+	72.4%	27.6%
Education	High school graduate/GED or less	76.5%	23.5%
	Trade/Voc, Associate degree or some college	73.6%	26.4%
	Bachelor's degree	77.9%	22.1%
	Graduate or professional degree	73.2%	26.8%
Poverty 200%	200% poverty or less	68.6%	31.4%
	Greater than 200% poverty	77.1%	22.9%
Local Comparisons			
Local Comparisons	Region	78.2%	21.8%
	Rural Benton	74.5%	25.5%
	Sherburne	82.7%	17.3%
	Stearns	76.4%	23.6%
	St. Cloud	78.6%	21.4%

17. Have you ever been told by a doctor, nurse, or other health professional that you had chronic lung disease (including COPD, chronic bronchitis or emphysema)?

		No	Yes
Benton Total		96.5%	3.5%
Gender	Male	97.9%	2.1%
	Female	95.6%	4.4%
Age groups	18-34	98.4%	1.6%
	35-44	100.0%	0.0%
	45-54	100.0%	0.0%
	55-64	93.7%	6.3%
	65-74	91.2%	8.8%
	75+	88.2%	11.8%
Education	High school graduate/GED or less	95.3%	4.7%
	Trade/Voc, Associate degree or some college	98.3%	1.7%
	Bachelor's degree	96.1%	3.9%
	Graduate or professional degree	94.5%	5.5%
Poverty 200%	200% poverty or less	92.7%	7.3%
	Greater than 200% poverty	97.6%	2.4%
Local Comparisons			
	Region	97.3%	2.7%
	Rural Benton	98.0%	2.0%
	Sherburne	97.8%	2.2%
	Stearns	97.1%	2.9%
	St. Cloud	97.1%	2.9%

18. Have you ever been told by a doctor, nurse, or other health professional that you had asthma?

		No	Yes
Benton Total		85.8%	14.2%
Gender	Male	95.2%	4.8%
	Female	79.6%	20.4%
Age groups	18-34	74.1%	25.9%
	35-44	90.6%	9.4%
	45-54	89.5%	10.5%
	55-64	88.0%	12.0%
	65-74	95.3%	4.7%
	75+	96.1%	3.9%
Education	High school graduate/GED or less	85.9%	14.1%
	Trade/Voc, Associate degree or some college	95.0%	5.0%
	Bachelor's degree	70.3%	29.7%
	Graduate or professional degree	89.3%	10.7%
Poverty 200%	200% poverty or less	92.1%	7.9%
	Greater than 200% poverty	81.4%	18.6%
Local Comparisons			
	Region	88.0%	12.0%
	Rural Benton	86.7%	13.3%
	Sherburne	81.3%	18.7%
	Stearns	92.3%	7.7%
	St. Cloud	90.8%	9.2%

19. Have you ever been told by a doctor, nurse, or other health professional that you had arthritis?

		No	Yes
Benton Total		80.8%	19.2%
Gender	Male	84.4%	15.6%
	Female	78.3%	21.7%
Age groups	18-34	92.6%	7.4%
	35-44	91.5%	8.5%
	45-54	82.0%	18.0%
	55-64	72.7%	27.3%
	65-74	53.1%	46.9%
	75+	61.8%	38.2%
Education	High school graduate/GED or less	83.8%	16.2%
	Trade/Voc, Associate degree or some college	77.2%	22.8%
	Bachelor's degree	86.0%	14.0%
	Graduate or professional degree	71.0%	29.0%
Poverty 200%	200% poverty or less	80.0%	20.0%
	Greater than 200% poverty	81.5%	18.5%
Local Comparisons			
Local Comparisons	Region	81.4%	18.6%
	Rural Benton	81.1%	18.9%
	Sherburne	86.0%	14.0%
	Stearns	79.0%	21.0%
	St. Cloud	79.4%	20.6%

20. Have you ever been told by a doctor, nurse, or other health professional that you had a risk of falling?

		No	Yes
Benton Total		90.6%	9.4%
Gender	Male	95.8%	4.2%
	Female	87.1%	12.9%
Age groups	18-34	98.4%	1.6%
	35-44	97.2%	2.8%
	45-54	98.8%	1.2%
	55-64	95.6%	4.4%
	65-74	86.0%	14.0%
	75+	45.0%	55.0%
Education	High school graduate/GED or less	92.7%	7.3%
	Trade/Voc, Associate degree or some college	85.5%	14.5%
	Bachelor's degree	93.9%	6.1%
	Graduate or professional degree	95.6%	4.4%
Poverty 200%	200% poverty or less	89.8%	10.2%
	Greater than 200% poverty	96.4%	3.6%
Local Comparisons			
	Region	95.2%	4.8%
	Rural Benton	96.2%	3.8%
	Sherburne	96.8%	3.2%
	Stearns	95.6%	4.4%
	St. Cloud	95.1%	4.9%

21. Have you ever been told by a doctor, nurse, or other health professional that you had a sexually transmitted diseases/infections (Chlamydia, HIV, etc.)?

		No	Yes
Benton Total		97.8%	2.2%
Gender	Male	96.7%	3.3%
	Female	98.5%	1.5%
Age groups	18-34	95.3%	4.7%
	35-44	98.6%	1.4%
	45-54	98.4%	1.6%
	55-64	98.3%	1.7%
	65-74	100.0%	0.0%
	75+	100.0%	0.0%
Education	High school graduate/GED or less	99.3%	0.7%
	Trade/Voc, Associate degree or some college	96.6%	3.4%
	Bachelor's degree	97.2%	2.8%
	Graduate or professional degree	98.5%	1.5%
Poverty 200%	200% poverty or less	92.7%	7.3%
	Greater than 200% poverty	99.5%	0.5%
Local Comparisons			
	Region	96.6%	3.4%
	Rural Benton	95.5%	4.5%
	Sherburne	96.1%	3.9%
	Stearns	96.7%	3.3%
	St. Cloud	96.8%	3.2%

22. Is there a place that you usually go to when you are sick or need medical care?

		No	Yes
Benton Total		7.0%	93.0%
Gender	Male	15.9%	84.1%
	Female	1.1%	98.9%
Age groups	18-34	17.6%	82.4%
	35-44	4.3%	95.7%
	45-54	0.4%	99.6%
	55-64	3.5%	96.5%
	65-74	2.5%	97.5%
	75+	0.6%	99.4%
Education	High school graduate/GED or less	20.9%	79.1%
	Trade/Voc, Associate degree or some college	1.1%	98.9%
	Bachelor's degree	1.2%	98.8%
	Graduate or professional degree	0.3%	99.7%
Poverty 200%	200% poverty or less	24.4%	75.6%
	Greater than 200% poverty	1.1%	98.9%
Local Comparisons			
Local Comparisons	Region	12.9%	87.1%
	Rural Benton	2.2%	97.8%
	Sherburne	16.2%	83.8%
	Stearns	6.6%	93.4%
	St. Cloud	7.4%	92.6%

23. Is there a place that you usually go to when you are sick or need medical care? (check one)

	Checked
Benton Total	93.0%
A doctor's office	76.2%
A hospital outpatient clinic	2.5%
Public health	0.0%
A chiropractor's office	1.8%
An urgent care center	8.8%
An emergency room	2.3%
Some other health center	1.8%
Schedule an e-visit	1.0%
Call nurse line	1.7%
Traditional healer	0.3%
Religious healer	0.1%
Google/Internet	0.5%
Trusted family or friends	1.2%
VA Medical Center	1.0%
Some other place	0.2%

**24. Is there a place that you usually go to when you are sick or need medical care?
A doctor's office**

		Checked
Benton Total		76.2%
Gender	Male	64.3%
	Female	84.1%
Age groups	18-34	65.7%
	35-44	75.9%
	45-54	75.5%
	55-64	86.9%
	65-74	80.8%
	75+	89.7%
Education	High school graduate/GED or less	68.0%
	Trade/Voc, Associate degree or some college	81.3%
	Bachelor's degree	78.6%
	Graduate or professional degree	75.2%
Poverty 200%	200% poverty or less	49.9%
	Greater than 200% poverty	84.6%
Local Comparisons		
	Region	77.6%
	Rural Benton	84.6%
	Sherburne	69.6%
	Stearns	82.5%
	St. Cloud	78.0%

**25. Is there a place that you usually go to when you are sick or need medical care?
A hospital outpatient clinic**

		Checked
Benton Total		2.5%
Gender	Male	1.9%
	Female	2.9%
Age groups	18-34	0.4%
	35-44	0.0%
	45-54	4.6%
	55-64	2.2%
	65-74	6.2%
	75+	5.6%
Education	High school graduate/GED or less	2.8%
	Trade/Voc, Associate degree or some college	1.3%
	Bachelor's degree	1.6%
	Graduate or professional degree	8.4%
Poverty 200%	200% poverty or less	4.0%
	Greater than 200% poverty	2.1%
<hr/>		
Local Comparisons	Region	3.5%
	Rural Benton	2.6%
	Sherburne	3.5%
	Stearns	3.9%
	St. Cloud	3.8%

26. Is there a place that you usually go to when you are sick or need medical care?
Public health

		Checked
Benton Total		0.0%
Gender	Male	0.0%
	Female	0.0%
Age groups	18-34	0.0%
	35-44	0.0%
	45-54	0.0%
	55-64	0.0%
	65-74	0.2%
	75+	0.0%
Education	High school graduate/GED or less	0.0%
	Trade/Voc, Associate degree or some college	0.0%
	Bachelor's degree	0.0%
	Graduate or professional degree	0.0%
Poverty 200%	200% poverty or less	0.0%
	Greater than 200% poverty	0.0%
Local Comparisons		
	Region	0.5%
	Rural Benton	0.0%
	Sherburne	0.0%
	Stearns	0.9%
	St. Cloud	1.1%

**27. Is there a place that you usually go to when you are sick or need medical care?
A chiropractor's office**

		Checked
Benton Total		1.8%
Gender	Male	0.6%
	Female	2.6%
Age groups	18-34	0.0%
	35-44	1.7%
	45-54	0.5%
	55-64	1.4%
	65-74	1.4%
	75+	9.6%
Education	High school graduate/GED or less	2.7%
	Trade/Voc, Associate degree or some college	0.7%
	Bachelor's degree	2.1%
	Graduate or professional degree	2.4%
Poverty 200%	200% poverty or less	1.8%
	Greater than 200% poverty	0.9%
<hr/>		
Local Comparisons	Region	3.0%
	Rural Benton	2.2%
	Sherburne	4.6%
	Stearns	2.4%
	St. Cloud	1.1%

**28. Is there a place that you usually go to when you are sick or need medical care?
An urgent care center**

		Checked
Benton Total		8.8%
Gender	Male	9.4%
	Female	8.3%
Age groups	18-34	9.8%
	35-44	17.2%
	45-54	7.3%
	55-64	4.8%
	65-74	4.3%
	75+	4.8%
Education	High school graduate/GED or less	6.3%
	Trade/Voc, Associate degree or some college	11.4%
	Bachelor's degree	9.9%
	Graduate or professional degree	4.0%
Poverty 200%	200% poverty or less	17.1%
	Greater than 200% poverty	6.8%
Local Comparisons		
	Region	3.9%
	Rural Benton	3.8%
	Sherburne	3.2%
	Stearns	3.1%
	St. Cloud	6.0%

**29. Is there a place that you usually go to when you are sick or need medical care?
An emergency room**

		Checked
Benton Total		2.3%
Gender	Male	1.0%
	Female	3.2%
Age groups	18-34	2.8%
	35-44	0.0%
	45-54	1.2%
	55-64	1.2%
	65-74	2.2%
	75+	7.5%
Education	High school graduate/GED or less	3.2%
	Trade/Voc, Associate degree or some college	1.7%
	Bachelor's degree	1.5%
	Graduate or professional degree	4.4%
Poverty 200%	200% poverty or less	4.3%
	Greater than 200% poverty	1.6%
<hr/>		
Local Comparisons	Region	1.5%
	Rural Benton	1.9%
	Sherburne	1.1%
	Stearns	1.5%
	St. Cloud	1.3%

**30. Is there a place that you usually go to when you are sick or need medical care?
Some other health center**

		Checked
Benton Total		1.8%
Gender	Male	3.6%
	Female	0.6%
Age groups	18-34	0.0%
	35-44	0.0%
	45-54	8.5%
	55-64	0.2%
	65-74	0.6%
	75+	1.0%
Education	High school graduate/GED or less	4.8%
	Trade/Voc, Associate degree or some college	0.2%
	Bachelor's degree	1.2%
	Graduate or professional degree	0.0%
Poverty 200%	200% poverty or less	0.5%
	Greater than 200% poverty	2.5%
Local Comparisons		
	Region	0.7%
	Rural Benton	0.7%
	Sherburne	0.6%
	Stearns	0.5%
	St. Cloud	1.0%

**31. Is there a place that you usually go to when you are sick or need medical care?
Schedule an e-visit**

		Checked
Benton Total		1.0%
Gender	Male	0.0%
	Female	1.7%
Age groups	18-34	1.6%
	35-44	0.2%
	45-54	0.2%
	55-64	0.5%
	65-74	0.0%
	75+	3.3%
Education	High school graduate/GED or less	0.0%
	Trade/Voc, Associate degree or some college	1.2%
	Bachelor's degree	2.3%
	Graduate or professional degree	0.5%
Poverty 200%	200% poverty or less	2.0%
	Greater than 200% poverty	0.2%
<hr/>		
Local Comparisons	Region	0.9%
	Rural Benton	0.5%
	Sherburne	2.2%
	Stearns	0.2%
	St. Cloud	1.1%

**32. Is there a place that you usually go to when you are sick or need medical care?
Call Nurse line**

		Checked
Benton Total		1.7%
Gender	Male	0.5%
	Female	2.4%
Age groups	18-34	0.8%
	35-44	1.1%
	45-54	2.7%
	55-64	1.0%
	65-74	0.2%
	75+	4.9%
Education	High school graduate/GED or less	0.8%
	Trade/Voc, Associate degree or some college	1.1%
	Bachelor's degree	2.7%
	Graduate or professional degree	4.4%
Poverty 200%	200% poverty or less	2.4%
	Greater than 200% poverty	1.6%
Local Comparisons		
	Region	0.7%
	Rural Benton	2.3%
	Sherburne	0.1%
	Stearns	0.8%
	St. Cloud	1.2%

33. Is there a place that you usually go to when you are sick or need medical care?
Traditional healer

		Checked
Benton Total		0.3%
Gender	Male	0.4%
	Female	0.2%
Age groups	18-34	0.0%
	35-44	0.0%
	45-54	0.8%
	55-64	0.9%
	65-74	0.0%
	75+	0.0%
Education	High school graduate/GED or less	0.0%
	Trade/Voc, Associate degree or some college	0.8%
	Bachelor's degree	0.0%
	Graduate or professional degree	0.0%
Poverty 200%	200% poverty or less	0.5%
	Greater than 200% poverty	0.2%
Local Comparisons		
	Region	0.0%
	Rural Benton	0.5%
	Sherburne	0.0%
	Stearns	0.0%
	St. Cloud	0.0%

**34. Is there a place that you usually go to when you are sick or need medical care?
Religious healer**

		Checked
Benton Total		0.1%
Gender	Male	0.0%
	Female	0.1%
Age groups	18-34	0.0%
	35-44	0.0%
	45-54	0.3%
	55-64	0.0%
	65-74	0.0%
	75+	0.0%
Education	High school graduate/GED or less	0.0%
	Trade/Voc, Associate degree or some college	0.2%
	Bachelor's degree	0.0%
	Graduate or professional degree	0.0%
Poverty 200%	200% poverty or less	0.0%
	Greater than 200% poverty	0.1%
Local Comparisons		
	Region	0.2%
	Rural Benton	0.2%
	Sherburne	0.0%
	Stearns	0.4%
	St. Cloud	0.4%

**35. Is there a place that you usually go to when you are sick or need medical care?
Google/Internet**

		Checked
Benton Total		0.5%
Gender	Male	0.4%
	Female	0.6%
Age groups	18-34	0.8%
	35-44	0.4%
	45-54	0.8%
	55-64	0.0%
	65-74	0.3%
	75+	0.0%
Education	High school graduate/GED or less	0.1%
	Trade/Voc, Associate degree or some college	0.6%
	Bachelor's degree	0.0%
	Graduate or professional degree	2.7%
Poverty 200%	200% poverty or less	0.0%
	Greater than 200% poverty	0.8%
<hr/>		
Local Comparisons	Region	0.8%
	Rural Benton	1.5%
	Sherburne	1.8%
	Stearns	0.3%
	St. Cloud	0.2%

**36. Is there a place that you usually go to when you are sick or need medical care?
Trusted family or friends**

		Checked
Benton Total		1.2%
Gender	Male	2.1%
	Female	0.6%
Age groups	18-34	2.9%
	35-44	0.0%
	45-54	0.8%
	55-64	0.0%
	65-74	0.0%
	75+	1.0%
Education	High school graduate/GED or less	0.0%
	Trade/Voc, Associate degree or some college	0.7%
	Bachelor's degree	1.0%
	Graduate or professional degree	7.2%
Poverty 200%	200% poverty or less	0.2%
	Greater than 200% poverty	0.7%
<hr/>		
Local Comparisons	Region	0.5%
	Rural Benton	3.6%
	Sherburne	0.1%
	Stearns	0.7%
	St. Cloud	0.8%

37. Is there a place that you usually go to when you are sick or need medical care?
VA Medical Center

		Checked
Benton Total		1.0%
Gender	Male	2.4%
	Female	0.0%
Age groups	18-34	0.0%
	35-44	0.0%
	45-54	0.0%
	55-64	1.5%
	65-74	3.6%
	75+	3.9%
Education	High school graduate/GED or less	0.4%
	Trade/Voc, Associate degree or some college	2.1%
	Bachelor's degree	0.0%
	Graduate or professional degree	1.0%
Poverty 200%	200% poverty or less	0.7%
	Greater than 200% poverty	1.2%
Local Comparisons		
	Region	0.8%
	Rural Benton	1.3%
	Sherburne	0.7%
	Stearns	0.8%
	St. Cloud	0.6%

38. Is there a place that you usually go to when you are sick or need medical care?
Some other place

		Checked
Benton Total		0.2%
Gender	Male	0.2%
	Female	0.2%
Age groups	18-34	0.0%
	35-44	0.0%
	45-54	0.0%
	55-64	1.5%
	65-74	0.0%
	75+	0.4%
Education	High school graduate/GED or less	0.0%
	Trade/Voc, Associate degree or some college	0.7%
	Bachelor's degree	0.0%
	Graduate or professional degree	0.0%
Poverty 200%	200% poverty or less	0.7%
	Greater than 200% poverty	0.1%
Local Comparisons		
	Region	0.1%
	Rural Benton	0.4%
	Sherburne	0.0%
	Stearns	0.1%
	St. Cloud	0.0%

39. About how long has it been since you last visited a doctor or other health care professional for a routine check-up?

	Checked
Benton Total	
Within the past year	78.0%
Within the past 2 years	8.7%
Within the past 5 years	4.2%
5 or more years ago	8.6%
Never	0.6%

**40. About how long has it been since you last visited a doctor or other health care professional for a routine check-up?
Within the past year**

		Checked
Benton Total		78.0%
Gender	Male	62.0%
	Female	88.8%
Age groups	18-34	73.5%
	35-44	62.3%
	45-54	73.4%
	55-64	86.9%
	65-74	90.7%
	75+	98.2%
Education	High school graduate/GED or less	71.6%
	Trade/Voc, Associate degree or some college	85.4%
	Bachelor's degree	75.1%
	Graduate or professional degree	77.3%
Poverty 200%	200% poverty or less	71.3%
	Greater than 200% poverty	78.5%
<hr/>		
Local Comparisons	Region	68.6%
	Rural Benton	75.0%
	Sherburne	55.8%
	Stearns	73.4%
	St. Cloud	76.3%

**41. About how long has it been since you last visited a doctor or other health care professional for a routine check-up?
Within the past 2 years**

		Checked
Benton Total		8.7%
Gender	Male	13.9%
	Female	5.1%
Age groups	18-34	6.7%
	35-44	20.4%
	45-54	9.9%
	55-64	7.3%
	65-74	4.7%
	75+	1.6%
Education	High school graduate/GED or less	5.8%
	Trade/Voc, Associate degree or some college	9.1%
	Bachelor's degree	12.6%
	Graduate or professional degree	7.5%
Poverty 200%	200% poverty or less	2.3%
	Greater than 200% poverty	11.8%
Local Comparisons		
	Region	16.0%
	Rural Benton	14.0%
	Sherburne	20.8%
	Stearns	15.2%
	St. Cloud	10.4%

**42. About how long has it been since you last visited a doctor or other health care professional for a routine check-up?
Within the past 5 years**

		Checked
Benton Total		4.2%
Gender	Male	3.9%
	Female	4.4%
Age groups	18-34	2.0%
	35-44	9.6%
	45-54	9.2%
	55-64	1.8%
	65-74	0.6%
	75+	0.3%
Education	High school graduate/GED or less	2.3%
	Trade/Voc, Associate degree or some college	1.8%
	Bachelor's degree	10.6%
	Graduate or professional degree	4.4%
Poverty 200%	200% poverty or less	0.3%
	Greater than 200% poverty	6.1%
Local Comparisons		
	Region	8.2%
	Rural Benton	5.8%
	Sherburne	16.4%
	Stearns	4.5%
	St. Cloud	5.3%

**43. About how long has it been since you last visited a doctor or other health care professional for a routine check-up?
5 or more years ago**

		Checked
Benton Total		8.6%
Gender	Male	18.7%
	Female	1.7%
Age groups	18-34	17.8%
	35-44	4.8%
	45-54	7.5%
	55-64	4.0%
	65-74	1.8%
	75+	0.0%
Education	High school graduate/GED or less	19.6%
	Trade/Voc, Associate degree or some college	3.2%
	Bachelor's degree	0.7%
	Graduate or professional degree	10.8%
Poverty 200%	200% poverty or less	25.3%
	Greater than 200% poverty	2.9%
Local Comparisons		
	Region	6.1%
	Rural Benton	3.9%
	Sherburne	6.4%
	Stearns	5.4%
	St. Cloud	7.7%

44. About how long has it been since you last visited a doctor or other health care professional for a routine check-up?
Never

		Checked
Benton Total		0.6%
Gender	Male	1.6%
	Female	0.0%
Age groups	18-34	0.0%
	35-44	3.1%
	45-54	0.0%
	55-64	0.0%
	65-74	2.2%
	75+	0.0%
Education	High school graduate/GED or less	0.7%
	Trade/Voc, Associate degree or some college	0.5%
	Bachelor's degree	1.0%
	Graduate or professional degree	0.0%
Poverty 200%	200% poverty or less	0.9%
	Greater than 200% poverty	0.6%
Local Comparisons		
	Region	1.1%
	Rural Benton	1.3%
	Sherburne	0.5%
	Stearns	1.6%
	St. Cloud	0.3%

45. During the past 12 months, was there a time when you thought you needed medical care but did not get it or delayed getting it?

		Yes	No
Benton Total		24.9%	75.1%
Gender	Male	34.8%	65.2%
	Female	17.8%	82.2%
Age groups	18-34	36.3%	63.7%
	35-44	26.3%	73.7%
	45-54	28.0%	72.0%
	55-64	14.0%	86.0%
	65-74	15.4%	84.6%
	75+	4.8%	95.2%
Education	High school graduate/GED or less	32.7%	67.3%
	Trade/Voc, Associate degree or some college	20.0%	80.0%
	Bachelor's degree	24.4%	75.6%
	Graduate or professional degree	14.8%	85.2%
Poverty 200%	200% poverty or less	42.4%	57.6%
	Greater than 200% poverty	18.9%	81.1%
Local Comparisons			
	Region	26.2%	73.8%
	Rural Benton	23.0%	77.0%
	Sherburne	25.6%	74.4%
	Stearns	26.9%	73.1%
	St. Cloud	31.8%	68.2%

46. Why did you not get or delay getting the medical care you thought you needed?

	Checked
Benton Total	
The care I needed cost too much	35.7%
My co-pay was too expensive	2.3%
My deductible was too expensive	12.5%
My insurance did not cover it	9.5%
I did not have insurance	28.7%
I could not get an appointment	7.3%
I had transportation problems	2.9%
I did not think it was serious enough	41.7%
I was too nervous or afraid	6.5%
I don't trust the health care system	6.1%
The clinic cancelled my appointment due to COVID-19	3.8%
I cancelled my appointment due to COVID-19	9.6%
I did not have access to telehealth or a virtual visit	1.0%
Other reason	4.1%

47. Why did you not get or delay getting the medical care you thought you needed?
The care I needed cost too much

		Checked
Benton Total		35.7%
Gender	Male	50.8%
	Female	14.4%
Age groups	18-34	DS
	35-44	DS
	45-54	DS
	55-64	DS
	65-74	DS
	75+	DS
	Education	High school graduate/GED or less
Trade/Voc, Associate degree or some college		14.0%
Bachelor's degree		4.6%
Graduate or professional degree		DS
Poverty 200%	200% poverty or less	58.6%
	Greater than 200% poverty	13.4%
Local Comparisons		
	Region	37.7%
	Rural Benton	25.9%
	Sherburne	46.1%
	Stearns	33.6%
	St. Cloud	39.2%

**48. Why did you not get or delay getting the medical care you thought you needed?
My co-pay was too expensive**

		Checked
Benton Total		2.3%
Gender	Male	0.8%
	Female	4.4%
Age groups	18-34	DS
	35-44	DS
	45-54	DS
	55-64	DS
	65-74	DS
	75+	DS
	Education	High school graduate/GED or less
Trade/Voc, Associate degree or some college		6.4%
Bachelor's degree		1.2%
Graduate or professional degree		DS
Poverty 200%	200% poverty or less	1.8%
	Greater than 200% poverty	2.6%
Local Comparisons		
	Region	8.6%
	Rural Benton	5.3%
	Sherburne	16.6%
	Stearns	5.8%
	St. Cloud	4.6%

**49. Why did you not get or delay getting the medical care you thought you needed?
My deductible was too expensive**

		Checked
Benton Total		12.5%
Gender	Male	9.3%
	Female	16.8%
Age groups	18-34	DS
	35-44	DS
	45-54	DS
	55-64	DS
	65-74	DS
	75+	DS
	Education	High school graduate/GED or less
Trade/Voc, Associate degree or some college		23.1%
Bachelor's degree		4.6%
Graduate or professional degree		DS
Poverty 200%	200% poverty or less	6.9%
	Greater than 200% poverty	14.6%
Local Comparisons		
	Region	31.8%
	Rural Benton	28.9%
	Sherburne	45.9%
	Stearns	28.7%
	St. Cloud	27.4%

**50. Why did you not get or delay getting the medical care you thought you needed?
My insurance did not cover it**

		Checked
Benton Total		9.5%
Gender	Male	8.4%
	Female	11.0%
Age groups	18-34	DS
	35-44	DS
	45-54	DS
	55-64	DS
	65-74	DS
	75+	DS
	Education	High school graduate/GED or less
Trade/Voc, Associate degree or some college		10.1%
Bachelor's degree		9.6%
Graduate or professional degree		DS
Poverty 200%	200% poverty or less	10.1%
	Greater than 200% poverty	2.2%
Local Comparisons		
	Region	19.3%
	Rural Benton	16.1%
	Sherburne	42.9%
	Stearns	8.7%
	St. Cloud	8.2%

51. Why did you not get or delay getting the medical care you thought you needed?
I did not have insurance

		Checked
Benton Total		28.7%
Gender	Male	43.9%
	Female	7.4%
Age groups	18-34	DS
	35-44	DS
	45-54	DS
	55-64	DS
	65-74	DS
	75+	DS
	Education	High school graduate/GED or less
Trade/Voc, Associate degree or some college		9.5%
Bachelor's degree		1.2%
Graduate or professional degree		DS
Poverty 200%	200% poverty or less	62.7%
	Greater than 200% poverty	3.1%
Local Comparisons		
	Region	13.0%
	Rural Benton	2.7%
	Sherburne	29.6%
	Stearns	0.3%
	St. Cloud	7.8%

**52. Why did you not get or delay getting the medical care you thought you needed?
I could not get an appointment**

		Checked
Benton Total		7.3%
Gender	Male	0.8%
	Female	16.4%
Age groups	18-34	DS
	35-44	DS
	45-54	DS
	55-64	DS
	65-74	DS
	75+	DS
	Education	High school graduate/GED or less
Trade/Voc, Associate degree or some college		16.8%
Bachelor's degree		4.9%
Graduate or professional degree		DS
Poverty 200%	200% poverty or less	9.9%
	Greater than 200% poverty	5.9%
Local Comparisons		
	Region	8.2%
	Rural Benton	8.8%
	Sherburne	5.8%
	Stearns	9.7%
	St. Cloud	7.6%

**53. Why did you not get or delay getting the medical care you thought you needed?
I had transportation problems**

		Checked
Benton Total		2.9%
Gender	Male	2.6%
	Female	3.4%
Age groups	18-34	DS
	35-44	DS
	45-54	DS
	55-64	DS
	65-74	DS
	75+	DS
	Education	High school graduate/GED or less
Trade/Voc, Associate degree or some college		1.6%
Bachelor's degree		1.6%
Graduate or professional degree		DS
Poverty 200%	200% poverty or less	5.3%
	Greater than 200% poverty	1.3%
Local Comparisons		
	Region	1.2%
	Rural Benton	2.4%
	Sherburne	0.9%
	Stearns	0.9%
	St. Cloud	1.1%

**54. Why did you not get or delay getting the medical care you thought you needed?
I did not think it was serious enough**

		Checked
Benton Total		41.7%
Gender	Male	36.9%
	Female	48.5%
Age groups	18-34	DS
	35-44	DS
	45-54	DS
	55-64	DS
	65-74	DS
	75+	DS
Education	High school graduate/GED or less	DS
	Trade/Voc, Associate degree or some college	63.1%
	Bachelor's degree	62.3%
	Graduate or professional degree	DS
Poverty 200%	200% poverty or less	19.6%
	Greater than 200% poverty	64.3%
Local Comparisons		
	Region	35.8%
	Rural Benton	39.3%
	Sherburne	29.6%
	Stearns	37.7%
	St. Cloud	34.4%

**55. Why did you not get or delay getting the medical care you thought you needed?
I was too nervous or afraid**

		Checked
Benton Total		6.5%
Gender	Male	3.5%
	Female	10.7%
Age groups	18-34	DS
	35-44	DS
	45-54	DS
	55-64	DS
	65-74	DS
	75+	DS
	Education	High school graduate/GED or less
Trade/Voc, Associate degree or some college		5.1%
Bachelor's degree		8.4%
Graduate or professional degree		DS
Poverty 200%	200% poverty or less	10.3%
	Greater than 200% poverty	4.1%
Local Comparisons		
	Region	3.3%
	Rural Benton	7.2%
	Sherburne	4.9%
	Stearns	1.7%
	St. Cloud	4.0%

**56. Why did you not get or delay getting the medical care you thought you needed?
I don't trust the health care system**

		Checked
Benton Total		6.1%
Gender	Male	2.1%
	Female	11.8%
Age groups	18-34	DS
	35-44	DS
	45-54	DS
	55-64	DS
	65-74	DS
	75+	DS
	Education	High school graduate/GED or less
Trade/Voc, Associate degree or some college		19.2%
Bachelor's degree		1.6%
Graduate or professional degree		DS
Poverty 200%	200% poverty or less	10.7%
	Greater than 200% poverty	3.0%
Local Comparisons		
	Region	4.9%
	Rural Benton	7.2%
	Sherburne	9.5%
	Stearns	2.1%
	St. Cloud	1.2%

**57. Why did you not get or delay getting the medical care you thought you needed?
The clinic cancelled my appointment due to COVID-19**

		Checked
Benton Total		3.8%
Gender	Male	3.1%
	Female	4.7%
Age groups	18-34	DS
	35-44	DS
	45-54	DS
	55-64	DS
	65-74	DS
	75+	DS
	Education	High school graduate/GED or less
Trade/Voc, Associate degree or some college		3.4%
Bachelor's degree		2.3%
Graduate or professional degree		DS
Poverty 200%	200% poverty or less	1.9%
	Greater than 200% poverty	5.4%
Local Comparisons		
	Region	10.2%
	Rural Benton	10.7%
	Sherburne	10.9%
	Stearns	11.3%
	St. Cloud	8.5%

**58. Why did you not get or delay getting the medical care you thought you needed?
I cancelled my appointment due to COVID-19**

		Checked
Benton Total		9.6%
Gender	Male	6.1%
	Female	14.4%
Age groups	18-34	DS
	35-44	DS
	45-54	DS
	55-64	DS
	65-74	DS
	75+	DS
	Education	High school graduate/GED or less
Trade/Voc, Associate degree or some college		5.4%
Bachelor's degree		19.4%
Graduate or professional degree		DS
Poverty 200%	200% poverty or less	3.5%
	Greater than 200% poverty	14.1%
Local Comparisons		
	Region	13.7%
	Rural Benton	14.0%
	Sherburne	13.1%
	Stearns	15.1%
	St. Cloud	11.7%

**59. Why did you not get or delay getting the medical care you thought you needed?
I did not have access to telehealth or a virtual visit**

		Checked
Benton Total		1.0%
Gender	Male	0.5%
	Female	1.6%
Age groups	18-34	DS
	35-44	DS
	45-54	DS
	55-64	DS
	65-74	DS
	75+	DS
	Education	High school graduate/GED or less
Trade/Voc, Associate degree or some college		0.8%
Bachelor's degree		3.2%
Graduate or professional degree		DS
Poverty 200%	200% poverty or less	0.6%
	Greater than 200% poverty	1.4%
Local Comparisons		
Local Comparisons	Region	2.2%
	Rural Benton	1.3%
	Sherburne	0.0%
	Stearns	3.7%
	St. Cloud	0.9%

60. Why did you not get or delay getting the medical care you thought you needed?
Other reason

		Checked
Benton Total		4.1%
Gender	Male	2.1%
	Female	7.0%
Age groups	18-34	DS
	35-44	DS
	45-54	DS
	55-64	DS
	65-74	DS
	75+	DS
Education	High school graduate/GED or less	DS
	Trade/Voc, Associate degree or some college	4.3%
	Bachelor's degree	9.8%
	Graduate or professional degree	DS
Poverty 200%	200% poverty or less	3.9%
	Greater than 200% poverty	4.3%
Local Comparisons		
Local Comparisons	Region	5.8%
	Rural Benton	12.6%
	Sherburne	1.9%
	Stearns	8.3%
	St. Cloud	6.1%

61. During the past 12 months, was there a time when you thought you needed dental care but did not get it or delayed getting it?

		Yes	No
Benton Total		31.1%	68.9%
Gender	Male	33.9%	66.1%
	Female	29.2%	70.8%
Age groups	18-34	52.2%	47.8%
	35-44	18.5%	81.5%
	45-54	30.5%	69.5%
	55-64	16.5%	83.5%
	65-74	25.0%	75.0%
	75+	9.0%	91.0%
Education	High school graduate/GED or less	35.1%	64.9%
	Trade/Voc, Associate degree or some college	32.9%	67.1%
	Bachelor's degree	21.7%	78.3%
	Graduate or professional degree	32.4%	67.6%
Poverty 200%	200% poverty or less	55.4%	44.6%
	Greater than 200% poverty	22.0%	78.0%
Local Comparisons			
	Region	28.0%	72.0%
	Rural Benton	27.3%	72.7%
	Sherburne	39.7%	60.3%
	Stearns	20.6%	79.4%
	St. Cloud	25.0%	75.0%

62. Why did you not get or delay getting the dental care you thought you needed? (mark all that apply)

	Checked
Benton Total	
The care I needed cost too much	57.9%
My co-pay was too expensive	12.3%
My deductible was too expensive	4.1%
My insurance did not cover it	12.9%
I did not have insurance	37.1%
The dentist would not accept my insurance	0.8%
I could not get an appointment	7.3%
I had transportation problems	1.3%
I did not think it was serious enough	12.2%
I was too nervous or afraid	18.6%
I don't trust the health care system	0.7%
The office cancelled my appointment due to COVID-19	5.1%
I cancelled my appointment due to COVID-19	8.8%
I did not have access to telehealth or a virtual visit	0.3%
Other reason	2.9%

63. Why did you not get or delay getting the dental care you thought you needed?
The care I needed cost too much

		Checked
Benton Total		57.9%
Gender	Male	72.1%
	Female	46.6%
Age groups	18-34	DS
	35-44	DS
	45-54	DS
	55-64	DS
	65-74	65.2%
	75+	DS
Education	High school graduate/GED or less	DS
	Trade/Voc, Associate degree or some college	55.0%
	Bachelor's degree	DS
	Graduate or professional degree	DS
Poverty 200%	200% poverty or less	69.5%
	Greater than 200% poverty	42.8%
Local Comparisons		
	Region	41.4%
	Rural Benton	33.4%
	Sherburne	44.6%
	Stearns	31.6%
	St. Cloud	42.6%

**64. Why did you not get or delay getting the dental care you thought you needed?
My co-pay was too expensive**

		Checked
Benton Total		12.3%
Gender	Male	8.1%
	Female	15.6%
Age groups	18-34	DS
	35-44	DS
	45-54	DS
	55-64	DS
	65-74	8.7%
	75+	DS
Education	High school graduate/GED or less	DS
	Trade/Voc, Associate degree or some college	20.7%
	Bachelor's degree	DS
	Graduate or professional degree	DS
Poverty 200%	200% poverty or less	4.5%
	Greater than 200% poverty	7.1%
Local Comparisons		
	Region	6.5%
	Rural Benton	14.0%
	Sherburne	5.0%
	Stearns	5.9%
	St. Cloud	6.5%

**65. Why did you not get or delay getting the dental care you thought you needed?
My deductible was too expensive**

		Checked
Benton Total		4.1%
Gender	Male	3.7%
	Female	4.5%
Age groups	18-34	DS
	35-44	DS
	45-54	DS
	55-64	DS
	65-74	5.0%
	75+	DS
Education	High school graduate/GED or less	DS
	Trade/Voc, Associate degree or some college	4.2%
	Bachelor's degree	DS
	Graduate or professional degree	DS
Poverty 200%	200% poverty or less	4.1%
	Greater than 200% poverty	2.9%
Local Comparisons		
Local Comparisons	Region	6.4%
	Rural Benton	7.8%
	Sherburne	7.0%
	Stearns	6.5%
	St. Cloud	4.6%

**66. Why did you not get or delay getting the dental care you thought you needed?
My insurance did not cover it**

		Checked
Benton Total		12.9%
Gender	Male	11.8%
	Female	13.7%
Age groups	18-34	DS
	35-44	DS
	45-54	DS
	55-64	DS
	65-74	16.8%
	75+	DS
Education	High school graduate/GED or less	DS
	Trade/Voc, Associate degree or some college	14.9%
	Bachelor's degree	DS
	Graduate or professional degree	DS
Poverty 200%	200% poverty or less	15.7%
	Greater than 200% poverty	5.7%
Local Comparisons		
Local Comparisons	Region	18.2%
	Rural Benton	22.1%
	Sherburne	21.9%
	Stearns	16.7%
	St. Cloud	14.9%

67. Why did you not get or delay getting the dental care you thought you needed?
I did not have insurance

		Checked
Benton Total		37.1%
Gender	Male	68.7%
	Female	12.1%
Age groups	18-34	DS
	35-44	DS
	45-54	DS
	55-64	DS
	65-74	41.9%
	75+	DS
Education	High school graduate/GED or less	DS
	Trade/Voc, Associate degree or some college	27.8%
	Bachelor's degree	DS
	Graduate or professional degree	DS
Poverty 200%	200% poverty or less	61.3%
	Greater than 200% poverty	20.0%
Local Comparisons		
Local Comparisons	Region	20.8%
	Rural Benton	20.4%
	Sherburne	27.1%
	Stearns	7.6%
	St. Cloud	17.2%

**68. Why did you not get or delay getting the dental care you thought you needed?
My dentist would not accept my insurance**

		Checked
Benton Total		0.8%
Gender	Male	0.4%
	Female	1.2%
Age groups	18-34	DS
	35-44	DS
	45-54	DS
	55-64	DS
	65-74	1.2%
	75+	DS
Education	High school graduate/GED or less	DS
	Trade/Voc, Associate degree or some college	1.6%
	Bachelor's degree	DS
	Graduate or professional degree	DS
Poverty 200%	200% poverty or less	0.4%
	Greater than 200% poverty	1.4%
Local Comparisons		
	Region	5.3%
	Rural Benton	2.7%
	Sherburne	7.8%
	Stearns	4.3%
	St. Cloud	4.4%

**69. Why did you not get or delay getting the dental care you thought you needed?
I could not get an appointment**

		Checked
Benton Total		7.3%
Gender	Male	4.6%
	Female	9.5%
Age groups	18-34	DS
	35-44	DS
	45-54	DS
	55-64	DS
	65-74	7.4%
	75+	DS
Education	High school graduate/GED or less	DS
	Trade/Voc, Associate degree or some college	15.6%
	Bachelor's degree	DS
	Graduate or professional degree	DS
Poverty 200%	200% poverty or less	5.9%
	Greater than 200% poverty	10.2%
Local Comparisons		
	Region	7.3%
	Rural Benton	14.9%
	Sherburne	12.0%
	Stearns	2.1%
	St. Cloud	2.8%

**70. Why did you not get or delay getting the dental care you thought you needed?
I had transportation problems**

		Checked
Benton Total		1.3%
Gender	Male	1.8%
	Female	0.8%
Age groups	18-34	DS
	35-44	DS
	45-54	DS
	55-64	DS
	65-74	6.7%
	75+	DS
Education	High school graduate/GED or less	DS
	Trade/Voc, Associate degree or some college	0.1%
	Bachelor's degree	DS
	Graduate or professional degree	DS
Poverty 200%	200% poverty or less	1.9%
	Greater than 200% poverty	0.9%
Local Comparisons		
	Region	0.4%
	Rural Benton	2.8%
	Sherburne	0.0%
	Stearns	0.5%
	St. Cloud	0.2%

**71. Why did you not get or delay getting the dental care you thought you needed?
I did not think it was serious enough**

		Checked
Benton Total		12.2%
Gender	Male	6.9%
	Female	16.4%
Age groups	18-34	DS
	35-44	DS
	45-54	DS
	55-64	DS
	65-74	2.0%
	75+	DS
Education	High school graduate/GED or less	DS
	Trade/Voc, Associate degree or some college	8.8%
	Bachelor's degree	DS
	Graduate or professional degree	DS
Poverty 200%	200% poverty or less	5.8%
	Greater than 200% poverty	19.7%
Local Comparisons		
Local Comparisons	Region	17.4%
	Rural Benton	9.4%
	Sherburne	29.3%
	Stearns	6.5%
	St. Cloud	4.8%

**72. Why did you not get or delay getting the dental care you thought you needed?
I was too nervous or afraid**

		Checked
Benton Total		18.6%
Gender	Male	21.4%
	Female	16.4%
Age groups	18-34	DS
	35-44	DS
	45-54	DS
	55-64	DS
	65-74	15.6%
	75+	DS
Education	High school graduate/GED or less	DS
	Trade/Voc, Associate degree or some college	15.1%
	Bachelor's degree	DS
	Graduate or professional degree	DS
Poverty 200%	200% poverty or less	23.5%
	Greater than 200% poverty	17.4%
Local Comparisons		
Local Comparisons	Region	11.1%
	Rural Benton	16.5%
	Sherburne	12.2%
	Stearns	6.9%
	St. Cloud	8.4%

**73. Why did you not get or delay getting the dental care you thought you needed?
I don't trust the health care system**

		Checked
Benton Total		0.7%
Gender	Male	1.2%
	Female	0.4%
Age groups	18-34	DS
	35-44	DS
	45-54	DS
	55-64	DS
	65-74	0.0%
	75+	DS
Education	High school graduate/GED or less	DS
	Trade/Voc, Associate degree or some college	1.3%
	Bachelor's degree	DS
	Graduate or professional degree	DS
Poverty 200%	200% poverty or less	1.1%
	Greater than 200% poverty	0.0%
Local Comparisons		
	Region	0.8%
	Rural Benton	1.8%
	Sherburne	1.6%
	Stearns	0.0%
	St. Cloud	0.4%

**74. Why did you not get or delay getting the dental care you thought you needed?
The clinic cancelled my appointment due to COVID-19**

		Checked
Benton Total		5.1%
Gender	Male	7.0%
	Female	3.5%
Age groups	18-34	DS
	35-44	DS
	45-54	DS
	55-64	DS
	65-74	8.1%
	75+	DS
Education	High school graduate/GED or less	DS
	Trade/Voc, Associate degree or some college	9.5%
	Bachelor's degree	DS
	Graduate or professional degree	DS
Poverty 200%	200% poverty or less	0.1%
	Greater than 200% poverty	10.5%
Local Comparisons		
Local Comparisons	Region	10.0%
	Rural Benton	16.6%
	Sherburne	4.8%
	Stearns	17.6%
	St. Cloud	10.1%

**75. Why did you not get or delay getting the dental care you thought you needed?
I cancelled my appointment due to COVID-19**

		Checked
Benton Total		8.8%
Gender	Male	1.2%
	Female	14.8%
Age groups	18-34	DS
	35-44	DS
	45-54	DS
	55-64	DS
	65-74	18.1%
	75+	DS
Education	High school graduate/GED or less	DS
	Trade/Voc, Associate degree or some college	9.8%
	Bachelor's degree	DS
	Graduate or professional degree	DS
Poverty 200%	200% poverty or less	0.3%
	Greater than 200% poverty	17.6%
Local Comparisons		
	Region	15.4%
	Rural Benton	13.2%
	Sherburne	12.5%
	Stearns	21.1%
	St. Cloud	20.3%

**76. Why did you not get or delay getting the dental care you thought you needed?
I did not have access to telehealth or a virtual visit**

		Checked
Benton Total		0.3%
Gender	Male	0.0%
	Female	0.5%
Age groups	18-34	DS
	35-44	DS
	45-54	DS
	55-64	DS
	65-74	4.3%
	75+	DS
Education	High school graduate/GED or less	DS
	Trade/Voc, Associate degree or some college	0.3%
	Bachelor's degree	DS
	Graduate or professional degree	DS
Poverty 200%	200% poverty or less	0.0%
	Greater than 200% poverty	0.7%
Local Comparisons		
	Region	0.7%
	Rural Benton	0.3%
	Sherburne	0.0%
	Stearns	1.6%
	St. Cloud	0.1%

77. Why did you not get or delay getting the dental care you thought you needed?
Other reason

		Checked
Benton Total		2.9%
Gender	Male	0.8%
	Female	4.5%
Age groups	18-34	DS
	35-44	DS
	45-54	DS
	55-64	DS
	65-74	2.4%
	75+	DS
Education	High school graduate/GED or less	DS
	Trade/Voc, Associate degree or some college	1.6%
	Bachelor's degree	DS
	Graduate or professional degree	DS
Poverty 200%	200% poverty or less	2.8%
	Greater than 200% poverty	3.5%
Local Comparisons		
	Region	5.3%
	Rural Benton	9.4%
	Sherburne	6.7%
	Stearns	4.8%
	St. Cloud	2.4%

78. During the past 12 months, was there a time when you wanted to talk with or seek help from a health professional about mental health issues such as stress, depression, excess worrying, troubling thoughts or emotional problems, but did not or delayed talking with someone?

		Yes	No
Benton Total		20.0%	80.0%
Gender	Male	26.9%	73.1%
	Female	14.8%	85.2%
Age groups	18-34	33.0%	67.0%
	35-44	24.8%	75.2%
	45-54	17.9%	82.1%
	55-64	7.7%	92.3%
	65-74	3.6%	96.4%
	75+	0.3%	99.7%
Education	High school graduate/GED or less	29.1%	70.9%
	Trade/Voc, Associate degree or some college	11.5%	88.5%
	Bachelor's degree	21.4%	78.6%
	Graduate or professional degree	14.3%	85.7%
Poverty 200%	200% poverty or less	46.5%	53.5%
	Greater than 200% poverty	11.2%	88.8%
Local Comparisons	Region	14.5%	85.5%
	Rural Benton	9.5%	90.5%
	Sherburne	15.0%	85.0%
	Stearns	12.9%	87.1%
	St. Cloud	18.8%	81.2%

79. Why did you not get or delay getting the mental health care you thought you needed? (Mark all that apply)

	Checked
Benton Total	
The care I needed cost too much	35.7%
My co-pay was too expensive	0.7%
My deductible was too expensive	6.2%
My insurance did not cover it	8.0%
I did not have insurance	32.3%
I could not get an appointment	14.3%
I had transportation problems	2.4%
I did not think it was serious enough	23.2%
I was too nervous or afraid	61.6%
I was afraid someone I know would see me	14.4%
I don't trust the health care system	2.6%
The office cancelled my appointment due to COVID-19	0.3%
I cancelled my appointment due to COVID-19	4.3%
I did not have access to telehealth or a virtual visit	0.4%
Other reason	12.0%

80. Why did you not get or delay getting the mental health care you thought you needed?
The care I needed cost too much

		Checked
Benton Total		35.5%
Gender	Male	DS
	Female	13.3%
Age groups	18-34	DS
	35-44	DS
	45-54	DS
	55-64	DS
	65-74	DS
	75+	DS
Education	High school graduate/GED or less	DS
	Trade/Voc, Associate degree or some college	DS
	Bachelor's degree	DS
	Graduate or professional degree	DS
Poverty 200%	200% poverty or less	DS
	Greater than 200% poverty	DS
Local Comparisons		
	Region	30.0%
	Rural Benton	DS
	Sherburne	51.6%
	Stearns	13.4%
	St. Cloud	23.3%

**81. Why did you not get or delay getting the mental health care you thought you needed?
My co-pay was too expensive**

		Checked
Benton Total		0.7%
Gender	Male	DS
	Female	1.5%
Age groups	18-34	DS
	35-44	DS
	45-54	DS
	55-64	DS
	65-74	DS
	75+	DS
Education	High school graduate/GED or less	DS
	Trade/Voc, Associate degree or some college	DS
	Bachelor's degree	DS
	Graduate or professional degree	DS
Poverty 200%	200% poverty or less	DS
	Greater than 200% poverty	DS
Local Comparisons		
	Region	14.2%
	Rural Benton	DS
	Sherburne	25.7%
	Stearns	11.9%
	St. Cloud	7.4%

**82. Why did you not get or delay getting the mental health care you thought you needed?
My deductible was too expensive**

		Checked
Benton Total		6.2%
Gender	Male	DS
	Female	14.4%
Age groups	18-34	DS
	35-44	DS
	45-54	DS
	55-64	DS
	65-74	DS
	75+	DS
Education	High school graduate/GED or less	DS
	Trade/Voc, Associate degree or some college	DS
	Bachelor's degree	DS
	Graduate or professional degree	DS
Poverty 200%	200% poverty or less	DS
	Greater than 200% poverty	DS
<hr/>		
Local Comparisons	Region	21.1%
	Rural Benton	DS
	Sherburne	32.2%
	Stearns	19.6%
	St. Cloud	12.0%

**83. Why did you not get or delay getting the mental health care you thought you needed?
My insurance did not cover it**

		Checked
Benton Total		8.0%
Gender	Male	DS
	Female	18.8%
Age groups	18-34	DS
	35-44	DS
	45-54	DS
	55-64	DS
	65-74	DS
	75+	DS
Education	High school graduate/GED or less	DS
	Trade/Voc, Associate degree or some college	DS
	Bachelor's degree	DS
	Graduate or professional degree	DS
Poverty 200%	200% poverty or less	DS
	Greater than 200% poverty	DS
<hr/>		
Local Comparisons	Region	9.5%
	Rural Benton	DS
	Sherburne	13.4%
	Stearns	7.5%
	St. Cloud	6.7%

84. Why did you not get or delay getting the mental health care you thought you needed?
I did not have insurance

		Checked
Benton Total		32.3%
Gender	Male	DS
	Female	2.4%
Age groups	18-34	DS
	35-44	DS
	45-54	DS
	55-64	DS
	65-74	DS
	75+	DS
Education	High school graduate/GED or less	DS
	Trade/Voc, Associate degree or some college	DS
	Bachelor's degree	DS
	Graduate or professional degree	DS
Poverty 200%	200% poverty or less	DS
	Greater than 200% poverty	DS
<hr/>		
Local Comparisons	Region	12.5%
	Rural Benton	DS
	Sherburne	14.5%
	Stearns	3.4%
	St. Cloud	13.4%

**85. Why did you not get or delay getting the mental health care you thought you needed?
I could not get an appointment**

		Checked
Benton Total		14.3%
Gender	Male	DS
	Female	9.3%
Age groups	18-34	DS
	35-44	DS
	45-54	DS
	55-64	DS
	65-74	DS
	75+	DS
Education	High school graduate/GED or less	DS
	Trade/Voc, Associate degree or some college	DS
	Bachelor's degree	DS
	Graduate or professional degree	DS
Poverty 200%	200% poverty or less	DS
	Greater than 200% poverty	DS
<hr/>		
Local Comparisons	Region	13.6%
	Rural Benton	DS
	Sherburne	20.9%
	Stearns	8.5%
	St. Cloud	11.6%

**86. Why did you not get or delay getting the mental health care you thought you needed?
I had transportation problems**

		Checked
Benton Total		2.4%
Gender	Male	DS
	Female	1.0%
Age groups	18-34	DS
	35-44	DS
	45-54	DS
	55-64	DS
	65-74	DS
	75+	DS
Education	High school graduate/GED or less	DS
	Trade/Voc, Associate degree or some college	DS
	Bachelor's degree	DS
	Graduate or professional degree	DS
Poverty 200%	200% poverty or less	DS
	Greater than 200% poverty	DS
Local Comparisons		
	Region	0.6%
	Rural Benton	DS
	Sherburne	0.0%
	Stearns	0.3%
	St. Cloud	0.9%

**87. Why did you not get or delay getting the mental health care you thought you needed?
I did not think it was serious enough**

		Checked
Benton Total		23.2%
Gender	Male	DS
	Female	37.6%
Age groups	18-34	DS
	35-44	DS
	45-54	DS
	55-64	DS
	65-74	DS
	75+	DS
Education	High school graduate/GED or less	DS
	Trade/Voc, Associate degree or some college	DS
	Bachelor's degree	DS
	Graduate or professional degree	DS
Poverty 200%	200% poverty or less	DS
	Greater than 200% poverty	DS
<hr/>		
Local Comparisons	Region	29.2%
	Rural Benton	DS
	Sherburne	28.3%
	Stearns	32.0%
	St. Cloud	26.8%

**88. Why did you not get or delay getting the mental health care you thought you needed?
I was too nervous or afraid**

		Checked
Benton Total		61.6%
Gender	Male	DS
	Female	51.3%
Age groups	18-34	DS
	35-44	DS
	45-54	DS
	55-64	DS
	65-74	DS
	75+	DS
Education	High school graduate/GED or less	DS
	Trade/Voc, Associate degree or some college	DS
	Bachelor's degree	DS
	Graduate or professional degree	DS
Poverty 200%	200% poverty or less	DS
	Greater than 200% poverty	DS
<hr/>		
Local Comparisons	Region	29.1%
	Rural Benton	DS
	Sherburne	16.4%
	Stearns	24.9%
	St. Cloud	35.3%

**89. Why did you not get or delay getting the mental health care you thought you needed?
I was afraid someone I know would see me**

		Checked
Benton Total		14.4%
Gender	Male	DS
	Female	17.2%
Age groups	18-34	DS
	35-44	DS
	45-54	DS
	55-64	DS
	65-74	DS
	75+	DS
Education	High school graduate/GED or less	DS
	Trade/Voc, Associate degree or some college	DS
	Bachelor's degree	DS
	Graduate or professional degree	DS
Poverty 200%	200% poverty or less	DS
	Greater than 200% poverty	DS
<hr/>		
Local Comparisons	Region	4.8%
	Rural Benton	DS
	Sherburne	0.0%
	Stearns	4.2%
	St. Cloud	6.8%

**90. Why did you not get or delay getting the mental health care you thought you needed?
I don't trust the health care system**

		Checked
Benton Total		2.6%
Gender	Male	DS
	Female	3.2%
Age groups	18-34	DS
	35-44	DS
	45-54	DS
	55-64	DS
	65-74	DS
	75+	DS
Education	High school graduate/GED or less	DS
	Trade/Voc, Associate degree or some college	DS
	Bachelor's degree	DS
	Graduate or professional degree	DS
Poverty 200%	200% poverty or less	DS
	Greater than 200% poverty	DS
<hr/>		
Local Comparisons	Region	7.5%
	Rural Benton	DS
	Sherburne	10.8%
	Stearns	7.2%
	St. Cloud	1.8%

**91. Why did you not get or delay getting the mental health care you thought you needed?
The clinic cancelled my appointment due to COVID-19**

		Checked
Benton Total		0.3%
Gender	Male	DS
	Female	0.8%
Age groups	18-34	DS
	35-44	DS
	45-54	DS
	55-64	DS
	65-74	DS
	75+	DS
Education	High school graduate/GED or less	DS
	Trade/Voc, Associate degree or some college	DS
	Bachelor's degree	DS
	Graduate or professional degree	DS
Poverty 200%	200% poverty or less	DS
	Greater than 200% poverty	DS
Local Comparisons		
	Region	0.4%
	Rural Benton	DS
	Sherburne	0.7%
	Stearns	0.3%
	St. Cloud	0.6%

**92. Why did you not get or delay getting the mental health care you thought you needed?
I cancelled my appointment due to COVID-19**

		Checked
Benton Total		4.3%
Gender	Male	DS
	Female	7.2%
Age groups	18-34	DS
	35-44	DS
	45-54	DS
	55-64	DS
	65-74	DS
	75+	DS
Education	High school graduate/GED or less	DS
	Trade/Voc, Associate degree or some college	DS
	Bachelor's degree	DS
	Graduate or professional degree	DS
Poverty 200%	200% poverty or less	DS
	Greater than 200% poverty	DS
Local Comparisons		
	Region	1.6%
	Rural Benton	DS
	Sherburne	0.0%
	Stearns	1.6%
	St. Cloud	1.7%

**93. Why did you not get or delay getting the mental health care you thought you needed?
I did not have access to telehealth or a virtual visit**

		Checked
Benton Total		0.4%
Gender	Male	DS
	Female	0.9%
Age groups	18-34	DS
	35-44	DS
	45-54	DS
	55-64	DS
	65-74	DS
	75+	DS
Education	High school graduate/GED or less	DS
	Trade/Voc, Associate degree or some college	DS
	Bachelor's degree	DS
	Graduate or professional degree	DS
Poverty 200%	200% poverty or less	DS
	Greater than 200% poverty	DS
Local Comparisons		
	Region	0.5%
	Rural Benton	DS
	Sherburne	0.0%
	Stearns	0.8%
	St. Cloud	0.2%

**94. Why did you not get or delay getting the mental health care you thought you needed?
Other reason**

		Checked
Benton Total		12.0%
Gender	Male	DS
	Female	26.4%
Age groups	18-34	DS
	35-44	DS
	45-54	DS
	55-64	DS
	65-74	DS
	75+	DS
Education	High school graduate/GED or less	DS
	Trade/Voc, Associate degree or some college	DS
	Bachelor's degree	DS
	Graduate or professional degree	DS
Poverty 200%	200% poverty or less	DS
	Greater than 200% poverty	DS
Local Comparisons		
	Region	20.0%
	Rural Benton	DS
	Sherburne	18.0%
	Stearns	24.5%
	St. Cloud	20.7%

95. During the past 30 days, about how many days have you felt sad, blue, or depressed?

		0 days	1-9 days	10-19 days	20-29 days	All 30 days
Benton Total		41.3%	38.3%	11.4%	5.8%	3.2%
Gender	Male	51.3%	15.6%	20.2%	11.6%	1.3%
	Female	33.7%	55.7%	4.6%	1.3%	4.7%
Age groups	18-34	22.7%	47.3%	27.5%	0.8%	1.7%
	35-44	32.2%	36.4%	4.3%	19.1%	8.0%
	45-54	48.1%	34.3%	4.4%	8.8%	4.3%
	55-64	54.5%	39.5%	1.7%	1.8%	2.6%
	65-74	66.5%	26.0%	3.9%	2.6%	1.1%
	75+	70.5%	26.1%	1.8%	1.6%	0.0%
Education	High school graduate/GED or less	38.5%	31.0%	19.0%	6.5%	4.9%
	Trade/Voc, Associate degree or some college	45.4%	40.4%	9.9%	4.0%	0.3%
	Bachelor's degree	33.9%	47.4%	3.9%	9.1%	5.8%
	Graduate or professional degree	57.5%	33.8%	8.3%	0.5%	0.0%
Poverty 200%	200% poverty or less	36.5%	21.3%	33.2%	2.2%	6.7%
	Greater than 200% poverty	42.1%	44.6%	3.9%	7.4%	2.1%
Local Comparisons	Region	49.4%	37.0%	8.1%	3.4%	2.1%
	Rural Benton	56.0%	30.5%	8.0%	5.2%	0.3%
	Sherburne	55.0%	36.0%	4.8%	1.7%	2.4%
	Stearns	48.1%	37.3%	9.2%	3.8%	1.6%
	St. Cloud	39.8%	39.6%	13.4%	5.3%	1.9%

96. Which statement best describes the medications prescribed for you in the past 6 months?

		No prescriptions	Had prescriptions and filled them all	Had prescriptions and did not fill at least one
Benton Total		33.5%	61.8%	4.7%
Gender	Male	42.1%	54.6%	3.4%
	Female	26.8%	67.4%	5.7%
Age groups	18-34	40.4%	52.4%	7.3%
	35-44	37.2%	58.4%	4.4%
	45-54	38.2%	60.4%	1.4%
	55-64	22.3%	70.6%	7.1%
	65-74	12.0%	86.3%	1.8%
	75+	29.9%	68.7%	1.4%
Education	High school graduate/GED or less	43.5%	52.2%	4.4%
	Trade/Voc, Associate degree or some college	34.0%	59.3%	6.6%
	Bachelor's degree	21.2%	75.7%	3.2%
	Graduate or professional degree	26.2%	70.4%	3.5%
Poverty 200%	200% poverty or less	41.5%	50.1%	8.4%
	Greater than 200% poverty	29.3%	67.1%	3.6%
Local Comparisons	Region	45.2%	52.5%	2.2%
	Rural Benton	42.7%	51.4%	6.0%
	Sherburne	52.1%	47.1%	0.8%
	Stearns	44.2%	53.4%	2.5%
	St. Cloud	38.5%	59.0%	2.5%

97. Why did you not fill at least one prescription? (mark all that apply)

Checked

Benton Total

The medication I needed cost too much

My co-pay was too expensive

My deductible was too expensive

My insurance did not cover it

I did not have insurance

I do not like taking medications

I did not like the side effects

I had transportation problems

Pharmacy services are not available in my community

Other reason

**The number of respondents who did not fill a Rx was too small to be able to break out the reasons by the demographic factors, so only the overall percentages can be shown. County specific tables are also not available due to insufficient data.

98. Current insurance status

		Currently uninsured	Currently insured
Benton Total		0.5%	99.5%
Gender	Male	0.8%	99.2%
	Female	0.2%	99.8%
Age groups	18-34	0.0%	100.0%
	35-44	0.5%	99.5%
	45-54	1.3%	98.7%
	55-64	0.9%	99.1%
	65-74	0.0%	100.0%
	75+	0.0%	100.0%
Education	High school graduate/GED or less	0.2%	99.8%
	Trade/Voc, Associate degree or some college	0.2%	99.8%
	Bachelor's degree	1.4%	98.6%
	Graduate or professional degree	0.0%	100.0%
Poverty 200%	200% poverty or less	0.6%	99.4%
	Greater than 200% poverty	0.5%	99.5%
Local Comparisons			
Local Comparisons	Region	1.2%	98.8%
	Rural Benton	1.3%	98.7%
	Sherburne	2.8%	97.2%
	Stearns	0.5%	99.5%
	St. Cloud	1.0%	99.0%

99. A serving of fruit is a medium-sized fruit or a half cup chopped, cut, or canned fruit. How many servings of fruit did you have yesterday?

		0 servings	1-2 servings	3-4 servings	5 or more servings
Benton Total		22.0%	52.1%	24.5%	1.3%
Gender	Male	27.0%	51.2%	20.7%	1.0%
	Female	18.6%	52.8%	27.1%	1.5%
Age groups	18-34	11.9%	57.9%	30.1%	0.0%
	35-44	37.4%	42.0%	19.0%	1.6%
	45-54	31.2%	50.8%	15.7%	2.3%
	55-64	23.3%	55.4%	16.8%	4.5%
	65-74	20.9%	61.8%	17.2%	0.2%
	75+	14.1%	39.9%	46.1%	0.0%
Education	High school graduate/GED or less	29.4%	46.5%	24.1%	0.0%
	Trade/Voc, Associate degree or some college	19.7%	48.5%	29.7%	2.1%
	Bachelor's degree	19.3%	61.6%	17.9%	1.2%
	Graduate or professional degree	12.5%	60.8%	23.3%	3.4%
Poverty 200%	200% poverty or less	22.2%	46.6%	30.4%	0.8%
	Greater than 200% poverty	23.8%	58.1%	16.6%	1.5%
Local Comparisons					
Local Comparisons	Region	23.2%	57.3%	15.6%	4.0%
	Rural Benton	18.0%	64.8%	14.8%	2.4%
	Sherburne	20.4%	65.0%	11.6%	3.0%
	Stearns	25.1%	54.2%	15.5%	5.2%
	St. Cloud	26.7%	52.7%	14.7%	5.9%

100. A serving of 100% fruit juice is 6 ounces. How many servings of fruit juice did you have yesterday?

		0 servings	1-2 servings	3-4 servings	5 or more servings
Benton Total		71.6%	23.5%	2.5%	2.3%
Gender	Male	71.6%	24.3%	1.2%	2.9%
	Female	71.5%	23.0%	3.5%	2.0%
Age groups	18-34	81.8%	7.4%	6.0%	4.8%
	35-44	71.6%	24.0%	0.0%	4.4%
	45-54	80.0%	18.7%	0.4%	0.9%
	55-64	62.6%	35.9%	1.5%	0.0%
	65-74	72.1%	27.1%	0.9%	0.0%
	75+	38.5%	59.2%	2.2%	0.0%
Education	High school graduate/GED or less	81.1%	15.3%	0.0%	3.7%
	Trade/Voc, Associate degree or some college	67.1%	30.2%	2.7%	0.0%
	Bachelor's degree	70.1%	18.1%	6.6%	5.1%
	Graduate or professional degree	59.4%	40.6%	0.0%	0.0%
Poverty 200%	200% poverty or less	66.0%	19.7%	8.1%	6.1%
	Greater than 200% poverty	78.1%	20.1%	0.6%	1.3%
Local Comparisons					
Local Comparisons	Region	71.1%	23.7%	4.2%	1.0%
	Rural Benton	69.9%	25.7%	0.8%	3.6%
	Sherburne	71.4%	20.6%	6.9%	1.1%
	Stearns	70.7%	25.4%	3.2%	0.6%
	St. Cloud	70.7%	24.5%	3.7%	1.1%

101. A serving of vegetables-not including french fries- is one cup of salad greens or half cup of vegetables. How many servings did you have yesterday?

		0 servings	1-2 servings	3-4 servings	5 or more servings
Benton Total		16.2%	60.2%	20.1%	3.4%
Gender	Male	28.1%	57.7%	12.0%	2.2%
	Female	8.1%	62.0%	25.6%	4.3%
Age groups	18-34	22.2%	58.9%	17.8%	1.2%
	35-44	12.5%	57.9%	19.1%	10.5%
	45-54	20.9%	51.7%	25.1%	2.3%
	55-64	10.7%	54.9%	28.3%	6.1%
	65-74	3.9%	80.2%	13.7%	2.2%
	75+	13.0%	72.2%	14.6%	0.2%
Education	High school graduate/GED or less	29.1%	60.7%	8.9%	1.2%
	Trade/Voc, Associate degree or some college	12.0%	60.0%	24.4%	3.6%
	Bachelor's degree	7.0%	62.1%	25.2%	5.7%
	Graduate or professional degree	10.7%	53.6%	30.5%	5.3%
Poverty 200%	200% poverty or less	34.7%	52.7%	8.5%	4.1%
	Greater than 200% poverty	9.7%	62.8%	24.2%	3.4%
Local Comparisons	Region	12.6%	54.4%	24.6%	8.4%
	Rural Benton	12.7%	58.4%	23.7%	5.1%
	Sherburne	10.0%	52.3%	28.0%	9.7%
	Stearns	13.1%	54.1%	23.8%	9.0%
	St. Cloud	14.2%	57.5%	19.7%	8.6%

102. How many servings of fruits and vegetables did you have yesterday?

		0 servings	1-2 servings	3-4 servings	5 or more servings
Benton Total		3.5%	27.6%	32.9%	36.0%
Gender	Male	6.0%	32.9%	38.1%	23.0%
	Female	1.7%	24.1%	29.4%	44.8%
Age groups	18-34	0.0%	19.1%	47.3%	33.6%
	35-44	4.7%	32.4%	32.0%	30.9%
	45-54	9.9%	38.6%	21.5%	29.9%
	55-64	3.1%	28.1%	26.8%	42.1%
	65-74	1.5%	33.9%	37.7%	26.9%
	75+	2.9%	21.9%	16.0%	59.3%
Education	High school graduate/GED or less	3.9%	42.1%	38.1%	15.9%
	Trade/Voc, Associate degree or some college	3.4%	23.4%	27.7%	45.5%
	Bachelor's degree	3.7%	17.5%	33.4%	45.4%
	Graduate or professional degree	1.6%	18.7%	32.4%	47.3%
Poverty 200%	200% poverty or less	4.6%	26.4%	41.7%	27.3%
	Greater than 200% poverty	3.0%	30.3%	33.3%	33.3%
Local Comparisons					
Local Comparisons	Region	4.3%	25.3%	29.0%	41.5%
	Rural Benton	4.3%	19.9%	37.4%	38.4%
	Sherburne	3.9%	25.5%	30.8%	39.7%
	Stearns	4.8%	24.5%	26.9%	43.8%
	St. Cloud	2.9%	29.2%	26.4%	41.6%

103. How often did you drink the following beverages in the past week?

	Never or less than 1 time per week	1 time per week	2-4 times per week	5-6 times per week	1 time per day	2-3 times per day	4 or more times per day
Benton Total							
Fruit drinks (such as Snapple, flavored teas, Capri Sun or Kool-Aid)	65.6%	9.4%	21.7%	1.7%	0.8%	0.4%	0.4%
Sports drinks (such as Gatorade or Powerade); these drinks usually do not have caffeine	73.1%	15.3%	6.0%	2.3%	0.4%	2.8%	0.1%
Regular soda or pop (include all kinds such as Coke, Pepsi, 7-Up, Sprite or root beer)	46.8%	12.2%	22.3%	4.4%	7.3%	6.4%	0.6%
Energy drinks (such as Rockstar, Red Bull, Monster or Full Throttle); these drinks usually have caffeine	87.7%	3.1%	7.5%	0.2%	0.6%	1.0%	0.0%

104. How often did you drink fruit drinks in the past week?

		Never or less than 1 time per week	1 time per week	2-4 times per week	5-6 times per week	1 time per day	2-3 times per day	4 or more times per day
Benton Total		65.6%	9.4%	21.7%	1.7%	0.8%	0.4%	0.4%
Gender	Male	62.4%	9.1%	22.6%	3.6%	0.9%	0.9%	0.5%
	Female	67.8%	9.7%	21.1%	0.4%	0.7%	0.1%	0.3%
Age groups	18-34	51.9%	13.0%	35.2%	0.0%	0.0%	0.0%	0.0%
	35-44	80.0%	9.1%	6.4%	2.7%	0.0%	0.4%	1.4%
	45-54	71.5%	10.5%	15.2%	1.3%	1.5%	0.0%	0.0%
	55-64	86.2%	3.6%	3.7%	3.9%	2.5%	0.2%	0.0%
	65-74	73.4%	4.2%	13.7%	2.5%	1.3%	3.1%	1.8%
	75+	43.7%	8.7%	43.4%	3.0%	0.6%	0.6%	0.0%
Education	High school graduate/GED or less	60.5%	8.2%	28.7%	0.6%	0.9%	0.4%	0.7%
	Trade/Voc, Associate degree or some college	60.8%	10.3%	24.5%	3.2%	0.5%	0.8%	0.0%
	Bachelor's degree	73.8%	12.9%	10.3%	1.3%	1.4%	0.1%	0.1%
	Graduate or professional degree	79.8%	1.5%	16.6%	0.6%	0.0%	0.0%	1.4%
Poverty 200%	200% poverty or less	50.2%	10.3%	37.2%	1.1%	0.2%	0.2%	0.8%
	Greater than 200% poverty	77.1%	9.9%	9.1%	2.2%	1.1%	0.5%	0.2%
Local Comparisons	Region	75.1%	9.1%	11.1%	2.7%	0.7%	1.0%	0.2%
	Rural Benton	67.0%	13.7%	14.4%	2.8%	0.7%	0.7%	0.7%
	Sherburne	71.6%	13.6%	6.8%	6.2%	0.4%	1.3%	0.2%
	Stearns	79.7%	6.5%	10.7%	0.9%	0.9%	1.0%	0.3%
	St. Cloud	73.1%	6.7%	16.3%	1.4%	1.1%	1.4%	0.1%

105. How often did you drink sports drinks in the past week?

		Never or less than 1 time per week	1 time per week	2-4 times per week	5-6 times per week	1 time per day	2-3 times per day	4 or more times per day
Benton Total		73.1%	15.3%	6.0%	2.3%	0.4%	2.8%	0.1%
Gender	Male	53.9%	26.9%	7.2%	4.4%	0.6%	6.9%	0.2%
	Female	86.3%	7.4%	5.2%	0.8%	0.3%	0.0%	0.0%
Age groups	18-34	59.5%	28.6%	8.9%	3.0%	0.0%	0.0%	0.0%
	35-44	67.8%	23.0%	7.0%	2.2%	0.0%	0.0%	0.0%
	45-54	73.0%	3.2%	4.4%	3.5%	1.0%	14.8%	0.0%
	55-64	89.1%	5.5%	3.2%	1.4%	0.9%	0.0%	0.0%
	65-74	87.4%	3.3%	5.6%	1.3%	1.4%	0.0%	0.9%
	75+	90.1%	7.3%	2.6%	0.0%	0.0%	0.0%	0.0%
Education	High school graduate/GED or less	58.6%	22.6%	4.3%	5.1%	0.3%	9.1%	0.0%
	Trade/Voc, Associate degree or some college	71.6%	15.9%	9.7%	1.7%	0.9%	0.0%	0.2%
	Bachelor's degree	86.8%	11.1%	1.9%	0.3%	0.0%	0.0%	0.0%
	Graduate or professional degree	92.3%	0.0%	7.2%	0.5%	0.0%	0.0%	0.0%
Poverty 200%	200% poverty or less	50.6%	38.6%	4.0%	6.1%	0.4%	0.0%	0.3%
	Greater than 200% poverty	81.9%	7.8%	4.5%	1.1%	0.5%	4.4%	0.0%
Local Comparisons	Region	81.2%	8.4%	5.0%	3.1%	1.4%	0.9%	0.1%
	Rural Benton	71.8%	12.8%	8.0%	6.7%	0.4%	0.0%	0.2%
	Sherburne	79.3%	6.1%	5.6%	7.8%	0.8%	0.4%	0.0%
	Stearns	84.4%	7.8%	4.4%	0.7%	1.9%	0.6%	0.2%
	St. Cloud	82.7%	9.9%	4.6%	0.3%	0.7%	1.9%	0.0%

106. How often did you drink regular soda/pop in the past week?

		Never or less than 1 time per week	1 time per week	2-4 times per week	5-6 times per week	1 time per day	2-3 times per day	4 or more times per day
Benton Total		46.8%	12.2%	22.3%	4.4%	7.3%	6.4%	0.6%
Gender	Male	32.6%	9.2%	32.5%	4.6%	11.3%	8.5%	1.4%
	Female	56.8%	14.4%	15.2%	4.3%	4.5%	4.9%	0.1%
Age groups	18-34	46.6%	14.0%	32.4%	2.4%	4.5%	0.0%	0.0%
	35-44	29.8%	11.0%	25.1%	5.3%	7.7%	21.0%	0.2%
	45-54	45.4%	9.5%	16.7%	5.6%	15.1%	5.5%	2.0%
	55-64	57.2%	8.4%	14.2%	5.3%	6.4%	7.5%	1.0%
	65-74	35.5%	24.8%	21.5%	9.3%	4.2%	4.2%	0.6%
	75+	70.3%	8.6%	10.5%	1.5%	4.2%	4.8%	0.0%
Education	High school graduate/GED or less	36.1%	7.7%	32.5%	6.7%	12.2%	3.5%	1.3%
	Trade/Voc, Associate degree or some college	55.5%	11.8%	17.4%	3.5%	6.2%	5.1%	0.5%
	Bachelor's degree	44.1%	16.6%	20.0%	4.1%	2.6%	12.6%	0.0%
	Graduate or professional degree	57.9%	18.3%	11.2%	0.0%	6.5%	6.1%	0.0%
Poverty 200%	200% poverty or less	32.5%	14.5%	38.6%	7.4%	4.2%	2.8%	0.0%
	Greater than 200% poverty	46.9%	12.8%	18.2%	3.5%	9.5%	8.5%	0.6%
<hr/>								
Local Comparisons	Region	44.8%	14.8%	18.8%	6.3%	8.1%	5.5%	1.7%
	Rural Benton	41.6%	18.9%	19.8%	5.8%	6.8%	6.4%	0.7%
	Sherburne	44.6%	15.1%	17.4%	10.3%	8.8%	2.2%	1.6%
	Stearns	44.5%	15.3%	18.7%	4.4%	8.0%	7.2%	2.0%
	St. Cloud	46.7%	12.7%	19.6%	4.6%	7.6%	6.8%	2.1%

107. How often did you drink energy drinks in the past week?

		Never or less than 1 time per week	1 time per week	2-4 times per week	5-6 times per week	1 time per day	2-3 times per day	4 or more times per day
Benton Total		87.7%	3.1%	7.5%	0.2%	0.6%	1.0%	0.0%
Gender	Male	77.3%	5.3%	14.6%	0.2%	0.5%	2.1%	0.0%
	Female	94.8%	1.6%	2.6%	0.2%	0.6%	0.2%	0.0%
Age groups	18-34	76.1%	3.1%	20.4%	0.0%	0.0%	0.4%	0.0%
	35-44	84.3%	8.5%	1.2%	0.4%	2.8%	2.7%	0.0%
	45-54	94.5%	1.4%	3.3%	0.3%	0.5%	0.0%	0.0%
	55-64	93.0%	3.1%	1.1%	0.0%	0.0%	2.9%	0.0%
	65-74	99.4%	0.6%	0.0%	0.0%	0.0%	0.0%	0.0%
	75+	99.4%	0.0%	0.0%	0.6%	0.0%	0.0%	0.0%
Education	High school graduate/GED or less	78.4%	2.8%	18.8%	0.0%	0.0%	0.0%	0.0%
	Trade/Voc, Associate degree or some college	90.1%	5.4%	0.5%	0.4%	1.1%	2.6%	0.0%
	Bachelor's degree	94.1%	1.3%	4.0%	0.3%	0.3%	0.0%	0.0%
	Graduate or professional degree	94.2%	0.0%	4.7%	0.0%	1.1%	0.0%	0.0%
Poverty 200%	200% poverty or less	69.2%	5.6%	24.6%	0.3%	0.4%	0.0%	0.0%
	Greater than 200% poverty	93.9%	2.6%	1.5%	0.2%	0.4%	1.5%	0.0%
Local Comparisons	Region	84.5%	4.8%	6.3%	2.5%	1.2%	0.6%	0.0%
	Rural Benton	86.8%	6.2%	3.0%	0.6%	1.7%	1.7%	0.0%
	Sherburne	74.9%	7.1%	11.8%	2.2%	2.8%	1.2%	0.0%
	Stearns	89.3%	4.0%	2.9%	3.2%	0.5%	0.1%	0.1%
	St. Cloud	86.8%	5.0%	5.0%	3.1%	0.1%	0.1%	0.0%

108. During the past 12 months, have you used a community food shelf program or a community food box program?

		Yes	No
Benton Total		11.4%	88.6%
Gender	Male	18.0%	82.0%
	Female	6.9%	93.1%
Age groups	18-34	21.0%	79.0%
	35-44	6.3%	93.7%
	45-54	5.1%	94.9%
	55-64	9.1%	90.9%
	65-74	7.4%	92.6%
	75+	7.7%	92.3%
Education	High school graduate/GED or less	23.8%	76.2%
	Trade/Voc, Associate degree or some college	4.4%	95.6%
	Bachelor's degree	10.1%	89.9%
	Graduate or professional degree	0.0%	100.0%
Poverty 200%	200% poverty or less	33.8%	66.2%
	Greater than 200% poverty	3.1%	96.9%
Local Comparisons			
	Region	6.4%	93.6%
	Rural Benton	6.4%	93.6%
	Sherburne	8.1%	91.9%
	Stearns	4.1%	95.9%
	St. Cloud	5.9%	94.1%

109. How often do you or others in your household buy or get food from the following places?

	Never or less than 1 time per month	About 1 time per month	About 2 or 3 times per month	About 1 time per week	2 or more times per week
Benton Total					
Supermarket or large grocery store	4.7%	5.4%	23.6%	47.3%	18.9%
Small grocery store	44.0%	19.1%	12.3%	20.2%	4.4%
Convenience store or gas station	39.7%	18.8%	29.3%	5.9%	6.4%
Food shelf, food pantry or community food box program	96.6%	2.5%	0.9%	0.0%	0.0%
Some other place	90.5%	3.4%	4.8%	1.1%	0.2%

110. How often do you or others in your household buy or get food from a supermarket or large grocery store?

		Never/Less than once per month	Once per month	2-3 times per month	Once per week	2+ times per week
Benton Total		4.7%	5.4%	23.6%	47.3%	18.9%
Gender	Male	1.1%	6.4%	22.1%	49.5%	20.8%
	Female	7.2%	4.7%	24.7%	45.8%	17.6%
Age groups	18-34	0.0%	0.0%	30.4%	54.0%	15.6%
	35-44	0.2%	5.5%	28.0%	45.0%	21.3%
	45-54	0.0%	2.2%	9.7%	54.7%	33.4%
	55-64	2.5%	9.3%	25.1%	45.4%	17.7%
	65-74	1.7%	15.0%	18.7%	54.4%	10.2%
	75+	37.3%	14.0%	23.6%	16.5%	8.6%
Education	High school graduate/GED or less	0.7%	5.4%	20.1%	56.8%	17.1%
	Trade/Voc, Associate degree or some college	12.1%	7.0%	26.7%	40.5%	13.7%
	Bachelor's degree	0.1%	2.9%	23.0%	45.3%	28.6%
	Graduate or professional degree	1.3%	5.4%	26.0%	45.5%	21.7%
Poverty 200%	200% poverty or less	1.6%	5.7%	23.0%	59.4%	10.2%
	Greater than 200% poverty	0.5%	5.9%	21.4%	47.5%	24.7%
Local Comparisons	Region	1.6%	7.1%	29.0%	43.2%	19.1%
	Rural Benton	0.5%	6.0%	33.4%	43.4%	16.7%
	Sherburne	0.6%	7.8%	31.6%	38.1%	21.9%
	Stearns	1.4%	7.0%	29.0%	45.0%	17.5%
	St. Cloud	2.0%	5.4%	23.4%	48.2%	21.0%

111. How often do you or others in your household buy or get food from a small grocery store?

		Never/Less than once per month	Once per month	2-3 times per month	Once per week	2+ times per week
Benton Total		44.0%	19.1%	12.3%	20.2%	4.4%
Gender	Male	47.8%	17.7%	14.5%	15.9%	4.1%
	Female	41.5%	20.1%	10.8%	23.0%	4.6%
Age groups	18-34	51.1%	7.1%	12.8%	27.4%	1.6%
	35-44	53.4%	17.0%	9.5%	12.4%	7.7%
	45-54	26.2%	23.1%	14.1%	29.8%	6.8%
	55-64	47.2%	23.5%	14.0%	8.9%	6.4%
	65-74	46.9%	15.9%	18.3%	14.2%	4.7%
	75+	31.1%	57.0%	4.4%	7.5%	0.0%
Education	High school graduate/GED or less	45.2%	19.4%	7.0%	26.0%	2.5%
	Trade/Voc, Associate degree or some college	40.8%	27.3%	14.9%	11.4%	5.6%
	Bachelor's degree	48.8%	8.8%	13.8%	25.0%	3.6%
	Graduate or professional degree	42.4%	13.2%	15.0%	22.5%	7.0%
Poverty 200%	200% poverty or less	62.1%	19.7%	3.7%	8.8%	5.7%
	Greater than 200% poverty	41.7%	14.2%	13.4%	26.3%	4.4%
Local Comparisons	Region	34.8%	21.3%	16.3%	23.0%	4.6%
	Rural Benton	28.5%	23.3%	22.6%	20.3%	5.3%
	Sherburne	37.8%	22.4%	14.7%	17.9%	7.2%
	Stearns	30.7%	21.3%	18.1%	26.7%	3.2%
	St. Cloud	38.0%	21.6%	14.5%	24.5%	1.5%

112. How often do you or others in your household buy or get food from a convenience store or gas station?

		Never/Less than once per month	Once per month	2-3 times per month	Once per week	2+ times per week
Benton Total		39.7%	18.8%	29.3%	5.9%	6.4%
Gender	Male	34.8%	24.3%	24.2%	8.3%	8.4%
	Female	43.2%	14.8%	32.8%	4.1%	5.0%
Age groups	18-34	38.3%	12.6%	43.0%	2.7%	3.4%
	35-44	42.0%	13.3%	17.1%	11.2%	16.4%
	45-54	28.2%	34.7%	21.0%	7.8%	8.3%
	55-64	58.1%	18.7%	13.4%	6.1%	3.7%
	65-74	48.7%	22.8%	16.5%	7.4%	4.6%
	75+	32.6%	14.0%	51.9%	1.5%	0.0%
Education	High school graduate/GED or less	38.0%	22.7%	31.5%	2.0%	5.8%
	Trade/Voc, Associate degree or some college	41.0%	16.3%	28.5%	10.9%	3.3%
	Bachelor's degree	32.1%	20.8%	27.9%	5.0%	14.2%
	Graduate or professional degree	60.5%	9.1%	29.7%	0.7%	0.0%
Poverty 200%	200% poverty or less	36.5%	16.0%	37.0%	0.3%	10.3%
	Greater than 200% poverty	42.5%	21.2%	22.0%	8.5%	5.8%
Local Comparisons	Region	49.7%	20.3%	14.6%	8.4%	7.0%
	Rural Benton	49.8%	18.3%	16.8%	12.5%	2.6%
	Sherburne	52.6%	19.5%	11.6%	11.6%	4.7%
	Stearns	50.7%	21.1%	12.3%	7.3%	8.5%
	St. Cloud	45.1%	23.0%	18.2%	7.2%	6.5%

113. How often do you or others in your household buy or get food from a food shelf or food pantry?

		Never/Less than once per month	Once per month	2-3 times per month	Once per week	2+ times per week
Benton Total		96.6%	2.5%	0.9%	0.0%	0.0%
Gender	Male	97.9%	2.1%	0.0%	0.0%	0.0%
	Female	95.6%	2.9%	1.5%	0.0%	0.0%
Age groups	18-34	95.8%	2.5%	1.7%	0.0%	0.0%
	35-44	99.6%	0.0%	0.4%	0.0%	0.0%
	45-54	98.5%	1.3%	0.2%	0.0%	0.0%
	55-64	93.0%	5.8%	1.2%	0.0%	0.0%
	65-74	94.6%	5.0%	0.4%	0.0%	0.0%
	75+	96.4%	3.3%	0.3%	0.0%	0.0%
Education	High school graduate/GED or less	96.9%	3.0%	0.1%	0.0%	0.0%
	Trade/Voc, Associate degree or some college	95.6%	4.0%	0.4%	0.0%	0.0%
	Bachelor's degree	96.3%	0.8%	2.9%	0.0%	0.0%
	Graduate or professional degree	100.0%	0.0%	0.0%	0.0%	0.0%
Poverty 200%	200% poverty or less	90.4%	6.8%	2.8%	0.0%	0.0%
	Greater than 200% poverty	98.9%	0.9%	0.2%	0.0%	0.0%
<hr/>						
Local Comparisons	Region	95.4%	3.7%	0.3%	0.4%	0.1%
	Rural Benton	96.1%	3.4%	0.5%	0.0%	0.0%
	Sherburne	92.9%	6.2%	0.6%	0.2%	0.0%
	Stearns	96.5%	2.7%	0.0%	0.7%	0.0%
	St. Cloud	96.4%	2.7%	0.3%	0.7%	0.0%

114. How often do you or others in your household buy or get food from some other place?

		Never/Less than once per month	Once per month	2-3 times per month	Once per week	2+ times per week
Benton Total		90.5%	3.4%	4.8%	1.1%	0.2%
Gender	Male	91.6%	5.7%	2.7%	0.0%	0.0%
	Female	89.7%	1.8%	6.3%	1.8%	0.3%
Age groups	18-34	91.3%	0.0%	6.0%	2.7%	0.0%
	35-44	93.9%	0.8%	5.3%	0.0%	0.0%
	45-54	92.4%	4.3%	2.3%	0.5%	0.5%
	55-64	79.9%	11.3%	7.9%	0.5%	0.5%
	65-74	92.2%	4.1%	3.4%	0.3%	0.0%
	75+	97.5%	2.5%	0.0%	0.0%	0.0%
Education	High school graduate/GED or less	92.3%	2.5%	5.2%	0.0%	0.0%
	Trade/Voc, Associate degree or some college	88.9%	7.5%	2.5%	0.7%	0.4%
	Bachelor's degree	88.9%	0.3%	7.9%	2.9%	0.0%
	Graduate or professional degree	95.0%	2.5%	1.6%	0.0%	0.8%
Poverty 200%	200% poverty or less	72.7%	8.4%	14.5%	4.4%	0.0%
	Greater than 200% poverty	95.6%	1.5%	2.4%	0.2%	0.2%
Local Comparisons	Region	92.5%	2.9%	2.2%	1.4%	0.9%
	Rural Benton	89.7%	3.4%	5.7%	0.6%	0.6%
	Sherburne	94.9%	1.9%	2.1%	0.1%	1.0%
	Stearns	91.7%	3.3%	1.6%	2.3%	1.1%
	St. Cloud	92.6%	2.2%	2.8%	2.3%	0.2%

115. During the past 12 months, how often did you worry that your food would run out before you had money to buy more?

		Often	Sometimes	Rarely	Never
Benton Total		1.5%	9.5%	7.5%	81.6%
Gender	Male	0.2%	20.0%	3.7%	76.1%
	Female	2.3%	2.2%	10.2%	85.3%
Age groups	18-34	3.1%	20.5%	8.0%	68.4%
	35-44	2.4%	6.1%	9.7%	81.8%
	45-54	0.0%	4.1%	5.3%	90.6%
	55-64	0.2%	5.2%	3.4%	91.1%
	65-74	0.8%	4.2%	6.7%	88.3%
	75+	0.0%	0.9%	12.1%	87.0%
Education	High school graduate/GED or less	0.3%	26.0%	9.5%	64.2%
	Trade/Voc, Associate degree or some college	2.2%	3.3%	9.5%	85.0%
	Bachelor's degree	2.4%	1.0%	2.3%	94.3%
	Graduate or professional degree	0.0%	0.0%	5.3%	94.7%
Poverty 200%	200% poverty or less	4.3%	31.0%	14.8%	49.9%
	Greater than 200% poverty	0.5%	1.5%	3.3%	94.6%
Local Comparisons					
Local Comparisons	Region	0.9%	5.3%	11.0%	82.7%
	Rural Benton	0.6%	7.9%	7.5%	84.0%
	Sherburne	0.6%	4.4%	15.4%	79.5%
	Stearns	0.9%	4.7%	9.5%	84.8%
	St. Cloud	1.4%	7.1%	10.3%	81.2%

116. During the past 30 days, other than your regular job, did you participate in any physical activity or exercises such as running, calisthenics, golf, gardening or walking for exercise?

		Yes	No
Benton Total		70.2%	29.8%
Gender	Male	64.1%	35.9%
	Female	74.4%	25.6%
Age groups	18-34	54.3%	45.7%
	35-44	77.0%	23.0%
	45-54	87.2%	12.8%
	55-64	66.7%	33.3%
	65-74	74.0%	26.0%
	75+	78.6%	21.4%
Education	High school graduate/GED or less	52.6%	47.4%
	Trade/Voc, Associate degree or some college	72.7%	27.3%
	Bachelor's degree	83.9%	16.1%
	Graduate or professional degree	83.2%	16.8%
Poverty 200%	200% poverty or less	42.2%	57.8%
	Greater than 200% poverty	80.2%	19.8%
Local Comparisons			
Local Comparisons	Region	84.8%	15.2%
	Rural Benton	78.8%	21.2%
	Sherburne	90.3%	9.7%
	Stearns	85.8%	14.2%
	St. Cloud	80.0%	20.0%

117. During an average week, other than your regular job, on how many days do you get at least 30 minutes of moderate physical activity? (Moderate activities cause only light sweating and a small increase in breathing or heart rate.)

		0 days	1-4 days	5-7 days
Benton Total		11.6%	67.9%	20.5%
Gender	Male	9.1%	64.0%	26.9%
	Female	13.3%	70.6%	16.1%
Age groups	18-34	5.7%	84.2%	10.1%
	35-44	3.4%	59.6%	36.9%
	45-54	10.8%	68.3%	20.9%
	55-64	17.0%	56.4%	26.6%
	65-74	23.0%	43.4%	33.5%
	75+	26.7%	64.0%	9.3%
Education	High school graduate/GED or less	11.2%	79.0%	9.9%
	Trade/Voc, Associate degree or some college	11.2%	67.7%	21.1%
	Bachelor's degree	8.8%	62.6%	28.6%
	Graduate or professional degree	22.6%	46.4%	30.9%
Poverty 200%	200% poverty or less	13.0%	66.2%	20.7%
	Greater than 200% poverty	10.9%	67.9%	21.3%
Local Comparisons	Region	11.1%	60.2%	28.7%
	Rural Benton	13.9%	65.5%	20.6%
	Sherburne	10.9%	58.0%	31.0%
	Stearns	11.0%	59.4%	29.5%
	St. Cloud	9.6%	60.6%	29.8%

118. During an average week, other than your regular job, on how many days do you get at least 20 minutes of vigorous physical activity? (Vigorous activities cause heavy sweating and a large increase in breathing and heart rate.)

		0 days	1-2 days	3-7 days
Benton Total		41.2%	39.1%	19.7%
Gender	Male	35.5%	49.6%	14.9%
	Female	45.1%	31.8%	23.1%
Age groups	18-34	62.5%	32.1%	5.5%
	35-44	21.6%	54.3%	24.1%
	45-54	20.2%	52.0%	27.8%
	55-64	38.6%	40.1%	21.3%
	65-74	36.2%	44.8%	19.0%
	75+	50.0%	10.1%	39.9%
Education	High school graduate/GED or less	51.6%	38.4%	10.0%
	Trade/Voc, Associate degree or some college	33.3%	38.3%	28.4%
	Bachelor's degree	40.6%	44.8%	14.6%
	Graduate or professional degree	40.4%	30.4%	29.2%
Poverty 200%	200% poverty or less	59.4%	32.2%	8.4%
	Greater than 200% poverty	36.6%	43.1%	20.3%
Local Comparisons				
Local Comparisons	Region	34.1%	36.4%	29.5%
	Rural Benton	35.7%	41.1%	23.2%
	Sherburne	28.2%	36.1%	35.7%
	Stearns	35.5%	35.8%	28.7%
	St. Cloud	39.3%	36.6%	24.1%

119. Meets physical activity guideline (moderate activity for 30 minutes for 5+ days per week or vigorous activity for 20 minutes for 3+ days per week or both)

		Does not meet guideline	Meets guideline
Benton Total		69.0%	31.0%
Gender	Male	66.3%	33.7%
	Female	70.8%	29.2%
Age groups	18-34	88.3%	11.7%
	35-44	48.7%	51.3%
	45-54	66.0%	34.0%
	55-64	68.2%	31.8%
	65-74	61.7%	38.3%
	75+	53.2%	46.8%
Education	High school graduate/GED or less	84.3%	15.7%
	Trade/Voc, Associate degree or some college	62.4%	37.6%
	Bachelor's degree	65.5%	34.5%
	Graduate or professional degree	53.8%	46.2%
Poverty 200%	200% poverty or less	74.5%	25.5%
	Greater than 200% poverty	70.8%	29.2%
Local Comparisons			
	Region	60.5%	39.5%
	Rural Benton	68.4%	31.6%
	Sherburne	55.9%	44.1%
	Stearns	60.9%	39.1%
	St. Cloud	62.5%	37.5%

120. How much of a problem are the following factors for you in terms of preventing you from being more physically active?

	Not a problem	A small problem	A big problem
Benton Total			
Lack of programs or facilities	77.7%	19.6%	2.7%
Public facilities (schools, sports fields, etc.) are not open or available at the times I want to use them	79.7%	15.3%	5.0%
Distance I have to travel to a fitness or community center, parks or walking trails	76.1%	12.4%	11.5%
No safe place to be physically active	82.9%	7.6%	9.5%
Not having sidewalks or walking paths/trails	76.8%	16.7%	6.5%
Poor maintenance of sidewalks or walking paths/trails	81.2%	9.4%	9.4%
Other reason	80.9%	3.1%	16.0%

121. How much of a problem are the following factors for you in terms of preventing you from being more physically active?

Lack of programs or facilities

		Not a problem	A small problem	A big problem
Benton Total		77.7%	19.6%	2.7%
Gender	Male	70.7%	28.7%	0.6%
	Female	82.6%	13.2%	4.2%
Age groups	18-34	62.8%	33.6%	3.6%
	35-44	80.3%	18.9%	0.9%
	45-54	87.5%	12.1%	0.4%
	55-64	86.8%	10.3%	3.0%
	65-74	80.4%	11.8%	7.8%
	75+	87.7%	9.5%	2.8%
Education	High school graduate/GED or less	67.1%	30.9%	2.0%
	Trade/Voc, Associate degree or some college	81.6%	16.2%	2.2%
	Bachelor's degree	85.0%	10.7%	4.3%
	Graduate or professional degree	77.4%	19.8%	2.8%
Poverty 200%	200% poverty or less	52.5%	42.2%	5.2%
	Greater than 200% poverty	85.8%	12.2%	2.1%
Local Comparisons	Region	78.9%	18.8%	2.2%
	Rural Benton	69.7%	25.9%	4.4%
	Sherburne	78.8%	18.1%	3.1%
	Stearns	79.4%	19.0%	1.6%
	St. Cloud	80.1%	19.0%	0.9%

122. How much of a problem are the following factors for you in terms of preventing you from being more physically active?

Public facilities are not open or available the times I want to use them

		Not a problem	A small problem	A big problem
Benton Total		79.7%	15.3%	5.0%
Gender	Male	82.2%	15.9%	1.9%
	Female	77.9%	14.8%	7.3%
Age groups	18-34	83.2%	13.9%	2.8%
	35-44	72.3%	21.5%	6.2%
	45-54	78.7%	16.0%	5.3%
	55-64	86.7%	9.3%	3.9%
	65-74	72.5%	19.0%	8.4%
	75+	78.6%	11.3%	10.2%
Education	High school graduate/GED or less	78.5%	14.7%	6.8%
	Trade/Voc, Associate degree or some college	79.2%	17.0%	3.8%
	Bachelor's degree	79.5%	16.2%	4.3%
	Graduate or professional degree	85.6%	9.1%	5.3%
Poverty 200%	200% poverty or less	76.2%	13.7%	10.1%
	Greater than 200% poverty	81.0%	15.7%	3.4%
Local Comparisons	Region	79.1%	14.5%	6.5%
	Rural Benton	72.9%	20.9%	6.3%
	Sherburne	77.9%	15.0%	7.1%
	Stearns	79.6%	14.0%	6.5%
	St. Cloud	80.4%	13.9%	5.6%

123. How much of a problem are the following factors for you in terms of preventing you from being more physically active?

Distance I have to travel to a fitness or community center, parks or walking trails

		Not a problem	A small problem	A big problem
Benton Total		76.1%	12.4%	11.5%
Gender	Male	68.7%	11.4%	19.9%
	Female	81.2%	13.0%	5.8%
Age groups	18-34	62.8%	14.2%	23.1%
	35-44	79.1%	18.7%	2.1%
	45-54	86.4%	8.0%	5.6%
	55-64	80.4%	17.1%	2.5%
	65-74	80.4%	8.8%	10.9%
	75+	84.7%	1.2%	14.1%
Education	High school graduate/GED or less	68.2%	5.7%	26.1%
	Trade/Voc, Associate degree or some college	85.4%	8.9%	5.6%
	Bachelor's degree	76.6%	20.4%	3.0%
	Graduate or professional degree	65.4%	24.5%	10.1%
Poverty 200%	200% poverty or less	49.1%	15.1%	35.8%
	Greater than 200% poverty	85.3%	10.6%	4.1%
Local Comparisons	Region	78.6%	13.5%	7.9%
	Rural Benton	65.6%	23.0%	11.4%
	Sherburne	75.8%	13.2%	11.0%
	Stearns	80.8%	14.0%	5.2%
	St. Cloud	81.9%	12.1%	6.0%

124. How much of a problem are the following factors for you in terms of preventing you from being more physically active?
No safe place to be physically active

		Not a problem	A small problem	A big problem
Benton Total		82.9%	7.6%	9.5%
Gender	Male	77.9%	5.8%	16.3%
	Female	86.7%	8.9%	4.4%
Age groups	18-34	70.1%	7.9%	22.0%
	35-44	93.9%	5.5%	0.6%
	45-54	90.9%	6.6%	2.5%
	55-64	88.1%	9.7%	2.2%
	65-74	87.8%	2.7%	9.5%
	75+	78.8%	16.9%	4.3%
Education	High school graduate/GED or less	72.7%	4.8%	22.5%
	Trade/Voc, Associate degree or some college	90.9%	7.0%	2.1%
	Bachelor's degree	84.4%	12.3%	3.3%
	Graduate or professional degree	83.5%	6.6%	9.9%
Poverty 200%	200% poverty or less	50.5%	17.2%	32.3%
	Greater than 200% poverty	94.3%	4.1%	1.5%
Local Comparisons	Region	88.6%	7.9%	3.5%
	Rural Benton	87.1%	10.2%	2.6%
	Sherburne	89.9%	9.9%	0.2%
	Stearns	89.3%	6.9%	3.9%
	St. Cloud	85.7%	8.2%	6.0%

125. How much of a problem are the following factors for you in terms of preventing you from being more physically active?

Not having sidewalks or walking paths/trails

		Not a problem	A small problem	A big problem
Benton Total		76.8%	16.7%	6.5%
Gender	Male	70.9%	23.9%	5.2%
	Female	80.8%	11.8%	7.4%
Age groups	18-34	66.2%	25.1%	8.7%
	35-44	82.7%	14.5%	2.8%
	45-54	78.4%	13.3%	8.3%
	55-64	79.9%	16.9%	3.2%
	65-74	78.1%	10.6%	11.3%
	75+	93.2%	4.8%	2.0%
Education	High school graduate/GED or less	66.4%	25.9%	7.7%
	Trade/Voc, Associate degree or some college	83.0%	11.3%	5.7%
	Bachelor's degree	81.3%	14.2%	4.4%
	Graduate or professional degree	76.1%	12.8%	11.1%
Poverty 200%	200% poverty or less	47.1%	39.5%	13.4%
	Greater than 200% poverty	86.1%	9.5%	4.4%
Local Comparisons	Region	77.4%	15.2%	7.4%
	Rural Benton	74.2%	16.2%	9.6%
	Sherburne	76.2%	14.4%	9.4%
	Stearns	78.2%	15.2%	6.6%
	St. Cloud	78.1%	16.6%	5.3%

126. How much of a problem are the following factors for you in terms of preventing you from being more physically active?

Poor maintenance of sidewalks or walking paths/trails

		Not a problem	A small problem	A big problem
Benton Total		81.2%	9.4%	9.4%
Gender	Male	76.4%	7.1%	16.5%
	Female	84.7%	11.1%	4.2%
Age groups	18-34	76.8%	2.0%	21.1%
	35-44	80.0%	17.6%	2.4%
	45-54	87.0%	10.5%	2.5%
	55-64	88.4%	9.2%	2.4%
	65-74	75.0%	15.9%	9.1%
	75+	81.1%	15.9%	3.0%
Education	High school graduate/GED or less	65.5%	11.2%	23.2%
	Trade/Voc, Associate degree or some college	88.7%	9.5%	1.9%
	Bachelor's degree	88.1%	8.4%	3.5%
	Graduate or professional degree	86.1%	6.2%	7.7%
Poverty 200%	200% poverty or less	54.4%	12.4%	33.2%
	Greater than 200% poverty	90.5%	8.0%	1.5%
Local Comparisons	Region	84.0%	10.9%	5.1%
	Rural Benton	85.3%	10.8%	3.8%
	Sherburne	78.6%	14.5%	6.8%
	Stearns	87.7%	9.3%	3.0%
	St. Cloud	84.0%	11.3%	4.7%

**127. How much of a problem are the following factors for you in terms of preventing you from being more physically active?
Other reasons**

		Not a problem	A small problem	A big problem
Benton Total		80.9%	3.1%	16.0%
Gender	Male	84.8%	1.7%	13.5%
	Female	78.6%	3.9%	17.5%
Age groups	18-34	82.5%	2.8%	14.7%
	35-44	83.6%	6.7%	9.7%
	45-54	84.9%	1.5%	13.6%
	55-64	71.3%	6.2%	22.5%
	65-74	68.5%	0.0%	31.5%
	75+	83.5%	0.0%	16.5%
Education	High school graduate/GED or less	89.6%	0.0%	10.4%
	Trade/Voc, Associate degree or some college	83.1%	4.1%	12.8%
	Bachelor's degree	72.9%	5.8%	21.2%
	Graduate or professional degree	66.6%	0.0%	33.4%
Poverty 200%	200% poverty or less	61.1%	0.6%	38.3%
	Greater than 200% poverty	84.3%	4.4%	11.3%
Local Comparisons	Region	74.2%	4.8%	21.0%
	Rural Benton	78.1%	5.8%	16.2%
	Sherburne	65.0%	3.8%	31.2%
	Stearns	77.7%	6.1%	16.3%
	St. Cloud	78.7%	5.2%	16.1%

128. How often do you feel safe in your community?

		Often	Sometimes	Rarely	Never
Benton Total		82.8%	14.8%	1.1%	1.3%
Gender	Male	76.6%	20.5%	1.8%	1.1%
	Female	87.2%	10.8%	0.6%	1.4%
Age groups	18-34	69.5%	27.0%	2.0%	1.6%
	35-44	91.0%	9.0%	0.0%	0.0%
	45-54	88.7%	11.3%	0.0%	0.0%
	55-64	87.9%	9.7%	0.9%	1.4%
	65-74	88.6%	7.0%	3.9%	0.6%
	75+	89.9%	5.2%	0.0%	4.9%
Education	High school graduate/GED or less	75.2%	23.2%	1.0%	0.6%
	Trade/Voc, Associate degree or some college	90.0%	8.1%	0.4%	1.5%
	Bachelor's degree	83.8%	13.8%	0.0%	2.3%
	Graduate or professional degree	76.2%	16.3%	7.5%	0.0%
Poverty 200%	200% poverty or less	56.8%	39.8%	0.2%	3.2%
	Greater than 200% poverty	92.3%	6.4%	0.6%	0.7%
<hr/>					
Local Comparisons	Region	87.8%	7.3%	3.8%	1.1%
	Rural Benton	86.3%	10.1%	2.7%	0.9%
	Sherburne	93.7%	5.1%	1.1%	0.1%
	Stearns	85.8%	6.5%	6.0%	1.7%
	St. Cloud	80.4%	10.5%	7.3%	1.7%

129. If you were to experience or witness a crime or harassment in your community, how safe would you feel calling the police or sheriff for help?

		Very safe	Fairly safe	Not very safe	Not at all safe
Benton Total		71.7%	18.9%	8.3%	1.1%
Gender	Male	69.3%	12.7%	17.1%	1.0%
	Female	73.5%	23.3%	2.0%	1.1%
Age groups	18-34	60.9%	15.6%	21.8%	1.6%
	35-44	72.2%	24.2%	3.6%	0.0%
	45-54	83.2%	14.9%	0.7%	1.2%
	55-64	67.2%	29.0%	1.9%	1.9%
	65-74	82.5%	16.7%	0.8%	0.0%
	75+	83.3%	15.9%	0.3%	0.6%
Education	High school graduate/GED or less	60.9%	20.4%	18.5%	0.1%
	Trade/Voc, Associate degree or some college	76.2%	19.7%	3.0%	1.1%
	Bachelor's degree	79.1%	17.9%	0.3%	2.7%
	Graduate or professional degree	74.0%	13.2%	12.8%	0.0%
Poverty 200%	200% poverty or less	49.5%	23.6%	23.1%	3.9%
	Greater than 200% poverty	81.4%	16.7%	1.9%	0.0%
Local Comparisons					
	Region	75.9%	20.7%	2.5%	0.9%
	Rural Benton	77.5%	17.4%	4.9%	0.1%
	Sherburne	72.6%	25.4%	1.2%	0.8%
	Stearns	78.7%	18.5%	1.7%	1.0%
	St. Cloud	74.1%	20.3%	4.2%	1.4%

**130. During the past 12 months, have you applied for a job?
If yes, have you felt you were discriminated against when you applied for a job?**

		Experienced the situation	Experienced discrimination
Benton Total		14.2%	8.7%
Gender	Male	15.7%	DS
	Female	13.2%	DS
Age groups	18-34	31.6%	DS
	35-44	6.8%	DS
	45-54	9.6%	DS
	55-64	5.8%	DS
	65-74	3.7%	DS
	75+	0.0%	DS
Education	High school graduate/GED or less	28.8%	DS
	Trade/Voc, Associate degree or some college	5.6%	DS
	Bachelor's degree	9.1%	DS
	Graduate or professional degree	13.1%	DS
Poverty 200%	200% poverty or less	31.2%	DS
	Greater than 200% poverty	9.1%	DS
Local Comparisons	Region	15.0%	14.7%
	Rural Benton	7.4%	DS
	Sherburne	16.7%	19.2%
	Stearns	14.3%	13.5%
	St. Cloud	17.5%	13.8%

**131. During the past 12 months, have you worked at a job?
If yes, have you felt you were discriminated against when you worked at a job?**

		Experienced the situation	Experienced discrimination
Benton Total		60.7%	15.8%
Gender	Male	64.6%	23.9%
	Female	58.0%	9.6%
Age groups	18-34	78.2%	29.2%
	35-44	73.9%	5.9%
	45-54	79.6%	5.3%
	55-64	51.5%	9.9%
	65-74	18.1%	DS
	75+	1.8%	DS
Education	High school graduate/GED or less	53.2%	44.1%
	Trade/Voc, Associate degree or some college	56.8%	11.9%
	Bachelor's degree	72.0%	0.0%
	Graduate or professional degree	71.1%	0.0%
Poverty 200%	200% poverty or less	56.3%	41.3%
	Greater than 200% poverty	68.9%	7.9%
Local Comparisons			
Local Comparisons	Region	63.9%	7.7%
	Rural Benton	62.0%	4.7%
	Sherburne	65.9%	7.0%
	Stearns	63.6%	5.8%
	St. Cloud	65.3%	8.8%

DS: Data suppressed due to < 30 responses

**132. During the past 12 months, have you received medical care?
If yes, have you felt you were discriminated against when you received medical care?**

		Experienced the situation	Experienced discrimination
Benton Total		64.5%	11.2%
Gender	Male	54.2%	25.9%
	Female	71.7%	3.2%
Age groups	18-34	75.8%	27.2%
	35-44	80.6%	4.0%
	45-54	47.6%	0.0%
	55-64	51.4%	2.0%
	65-74	66.8%	3.4%
	75+	52.6%	DS
Education	High school graduate/GED or less	42.4%	48.4%
	Trade/Voc, Associate degree or some college	70.9%	1.1%
	Bachelor's degree	80.4%	3.1%
	Graduate or professional degree	67.6%	2.6%
Poverty 200%	200% poverty or less	69.3%	37.5%
	Greater than 200% poverty	62.4%	0.7%
Local Comparisons	Region	55.7%	4.0%
	Rural Benton	55.2%	0.9%
	Sherburne	52.4%	3.5%
	Stearns	55.1%	2.1%
	St. Cloud	61.3%	4.9%

**133. During the past 12 months, have you looked for a different house or apartment?
If yes, have you felt you were discriminated against when you looked for a different house or apartment?**

		Experienced the situation	Experienced discrimination
Benton Total		15.0%	DS
Gender	Male	15.3%	DS
	Female	14.9%	DS
Age groups	18-34	36.2%	DS
	35-44	9.1%	DS
	45-54	1.9%	DS
	55-64	3.2%	DS
	65-74	12.0%	DS
	75+	0.3%	DS
Education	High school graduate/GED or less	21.5%	DS
	Trade/Voc, Associate degree or some college	12.7%	DS
	Bachelor's degree	10.3%	DS
	Graduate or professional degree	15.2%	DS
Poverty 200%	200% poverty or less	37.3%	DS
	Greater than 200% poverty	6.2%	DS
Local Comparisons			
Local Comparisons	Region	10.8%	9.6%
	Rural Benton	3.6%	DS
	Sherburne	13.6%	DS
	Stearns	7.9%	1.2%
	St. Cloud	10.8%	22.3%

DS: Data suppressed due to < 30 responses

**134. During the past 12 months, have you applied for a credit card, bank loan or a mortgage?
If yes, have you felt you were discriminated against when you applied for a credit card, bank loan or a mortgage?**

		Experienced the situation	Experienced discrimination
Benton Total		29.5%	6.2%
Gender	Male	37.7%	DS
	Female	23.8%	13.6%
Age groups	18-34	47.3%	DS
	35-44	30.2%	DS
	45-54	30.4%	DS
	55-64	10.0%	DS
	65-74	15.1%	DS
	75+	9.0%	DS
Education	High school graduate/GED or less	36.7%	DS
	Trade/Voc, Associate degree or some college	21.6%	4.0%
	Bachelor's degree	31.9%	DS
	Graduate or professional degree	28.8%	DS
Poverty 200%	200% poverty or less	36.6%	DS
	Greater than 200% poverty	28.1%	2.1%
Local Comparisons			
Local Comparisons	Region	30.1%	2.3%
	Rural Benton	24.5%	5.0%
	Sherburne	38.7%	1.4%
	Stearns	25.2%	1.9%
	St. Cloud	27.6%	4.2%

**135. During the past 12 months, have you shopped at a store or eaten at a restaurant?
If yes, have you felt you were discriminated against when you shopped at a store or eaten at a restaurant?**

		Experienced the situation	Experienced discrimination
Benton Total		74.0%	8.9%
Gender	Male	73.5%	18.8%
	Female	74.4%	2.1%
Age groups	18-34	85.6%	23.4%
	35-44	91.9%	0.7%
	45-54	82.7%	0.2%
	55-64	59.6%	2.6%
	65-74	64.3%	1.0%
	75+	25.0%	DS
Education	High school graduate/GED or less	67.2%	27.6%
	Trade/Voc, Associate degree or some college	68.9%	1.4%
	Bachelor's degree	85.8%	2.6%
	Graduate or professional degree	86.5%	0.4%
Poverty 200%	200% poverty or less	73.4%	32.8%
	Greater than 200% poverty	80.3%	0.3%
<hr/>			
Local Comparisons	Region	78.2%	3.2%
	Rural Benton	74.6%	1.0%
	Sherburne	81.0%	3.7%
	Stearns	77.7%	1.3%
	St. Cloud	79.4%	3.6%

**136. During the past 12 months, have you applied for social services or public assistance?
If yes, have you felt you were discriminated against when you applied for social services or public assistance?**

		Experienced the situation	Experienced discrimination
Benton Total		10.3%	DS
Gender	Male	15.1%	DS
	Female	6.9%	DS
Age groups	18-34	22.5%	DS
	35-44	11.1%	DS
	45-54	1.3%	DS
	55-64	4.3%	DS
	65-74	3.4%	DS
	75+	0.5%	DS
Education	High school graduate/GED or less	25.4%	DS
	Trade/Voc, Associate degree or some college	2.5%	DS
	Bachelor's degree	5.2%	DS
	Graduate or professional degree	3.1%	DS
Poverty 200%	200% poverty or less	34.3%	DS
	Greater than 200% poverty	2.1%	DS
Local Comparisons			
Local Comparisons	Region	4.4%	29.3%
	Rural Benton	3.2%	DS
	Sherburne	3.6%	DS
	Stearns	3.2%	DS
	St. Cloud	5.3%	DS

**137. During the past 12 months, have you dealt with the police?
If yes, have you felt you were discriminated against when you dealt with the police?**

		Experienced the situation	Experienced discrimination
Benton Total		18.6%	40.6%
Gender	Male	27.6%	DS
	Female	12.3%	17.1%
Age groups	18-34	28.0%	DS
	35-44	33.6%	DS
	45-54	11.3%	DS
	55-64	9.7%	DS
	65-74	8.0%	DS
	75+	0.4%	DS
Education	High school graduate/GED or less	25.6%	DS
	Trade/Voc, Associate degree or some college	5.2%	DS
	Bachelor's degree	29.1%	DS
	Graduate or professional degree	18.0%	DS
Poverty 200%	200% poverty or less	38.5%	DS
	Greater than 200% poverty	11.5%	9.7%
Local Comparisons			
Local Comparisons	Region	16.7%	9.4%
	Rural Benton	13.3%	18.0%
	Sherburne	22.7%	5.4%
	Stearns	12.6%	1.1%
	St. Cloud	16.1%	18.1%

**138. During the past 12 months, have you appeared in court?
If yes, have you felt you were discriminated against when you appeared in court?**

		Experienced the situation	Experienced discrimination
Benton Total		1.5%	22.5%
Gender	Male	0.4%	DS
	Female	2.2%	DS
Age groups	18-34	0.0%	DS
	35-44	7.8%	DS
	45-54	0.9%	DS
	55-64	0.5%	DS
	65-74	0.0%	DS
	75+	0.0%	DS
Education	High school graduate/GED or less	2.4%	DS
	Trade/Voc, Associate degree or some college	0.8%	DS
	Bachelor's degree	1.9%	DS
	Graduate or professional degree	0.0%	DS
Poverty 200%	200% poverty or less	5.0%	DS
	Greater than 200% poverty	0.3%	DS
<hr/>			
Local Comparisons	Region	1.8%	DS
	Rural Benton	0.9%	DS
	Sherburne	0.8%	DS
	Stearns	2.5%	13.9%
	St. Cloud	3.1%	18.7%

**139. Experienced discrimination during any of the following situations:
 applying for a job, working at a job, receiving medical care, looking for a different house or
 apartment, applying for a credit card, bank loan or a mortgage, shopping at a store or eating at a
 restaurant, applying for social services or public assistance, dealing with the police**

		Experienced discrimination	Did not experience discrimination
Benton Total		22.5%	77.5%
Gender	Male	27.1%	72.9%
	Female	18.5%	81.5%
Age groups	18-34	35.8%	64.2%
	35-44	18.7%	81.3%
	45-54	7.8%	92.2%
	55-64	24.2%	75.8%
	65-74	11.0%	89.0%
	75+	13.3%	86.7%
Education	High school graduate/GED or less	36.2%	63.8%
	Trade/Voc, Associate degree or some college	16.5%	83.5%
	Bachelor's degree	11.0%	89.0%
	Graduate or professional degree	19.0%	81.0%
Poverty 200%	200% poverty or less	41.3%	58.7%
	Greater than 200% poverty	12.5%	87.5%
Local Comparisons			
Local Comparisons	Region	37.1%	62.9%
	Rural Benton	14.9%	85.1%
	Sherburne	13.5%	86.5%
	Stearns	13.9%	86.1%
	St. Cloud	18.7%	81.3%

140. If you felt discriminated against in any of the above situations, what was the reason(s)? (mark all that apply)

	Checked
Benton Total	
I did not experience any discrimination	77.5%
Race, color, ethnicity or country of origin	3.7%
Age	12.9%
Gender	11.2%
Sexual orientation	7.7%
Gender identity	7.8%
Disability	11.6%
Religion	1.5%
Being overweight or obese	9.3%
Other	6.5%

**141. If you felt discriminated against in any of the above situations, what was the reason(s)?
Race, color, ethnicity or country of origin**

		Checked
Benton Total		3.7%
Gender	Male	2.4%
	Female	4.8%
Age groups	18-34	4.5%
	35-44	5.0%
	45-54	4.9%
	55-64	1.3%
	65-74	2.3%
	75+	0.0%
Education	High school graduate/GED or less	4.7%
	Trade/Voc, Associate degree or some college	0.9%
	Bachelor's degree	3.6%
	Graduate or professional degree	10.0%
Poverty 200%	200% poverty or less	5.2%
	Greater than 200% poverty	1.8%
Local Comparisons		
Local Comparisons	Region	3.1%
	Rural Benton	3.3%
	Sherburne	6.3%
	Stearns	3.2%
	St. Cloud	4.7%

142. If you felt discriminated against in any of the above situations, what was the reason(s)?
Age

		Checked
Benton Total		12.9%
Gender	Male	20.5%
	Female	6.1%
Age groups	18-34	24.1%
	35-44	4.8%
	45-54	6.2%
	55-64	9.3%
	65-74	5.2%
	75+	7.4%
Education	High school graduate/GED or less	28.5%
	Trade/Voc, Associate degree or some college	1.8%
	Bachelor's degree	7.3%
	Graduate or professional degree	5.9%
Poverty 200%	200% poverty or less	31.2%
	Greater than 200% poverty	4.2%
Local Comparisons		
	Region	3.9%
	Rural Benton	4.2%
	Sherburne	4.2%
	Stearns	3.9%
	St. Cloud	7.3%

143. If you felt discriminated against in any of the above situations, what was the reason(s)?
Gender

		Checked
Benton Total		11.2%
Gender	Male	16.7%
	Female	6.5%
Age groups	18-34	25.5%
	35-44	4.6%
	45-54	5.4%
	55-64	1.4%
	65-74	0.9%
	75+	0.0%
Education	High school graduate/GED or less	26.6%
	Trade/Voc, Associate degree or some college	1.2%
	Bachelor's degree	6.7%
	Graduate or professional degree	0.0%
Poverty 200%	200% poverty or less	28.4%
	Greater than 200% poverty	3.5%
<hr/>		
Local Comparisons	Region	2.9%
	Rural Benton	4.4%
	Sherburne	5.2%
	Stearns	1.2%
	St. Cloud	3.9%

144. If you felt discriminated against in any of the above situations, what was the reason(s)?
Sexual orientation

		Checked
Benton Total		7.7%
Gender	Male	16.5%
	Female	0.0%
Age groups	18-34	21.2%
	35-44	0.0%
	45-54	0.0%
	55-64	0.0%
	65-74	0.0%
	75+	0.0%
Education	High school graduate/GED or less	21.8%
	Trade/Voc, Associate degree or some college	0.0%
	Bachelor's degree	0.0%
	Graduate or professional degree	0.0%
Poverty 200%	200% poverty or less	24.5%
	Greater than 200% poverty	0.0%
Local Comparisons		
	Region	1.3%
	Rural Benton	0.0%
	Sherburne	0.9%
	Stearns	0.7%
	St. Cloud	2.6%

145. If you felt discriminated against in any of the above situations, what was the reason(s)?
Gender identity

		Checked
Benton Total		7.8%
Gender	Male	16.6%
	Female	0.0%
Age groups	18-34	21.2%
	35-44	0.0%
	45-54	0.0%
	55-64	0.0%
	65-74	0.4%
	75+	0.0%
Education	High school graduate/GED or less	21.8%
	Trade/Voc, Associate degree or some college	0.1%
	Bachelor's degree	0.0%
	Graduate or professional degree	0.0%
Poverty 200%	200% poverty or less	24.5%
	Greater than 200% poverty	0.1%
Local Comparisons		
	Region	0.9%
	Rural Benton	0.1%
	Sherburne	0.2%
	Stearns	0.0%
	St. Cloud	2.6%

146. If you felt discriminated against in any of the above situations, what was the reason(s)?
Disability

		Checked
Benton Total		11.6%
Gender	Male	19.7%
	Female	4.4%
Age groups	18-34	23.2%
	35-44	0.6%
	45-54	4.6%
	55-64	11.9%
	65-74	2.6%
	75+	6.7%
Education	High school graduate/GED or less	26.3%
	Trade/Voc, Associate degree or some college	2.9%
	Bachelor's degree	3.3%
	Graduate or professional degree	5.9%
Poverty 200%	200% poverty or less	30.0%
	Greater than 200% poverty	3.3%
Local Comparisons		
	Region	3.0%
	Rural Benton	0.5%
	Sherburne	0.8%
	Stearns	4.0%
	St. Cloud	7.3%

147. If you felt discriminated against in any of the above situations, what was the reason(s)?
Religion

		Checked
Benton Total		1.5%
Gender	Male	0.0%
	Female	2.8%
Age groups	18-34	0.0%
	35-44	5.9%
	45-54	0.0%
	55-64	0.0%
	65-74	0.0%
	75+	5.9%
Education	High school graduate/GED or less	2.2%
	Trade/Voc, Associate degree or some college	0.0%
	Bachelor's degree	3.2%
	Graduate or professional degree	0.0%
Poverty 200%	200% poverty or less	4.1%
	Greater than 200% poverty	0.3%
Local Comparisons		
	Region	0.5%
	Rural Benton	0.5%
	Sherburne	0.2%
	Stearns	0.8%
	St. Cloud	1.0%

**148. If you felt discriminated against in any of the above situations, what was the reason(s)?
Being overweight or obese**

		Checked
Benton Total		9.3%
Gender	Male	16.7%
	Female	2.9%
Age groups	18-34	23.2%
	35-44	4.6%
	45-54	0.0%
	55-64	1.1%
	65-74	0.0%
	75+	0.0%
Education	High school graduate/GED or less	23.1%
	Trade/Voc, Associate degree or some college	0.7%
	Bachelor's degree	4.2%
	Graduate or professional degree	0.0%
Poverty 200%	200% poverty or less	28.3%
	Greater than 200% poverty	0.7%
Local Comparisons		
	Region	1.8%
	Rural Benton	1.4%
	Sherburne	2.8%
	Stearns	0.5%
	St. Cloud	3.1%

149. If you felt discriminated against in any of the above situations, what was the reason(s)?
Other

		Checked
Benton Total		6.5%
Gender	Male	2.9%
	Female	9.6%
Age groups	18-34	9.6%
	35-44	9.6%
	45-54	2.4%
	55-64	5.5%
	65-74	3.1%
	75+	0.0%
Education	High school graduate/GED or less	5.1%
	Trade/Voc, Associate degree or some college	10.6%
	Bachelor's degree	3.8%
	Graduate or professional degree	3.1%
Poverty 200%	200% poverty or less	8.3%
	Greater than 200% poverty	5.7%
Local Comparisons		
	Region	3.2%
	Rural Benton	5.2%
	Sherburne	2.2%
	Stearns	5.0%
	St. Cloud	6.4%

150. Do you use any of the following products?

	Current user
Benton Total	
Cigarettes	9.4%
Cigars, cigarillos or little cigars	1.4%
Pipe	0.0%
Snuff, snus or chewing tobacco	1.9%
E-cigarettes or vaping devices to smoke nicotine products	2.1%
A hookah water pipe	0.6%
Any other type of tobacco product	4.2%

151. Cigarette smoking status

		Current smoker	Former smoker	Never smoked
Benton Total		9.4%	19.9%	70.7%
Gender	Male	16.7%	19.4%	63.9%
	Female	4.2%	20.2%	75.6%
Age groups	18-34	3.6%	11.3%	85.2%
	35-44	11.1%	28.1%	60.7%
	45-54	23.1%	8.0%	68.8%
	55-64	9.5%	24.0%	66.6%
	65-74	9.9%	36.3%	53.7%
	75+	1.6%	34.5%	63.9%
Education	High school graduate/GED or less	17.3%	15.8%	66.9%
	Trade/Voc, Associate degree or some college	9.0%	23.3%	67.7%
	Bachelor's degree	2.8%	19.6%	77.6%
	Graduate or professional degree	0.0%	22.0%	78.0%
Poverty 200%	200% poverty or less	9.7%	28.1%	62.2%
	Greater than 200% poverty	10.0%	18.4%	71.6%
Local Comparisons	Region	9.6%	20.4%	70.0%
	Rural Benton	11.2%	15.8%	73.0%
	Sherburne	11.6%	23.6%	64.7%
	Stearns	8.6%	18.7%	72.7%
	St. Cloud	8.8%	18.8%	72.4%

152. Quit cigarette smoking for one day or more during the past 12 months, among current smokers

		Yes
Benton Total		31.6%
Gender	Male	DS
	Female	DS
Age groups	18-34	DS
	35-44	DS
	45-54	DS
	55-64	DS
	65-74	DS
	75+	DS
	Education	High school graduate/GED or less
Trade/Voc, Associate degree or some college		DS
Bachelor's degree		DS
Graduate or professional degree		DS
Poverty 200%	200% poverty or less	DS
	Greater than 200% poverty	DS
Local Comparisons		
	Region	54.1%
	Rural Benton	38.9%
	Sherburne	73.9%
	Stearns	45.6%
	St. Cloud	41.2%

153. Cigar smoking status

		Non-smoker	Current smoker
Benton Total		98.6%	1.4%
Gender	Male	97.2%	2.8%
	Female	99.6%	0.4%
Age groups	18-34	100.0%	0.0%
	35-44	100.0%	0.0%
	45-54	97.6%	2.4%
	55-64	95.2%	4.8%
	65-74	97.4%	2.6%
	75+	99.7%	0.3%
Education	High school graduate/GED or less	97.5%	2.5%
	Trade/Voc, Associate degree or some college	99.3%	0.7%
	Bachelor's degree	99.8%	0.2%
	Graduate or professional degree	96.9%	3.1%
Poverty 200%	200% poverty or less	99.5%	0.5%
	Greater than 200% poverty	98.2%	1.8%
Local Comparisons			
	Region	96.2%	3.8%
	Rural Benton	98.3%	1.7%
	Sherburne	95.3%	4.7%
	Stearns	96.2%	3.8%
	St. Cloud	98.2%	1.8%

154. Pipe smoking status

		Non-smoker	Current smoker
Benton Total		100.0%	0.0%
Gender	Male	100.0%	0.0%
	Female	100.0%	0.0%
Age groups	18-34	100.0%	0.0%
	35-44	100.0%	0.0%
	45-54	100.0%	0.0%
	55-64	100.0%	0.0%
	65-74	100.0%	0.0%
	75+	100.0%	0.0%
Education	High school graduate/GED or less	100.0%	0.0%
	Trade/Voc, Associate degree or some college	100.0%	0.0%
	Bachelor's degree	100.0%	0.0%
	Graduate or professional degree	100.0%	0.0%
Poverty 200%	200% poverty or less	100.0%	0.0%
	Greater than 200% poverty	100.0%	0.0%
Local Comparisons			
Local Comparisons	Region	97.5%	2.5%
	Rural Benton	100.0%	0.0%
	Sherburne	93.6%	6.4%
	Stearns	99.1%	0.9%
	St. Cloud	98.8%	1.2%

155. Smokeless tobacco use status (snuff, snus or chewing tobacco)

		Non-user	Current user
Benton Total		98.1%	1.9%
Gender	Male	95.8%	4.2%
	Female	99.8%	0.2%
Age groups	18-34	99.6%	0.4%
	35-44	96.6%	3.4%
	45-54	96.5%	3.5%
	55-64	98.0%	2.0%
	65-74	98.3%	1.7%
	75+	99.2%	0.8%
Education	High school graduate/GED or less	96.1%	3.9%
	Trade/Voc, Associate degree or some college	98.6%	1.4%
	Bachelor's degree	99.6%	0.4%
	Graduate or professional degree	100.0%	0.0%
Poverty 200%	200% poverty or less	98.9%	1.1%
	Greater than 200% poverty	97.6%	2.4%
Local Comparisons			
Local Comparisons	Region	94.5%	5.5%
	Rural Benton	94.7%	5.3%
	Sherburne	90.7%	9.3%
	Stearns	95.7%	4.3%
	St. Cloud	96.5%	3.5%

156. E-cigarette use status (e-cigarettes or vaping devices to smoke nicotine products)

		Non-smoker	Current smoker
Benton Total		97.9%	2.1%
Gender	Male	98.3%	1.7%
	Female	97.6%	2.4%
Age groups	18-34	97.9%	2.1%
	35-44	99.6%	0.4%
	45-54	95.2%	4.8%
	55-64	96.9%	3.1%
	65-74	99.7%	0.3%
	75+	100.0%	0.0%
Education	High school graduate/GED or less	96.2%	3.8%
	Trade/Voc, Associate degree or some college	99.1%	0.9%
	Bachelor's degree	97.4%	2.6%
	Graduate or professional degree	100.0%	0.0%
Poverty 200%	200% poverty or less	94.6%	5.4%
	Greater than 200% poverty	99.3%	0.7%
Local Comparisons			
Local Comparisons	Region	95.5%	4.5%
	Rural Benton	98.4%	1.6%
	Sherburne	92.1%	7.9%
	Stearns	96.8%	3.2%
	St. Cloud	97.2%	2.8%

157. Hookah use status

		Non-user	Current user
Benton Total		99.4%	0.6%
Gender	Male	100.0%	0.0%
	Female	99.0%	1.0%
Age groups	18-34	100.0%	0.0%
	35-44	96.5%	3.5%
	45-54	100.0%	0.0%
	55-64	100.0%	0.0%
	65-74	100.0%	0.0%
	75+	100.0%	0.0%
Education	High school graduate/GED or less	98.2%	1.8%
	Trade/Voc, Associate degree or some college	100.0%	0.0%
	Bachelor's degree	100.0%	0.0%
	Graduate or professional degree	100.0%	0.0%
Poverty 200%	200% poverty or less	97.9%	2.1%
	Greater than 200% poverty	100.0%	0.0%
Local Comparisons			
Local Comparisons	Region	99.8%	0.2%
	Rural Benton	100.0%	0.0%
	Sherburne	99.7%	0.3%
	Stearns	100.0%	0.0%
	St. Cloud	99.8%	0.2%

158. Other tobacco use

		Non-user	Current user
Benton Total		95.8%	4.2%
Gender	Male	96.2%	3.8%
	Female	95.5%	4.5%
Age groups	18-34	96.0%	4.0%
	35-44	94.1%	5.9%
	45-54	93.9%	6.1%
	55-64	97.4%	2.6%
	65-74	94.8%	5.2%
	75+	99.4%	0.6%
Education	High school graduate/GED or less	96.0%	4.0%
	Trade/Voc, Associate degree or some college	93.6%	6.4%
	Bachelor's degree	97.4%	2.6%
	Graduate or professional degree	100.0%	0.0%
Poverty 200%	200% poverty or less	94.3%	5.7%
	Greater than 200% poverty	95.8%	4.2%
Local Comparisons			
	Region	95.7%	4.3%
	Rural Benton	94.2%	5.8%
	Sherburne	93.0%	7.0%
	Stearns	97.2%	2.8%
	St. Cloud	96.1%	3.9%

159. Any tobacco use (including e-cigarettes)

		Non-user	Current user
Benton Total		87.6%	12.4%
Gender	Male	79.2%	20.8%
	Female	93.4%	6.6%
Age groups	18-34	96.0%	4.0%
	35-44	88.2%	11.8%
	45-54	67.2%	32.8%
	55-64	86.2%	13.8%
	65-74	88.3%	11.7%
	75+	97.7%	2.3%
Education	High school graduate/GED or less	78.4%	21.6%
	Trade/Voc, Associate degree or some college	87.2%	12.8%
	Bachelor's degree	96.7%	3.3%
	Graduate or professional degree	97.1%	2.9%
Poverty 200%	200% poverty or less	87.8%	12.2%
	Greater than 200% poverty	86.4%	13.6%
Local Comparisons			
	Region	81.4%	18.6%
	Rural Benton	84.8%	15.2%
	Sherburne	74.8%	25.2%
	Stearns	83.5%	16.5%
	St. Cloud	86.2%	13.8%

160. How often do you feel lonely or isolated from those around you?

		Always	Often	Sometimes	Rarely	Never
Benton Total		1.8%	12.1%	20.1%	27.9%	38.2%
Gender	Male	0.9%	16.7%	19.1%	18.0%	45.3%
	Female	2.4%	8.8%	20.7%	34.9%	33.1%
Age groups	18-34	1.6%	27.8%	27.9%	22.6%	20.0%
	35-44	0.4%	10.0%	18.8%	47.7%	23.1%
	45-54	4.2%	3.6%	24.2%	20.2%	47.8%
	55-64	2.3%	3.0%	10.8%	26.4%	57.5%
	65-74	0.9%	2.5%	18.8%	36.0%	41.7%
	75+	0.0%	4.2%	5.4%	22.7%	67.7%
Education	High school graduate/GED or less	3.0%	21.4%	21.8%	18.0%	35.8%
	Trade/Voc, Associate degree or some college	0.5%	4.0%	24.4%	24.5%	46.6%
	Bachelor's degree	2.8%	12.5%	11.4%	51.2%	22.1%
	Graduate or professional degree	0.0%	11.9%	18.8%	16.3%	53.0%
Poverty 200%	200% poverty or less	3.7%	35.6%	20.1%	12.6%	28.0%
	Greater than 200% poverty	1.2%	3.6%	19.4%	36.5%	39.2%
<hr/>						
Local Comparisons	Region	2.8%	5.5%	20.9%	31.6%	39.3%
	Rural Benton	0.4%	7.2%	19.7%	24.2%	48.5%
	Sherburne	1.5%	2.6%	23.9%	33.4%	38.6%
	Stearns	3.7%	5.4%	19.4%	31.5%	40.0%
	St. Cloud	4.6%	8.1%	23.0%	30.2%	34.0%

161. Have you ever considered attempting suicide? (mark ALL that apply)

	Checked
Benton Total	
No	78.7%
Yes, during the last 6 months	8.1%
Yes, during the last year	8.4%
Yes, more than a year ago	15.1%

162. Have you ever considered attempting suicide?**No**

		Checked
Benton Total		78.7%
Gender	Male	71.2%
	Female	83.9%
Age groups	18-34	64.2%
	35-44	67.7%
	45-54	84.6%
	55-64	93.9%
	65-74	95.0%
	75+	95.0%
Education	High school graduate/GED or less	72.3%
	Trade/Voc, Associate degree or some college	88.9%
	Bachelor's degree	69.5%
	Graduate or professional degree	85.6%
Poverty 200%	200% poverty or less	56.9%
	Greater than 200% poverty	85.0%
<hr/>		
Local Comparisons	Region	84.7%
	Rural Benton	89.0%
	Sherburne	84.0%
	Stearns	86.6%
	St. Cloud	80.7%

**163. Have you ever considered attempting suicide?
Yes, during the last 6 months**

		Checked
Benton Total		8.1%
Gender	Male	13.4%
	Female	4.4%
Age groups	18-34	22.9%
	35-44	0.8%
	45-54	3.0%
	55-64	0.0%
	65-74	0.7%
	75+	0.2%
Education	High school graduate/GED or less	20.7%
	Trade/Voc, Associate degree or some college	1.4%
	Bachelor's degree	2.9%
	Graduate or professional degree	5.6%
Poverty 200%	200% poverty or less	25.1%
	Greater than 200% poverty	2.3%
Local Comparisons		
	Region	2.7%
	Rural Benton	1.6%
	Sherburne	2.0%
	Stearns	1.7%
	St. Cloud	3.9%

**164. Have you ever considered attempting suicide?
Yes, during the last year**

		Checked
Benton Total		8.4%
Gender	Male	16.6%
	Female	2.8%
Age groups	18-34	17.8%
	35-44	3.6%
	45-54	11.3%
	55-64	0.0%
	65-74	0.0%
	75+	0.2%
Education	High school graduate/GED or less	25.0%
	Trade/Voc, Associate degree or some college	0.1%
	Bachelor's degree	2.8%
	Graduate or professional degree	0.0%
Poverty 200%	200% poverty or less	22.8%
	Greater than 200% poverty	3.8%
Local Comparisons		
	Region	3.0%
	Rural Benton	1.2%
	Sherburne	1.4%
	Stearns	2.4%
	St. Cloud	5.0%

**165. Have you ever considered attempting suicide?
Yes, more than a year ago**

		Checked
Benton Total		15.1%
Gender	Male	25.1%
	Female	8.1%
Age groups	18-34	25.1%
	35-44	29.6%
	45-54	6.7%
	55-64	5.7%
	65-74	2.5%
	75+	1.1%
Education	High school graduate/GED or less	21.0%
	Trade/Voc, Associate degree or some college	9.3%
	Bachelor's degree	19.5%
	Graduate or professional degree	4.4%
Poverty 200%	200% poverty or less	37.0%
	Greater than 200% poverty	8.0%
Local Comparisons		
	Region	11.9%
	Rural Benton	8.2%
	Sherburne	13.1%
	Stearns	10.3%
	St. Cloud	15.7%

166. Have you experienced any losses related to the COVID-19 pandemic? (mark ALL that apply)

	Checked
Benton Total	
None	27.3%
Job (layoff, furlough, hours reduction)	21.8%
Income	20.5%
Housing	7.5%
Health Insurance	3.5%
Transportation	7.7%
Child care	4.4%
Regular school routine	30.2%
Social connectedness	47.5%
Social support	17.5%
Sense of wellness	19.7%
Recreation or entertainment	45.9%
Exercise opportunities	25.7%
Death of a family member or friend	23.6%
Other	2.9%

167. Have you experienced any losses related to the COVID-19 pandemic?

		No losses due to COVID	Any losses due to COVID
Benton Total		27.3%	72.7%
Gender	Male	28.5%	71.5%
	Female	26.4%	73.6%
Age groups	18-34	12.9%	87.1%
	35-44	12.0%	88.0%
	45-54	29.4%	70.6%
	55-64	36.1%	63.9%
	65-74	26.2%	73.8%
	75+	75.7%	24.3%
Education	High school graduate/GED or less	32.8%	67.2%
	Trade/Voc, Associate degree or some college	31.2%	68.8%
	Bachelor's degree	17.9%	82.1%
	Graduate or professional degree	15.6%	84.4%
Poverty 200%	200% poverty or less	23.0%	77.0%
	Greater than 200% poverty	23.5%	76.5%
Local Comparisons			
	Region	27.3%	72.7%
	Rural Benton	31.2%	68.8%
	Sherburne	25.5%	74.5%
	Stearns	28.3%	71.7%
	St. Cloud	24.7%	75.3%

**168. Have you experienced any losses related to the COVID-19 pandemic?
Job (lay off, furlough, hours reduction)**

		Checked
Benton Total		21.8%
Gender	Male	20.4%
	Female	22.7%
Age groups	18-34	51.2%
	35-44	15.6%
	45-54	7.2%
	55-64	8.1%
	65-74	8.5%
	75+	0.0%
Education	High school graduate/GED or less	34.0%
	Trade/Voc, Associate degree or some college	19.0%
	Bachelor's degree	13.3%
	Graduate or professional degree	10.1%
Poverty 200%	200% poverty or less	28.2%
	Greater than 200% poverty	18.3%
Local Comparisons		
Local Comparisons	Region	18.5%
	Rural Benton	14.1%
	Sherburne	26.7%
	Stearns	13.0%
	St. Cloud	16.0%

**169. Have you experienced any losses related to the COVID-19 pandemic?
Income**

		Checked
Benton Total		20.5%
Gender	Male	29.2%
	Female	14.5%
Age groups	18-34	38.5%
	35-44	26.9%
	45-54	12.1%
	55-64	9.0%
	65-74	2.9%
	75+	2.3%
Education	High school graduate/GED or less	37.8%
	Trade/Voc, Associate degree or some college	15.4%
	Bachelor's degree	7.5%
	Graduate or professional degree	11.7%
Poverty 200%	200% poverty or less	40.8%
	Greater than 200% poverty	11.1%
Local Comparisons		
Local Comparisons	Region	18.1%
	Rural Benton	17.9%
	Sherburne	26.6%
	Stearns	12.8%
	St. Cloud	14.0%

**170. Have you experienced any losses related to the COVID-19 pandemic?
Housing**

		Checked
Benton Total		7.5%
Gender	Male	16.5%
	Female	1.2%
Age groups	18-34	21.8%
	35-44	2.7%
	45-54	1.2%
	55-64	0.2%
	65-74	0.0%
	75+	0.0%
Education	High school graduate/GED or less	23.2%
	Trade/Voc, Associate degree or some college	0.1%
	Bachelor's degree	1.1%
	Graduate or professional degree	0.0%
Poverty 200%	200% poverty or less	27.3%
	Greater than 200% poverty	0.4%
<hr/>		
Local Comparisons	Region	1.4%
	Rural Benton	3.7%
	Sherburne	0.9%
	Stearns	0.0%
	St. Cloud	2.1%

171. Have you experienced any losses related to the COVID-19 pandemic?
Health insurance

		Checked
Benton Total		3.5%
Gender	Male	0.7%
	Female	5.4%
Age groups	18-34	9.1%
	35-44	0.4%
	45-54	1.3%
	55-64	2.2%
	65-74	0.0%
	75+	0.0%
Education	High school graduate/GED or less	8.7%
	Trade/Voc, Associate degree or some college	0.6%
	Bachelor's degree	0.9%
	Graduate or professional degree	0.8%
Poverty 200%	200% poverty or less	0.8%
	Greater than 200% poverty	4.8%
Local Comparisons	Region	4.5%
	Rural Benton	1.8%
	Sherburne	11.3%
	Stearns	0.9%
	St. Cloud	1.7%

**172. Have you experienced any losses related to the COVID-19 pandemic?
Transportation**

		Checked
Benton Total		7.7%
Gender	Male	17.6%
	Female	0.9%
Age groups	18-34	22.6%
	35-44	1.3%
	45-54	0.0%
	55-64	3.2%
	65-74	0.0%
	75+	0.0%
Education	High school graduate/GED or less	21.7%
	Trade/Voc, Associate degree or some college	1.2%
	Bachelor's degree	0.0%
	Graduate or professional degree	5.9%
Poverty 200%	200% poverty or less	27.4%
	Greater than 200% poverty	0.7%
<hr/>		
Local Comparisons	Region	2.5%
	Rural Benton	3.6%
	Sherburne	0.3%
	Stearns	2.4%
	St. Cloud	4.9%

173. Have you experienced any losses related to the COVID-19 pandemic?
Child care

		Checked
Benton Total		4.4%
Gender	Male	6.7%
	Female	2.7%
Age groups	18-34	2.4%
	35-44	21.1%
	45-54	0.4%
	55-64	0.7%
	65-74	0.0%
	75+	0.0%
Education	High school graduate/GED or less	0.7%
	Trade/Voc, Associate degree or some college	2.9%
	Bachelor's degree	11.8%
	Graduate or professional degree	4.5%
Poverty 200%	200% poverty or less	1.8%
	Greater than 200% poverty	5.7%
<hr/>		
Local Comparisons	Region	7.2%
	Rural Benton	7.2%
	Sherburne	10.6%
	Stearns	6.1%
	St. Cloud	5.9%

**174. Have you experienced any losses related to the COVID-19 pandemic?
Regular school routine**

		Checked
Benton Total		30.2%
Gender	Male	33.8%
	Female	27.8%
Age groups	18-34	52.9%
	35-44	62.2%
	45-54	14.5%
	55-64	5.1%
	65-74	0.3%
	75+	0.0%
Education	High school graduate/GED or less	43.5%
	Trade/Voc, Associate degree or some college	20.8%
	Bachelor's degree	30.0%
	Graduate or professional degree	21.7%
Poverty 200%	200% poverty or less	47.9%
	Greater than 200% poverty	26.4%
Local Comparisons	Region	25.8%
	Rural Benton	27.7%
	Sherburne	25.3%
	Stearns	24.8%
	St. Cloud	26.7%

175. Have you experienced any losses related to the COVID-19 pandemic?

Social connectedness

		Checked
Benton Total		47.5%
Gender	Male	47.5%
	Female	47.5%
Age groups	18-34	62.2%
	35-44	46.5%
	45-54	44.8%
	55-64	46.4%
	65-74	51.1%
	75+	11.6%
Education	High school graduate/GED or less	43.0%
	Trade/Voc, Associate degree or some college	41.4%
	Bachelor's degree	59.3%
	Graduate or professional degree	58.2%
Poverty 200%	200% poverty or less	61.9%
	Greater than 200% poverty	45.6%
<hr/>		
Local Comparisons	Region	49.9%
	Rural Benton	50.4%
	Sherburne	49.1%
	Stearns	51.1%
	St. Cloud	53.8%

176. Have you experienced any losses related to the COVID-19 pandemic?
Social support

		Checked
Benton Total		17.5%
Gender	Male	24.6%
	Female	12.6%
Age groups	18-34	28.6%
	35-44	24.6%
	45-54	10.0%
	55-64	7.3%
	65-74	11.3%
	75+	6.4%
Education	High school graduate/GED or less	27.6%
	Trade/Voc, Associate degree or some college	14.7%
	Bachelor's degree	11.0%
	Graduate or professional degree	10.9%
Poverty 200%	200% poverty or less	46.8%
	Greater than 200% poverty	7.9%
<hr/>		
Local Comparisons	Region	15.3%
	Rural Benton	16.2%
	Sherburne	16.4%
	Stearns	14.0%
	St. Cloud	16.5%

177. Have you experienced any losses related to the COVID-19 pandemic?
Sense of wellness

		Checked
Benton Total		19.7%
Gender	Male	22.3%
	Female	17.8%
Age groups	18-34	35.9%
	35-44	10.8%
	45-54	21.7%
	55-64	12.4%
	65-74	7.9%
	75+	1.4%
Education	High school graduate/GED or less	27.6%
	Trade/Voc, Associate degree or some college	11.8%
	Bachelor's degree	21.6%
	Graduate or professional degree	20.2%
Poverty 200%	200% poverty or less	39.8%
	Greater than 200% poverty	12.8%
Local Comparisons	Region	20.7%
	Rural Benton	21.0%
	Sherburne	25.4%
	Stearns	18.3%
	St. Cloud	22.5%

**178. Have you experienced any losses related to the COVID-19 pandemic?
Recreation or entertainment**

		Checked
Benton Total		45.9%
Gender	Male	46.2%
	Female	45.8%
Age groups	18-34	43.5%
	35-44	64.3%
	45-54	56.7%
	55-64	46.1%
	65-74	42.9%
	75+	10.2%
Education	High school graduate/GED or less	19.3%
	Trade/Voc, Associate degree or some college	53.7%
	Bachelor's degree	68.9%
	Graduate or professional degree	48.0%
Poverty 200%	200% poverty or less	35.5%
	Greater than 200% poverty	54.7%
Local Comparisons	Region	49.5%
	Rural Benton	52.1%
	Sherburne	48.2%
	Stearns	51.2%
	St. Cloud	51.0%

**179. Have you experienced any losses related to the COVID-19 pandemic?
Exercise opportunities**

		Checked
Benton Total		25.7%
Gender	Male	33.7%
	Female	20.1%
Age groups	18-34	36.1%
	35-44	30.3%
	45-54	23.3%
	55-64	16.3%
	65-74	27.2%
	75+	4.6%
Education	High school graduate/GED or less	31.7%
	Trade/Voc, Associate degree or some college	26.4%
	Bachelor's degree	17.4%
	Graduate or professional degree	23.3%
Poverty 200%	200% poverty or less	39.1%
	Greater than 200% poverty	20.9%
<hr/>		
Local Comparisons	Region	28.5%
	Rural Benton	24.1%
	Sherburne	28.5%
	Stearns	29.3%
	St. Cloud	35.1%

**180. Have you experienced any losses related to the COVID-19 pandemic?
Death of a family member or friend**

		Checked
Benton Total		23.6%
Gender	Male	23.7%
	Female	23.5%
Age groups	18-34	37.5%
	35-44	16.7%
	45-54	19.6%
	55-64	15.8%
	65-74	15.6%
	75+	16.9%
Education	High school graduate/GED or less	27.5%
	Trade/Voc, Associate degree or some college	19.1%
	Bachelor's degree	29.0%
	Graduate or professional degree	12.8%
Poverty 200%	200% poverty or less	38.0%
	Greater than 200% poverty	19.9%
<hr/>		
Local Comparisons	Region	16.0%
	Rural Benton	20.0%
	Sherburne	14.5%
	Stearns	14.9%
	St. Cloud	15.5%

181. Have you experienced any losses related to the COVID-19 pandemic?
Other

		Checked
Benton Total		2.9%
Gender	Male	1.7%
	Female	3.8%
Age groups	18-34	2.4%
	35-44	5.3%
	45-54	2.3%
	55-64	4.7%
	65-74	3.0%
	75+	0.0%
Education	High school graduate/GED or less	0.5%
	Trade/Voc, Associate degree or some college	2.3%
	Bachelor's degree	6.1%
	Graduate or professional degree	6.4%
Poverty 200%	200% poverty or less	2.6%
	Greater than 200% poverty	3.5%
Local Comparisons		
	Region	2.1%
	Rural Benton	3.6%
	Sherburne	2.8%
	Stearns	1.4%
	St. Cloud	1.2%

**182. Where do you usually get health, wellness, and medical information?
(Please mark UP TO 3 sources)**

	Checked
Benton Total	
E-mail alert or e-newsletter	18.5%
Newspaper (print or online)	14.6%
Brochure, newsletter, magazine or other print material	8.1%
Text message	5.8%
Social media such as Facebook or Twitter	15.5%
Websites or internet	50.6%
Phone apps	3.4%
	7.0%
Nurse or other health professional at a church, synagogue, mosque, etc.	
Television	22.6%
Radio	9.5%
Medical professionals	59.0%
Pharmacy	19.8%
Community Health Worker	1.1%
Family and Friends	30.1%
Health fairs or other health-related community events	1.4%
Other	3.2%

**183. Where do you usually get health, wellness, and medical information?
E-mail alert or e-newsletter**

		Checked
Benton Total		18.5%
Gender	Male	25.6%
	Female	13.6%
Age groups	18-34	35.8%
	35-44	7.2%
	45-54	14.4%
	55-64	14.6%
	65-74	10.7%
	75+	3.3%
Education	High school graduate/GED or less	33.1%
	Trade/Voc, Associate degree or some college	12.7%
	Bachelor's degree	10.3%
	Graduate or professional degree	10.4%
Poverty 200%	200% poverty or less	26.9%
	Greater than 200% poverty	17.4%
<hr/>		
Local Comparisons	Region	17.3%
	Rural Benton	15.1%
	Sherburne	17.5%
	Stearns	16.9%
	St. Cloud	20.4%

**184. Where do you usually get health, wellness, and medical information?
Newspaper (print or online)**

		Checked
Benton Total		14.6%
Gender	Male	14.7%
	Female	14.6%
Age groups	18-34	19.1%
	35-44	4.3%
	45-54	13.3%
	55-64	11.8%
	65-74	28.1%
	75+	12.4%
Education	High school graduate/GED or less	17.8%
	Trade/Voc, Associate degree or some college	12.6%
	Bachelor's degree	10.0%
	Graduate or professional degree	21.9%
Poverty 200%	200% poverty or less	16.6%
	Greater than 200% poverty	15.3%
<hr/>		
Local Comparisons	Region	14.9%
	Rural Benton	16.2%
	Sherburne	17.7%
	Stearns	13.3%
	St. Cloud	13.2%

**185. Where do you usually get health, wellness, and medical information?
Brochure, newsletter, magazine or other print material**

		Checked
Benton Total		8.1%
Gender	Male	6.6%
	Female	9.1%
Age groups	18-34	0.4%
	35-44	0.4%
	45-54	10.8%
	55-64	18.9%
	65-74	14.6%
	75+	18.7%
Education	High school graduate/GED or less	7.1%
	Trade/Voc, Associate degree or some college	7.4%
	Bachelor's degree	8.6%
	Graduate or professional degree	9.6%
Poverty 200%	200% poverty or less	5.4%
	Greater than 200% poverty	8.3%
<hr/>		
Local Comparisons	Region	9.2%
	Rural Benton	7.2%
	Sherburne	8.5%
	Stearns	9.8%
	St. Cloud	10.6%

186. Where do you usually get health, wellness, and medical information?
Text message

		Checked
Benton Total		5.8%
Gender	Male	3.2%
	Female	7.6%
Age groups	18-34	8.7%
	35-44	4.9%
	45-54	2.4%
	55-64	8.3%
	65-74	7.2%
	75+	0.0%
Education	High school graduate/GED or less	11.3%
	Trade/Voc, Associate degree or some college	3.8%
	Bachelor's degree	3.3%
	Graduate or professional degree	1.0%
Poverty 200%	200% poverty or less	3.0%
	Greater than 200% poverty	7.7%
<hr/>		
Local Comparisons	Region	2.8%
	Rural Benton	3.5%
	Sherburne	8.5%
	Stearns	2.4%
	St. Cloud	3.0%

**187. Where do you usually get health, wellness, and medical information?
Social media such as Facebook or Twitter**

		Checked
Benton Total		15.5%
Gender	Male	13.4%
	Female	17.0%
Age groups	18-34	26.3%
	35-44	9.2%
	45-54	21.0%
	55-64	7.3%
	65-74	5.5%
	75+	2.0%
Education	High school graduate/GED or less	27.2%
	Trade/Voc, Associate degree or some college	13.1%
	Bachelor's degree	8.0%
	Graduate or professional degree	4.0%
Poverty 200%	200% poverty or less	17.6%
	Greater than 200% poverty	16.8%
<hr/>		
Local Comparisons	Region	16.3%
	Rural Benton	17.4%
	Sherburne	14.5%
	Stearns	17.5%
	St. Cloud	15.8%

188. Where do you usually get health, wellness, and medical information?

Websites or internet

		Checked
Benton Total		50.6%
Gender	Male	40.3%
	Female	57.7%
Age groups	18-34	64.5%
	35-44	52.6%
	45-54	57.6%
	55-64	41.4%
	65-74	48.1%
	75+	6.8%
Education	High school graduate/GED or less	43.7%
	Trade/Voc, Associate degree or some college	41.5%
	Bachelor's degree	72.5%
	Graduate or professional degree	53.9%
Poverty 200%	200% poverty or less	40.1%
	Greater than 200% poverty	59.2%
Local Comparisons		
	Region	55.4%
	Rural Benton	56.4%
	Sherburne	67.4%
	Stearns	49.7%
	St. Cloud	54.7%

**189. Where do you usually get health, wellness, and medical information?
Phone apps**

		Checked
Benton Total		3.4%
Gender	Male	0.8%
	Female	5.1%
Age groups	18-34	7.1%
	35-44	1.2%
	45-54	0.9%
	55-64	3.1%
	65-74	1.0%
	75+	2.1%
Education	High school graduate/GED or less	0.5%
	Trade/Voc, Associate degree or some college	5.8%
	Bachelor's degree	4.6%
	Graduate or professional degree	0.5%
Poverty 200%	200% poverty or less	2.3%
	Greater than 200% poverty	2.1%
Local Comparisons		
	Region	4.3%
	Rural Benton	5.4%
	Sherburne	5.8%
	Stearns	3.7%
	St. Cloud	2.9%

**190. Where do you usually get health, wellness, and medical information?
Nurse or other health professional at a church, synagogue, mosque, etc.**

		Checked
Benton Total		7.0%
Gender	Male	4.9%
	Female	8.5%
Age groups	18-34	13.3%
	35-44	4.6%
	45-54	2.7%
	55-64	4.5%
	65-74	5.5%
	75+	4.4%
Education	High school graduate/GED or less	8.2%
	Trade/Voc, Associate degree or some college	7.7%
	Bachelor's degree	3.8%
	Graduate or professional degree	8.8%
Poverty 200%	200% poverty or less	7.4%
	Greater than 200% poverty	4.5%
Local Comparisons	Region	7.5%
	Rural Benton	6.6%
	Sherburne	6.0%
	Stearns	8.6%
	St. Cloud	8.7%

191. Where do you usually get health, wellness, and medical information?

Television

		Checked
Benton Total		22.6%
Gender	Male	25.3%
	Female	20.7%
Age groups	18-34	22.0%
	35-44	17.5%
	45-54	29.2%
	55-64	16.0%
	65-74	37.0%
	75+	17.1%
Education	High school graduate/GED or less	41.6%
	Trade/Voc, Associate degree or some college	11.7%
	Bachelor's degree	11.4%
	Graduate or professional degree	26.4%
Poverty 200%	200% poverty or less	15.9%
	Greater than 200% poverty	26.3%
Local Comparisons		
Local Comparisons	Region	18.9%
	Rural Benton	25.4%
	Sherburne	21.8%
	Stearns	16.2%
	St. Cloud	15.5%

192. Where do you usually get health, wellness, and medical information?

Radio

		Checked
Benton Total		9.5%
Gender	Male	11.4%
	Female	8.1%
Age groups	18-34	13.1%
	35-44	2.2%
	45-54	17.6%
	55-64	5.4%
	65-74	5.8%
	75+	3.6%
Education	High school graduate/GED or less	18.6%
	Trade/Voc, Associate degree or some college	3.4%
	Bachelor's degree	7.4%
	Graduate or professional degree	4.6%
Poverty 200%	200% poverty or less	8.1%
	Greater than 200% poverty	10.9%
Local Comparisons	Region	10.3%
	Rural Benton	10.5%
	Sherburne	12.7%
	Stearns	9.2%
	St. Cloud	8.6%

**193. Where do you usually get health, wellness, and medical information?
Medical professionals**

		Checked
Benton Total		59.0%
Gender	Male	44.5%
	Female	69.2%
Age groups	18-34	56.9%
	35-44	62.4%
	45-54	49.2%
	55-64	64.6%
	65-74	57.5%
	75+	72.2%
Education	High school graduate/GED or less	43.6%
	Trade/Voc, Associate degree or some college	58.9%
	Bachelor's degree	75.9%
	Graduate or professional degree	69.0%
Poverty 200%	200% poverty or less	46.9%
	Greater than 200% poverty	63.5%
<hr/>		
Local Comparisons	Region	66.0%
	Rural Benton	59.9%
	Sherburne	65.5%
	Stearns	68.3%
	St. Cloud	67.5%

**194. Where do you usually get health, wellness, and medical information?
Pharmacy**

		Checked
Benton Total		19.8%
Gender	Male	18.6%
	Female	20.6%
Age groups	18-34	6.0%
	35-44	22.9%
	45-54	17.7%
	55-64	15.6%
	65-74	27.8%
	75+	58.4%
Education	High school graduate/GED or less	18.2%
	Trade/Voc, Associate degree or some college	22.4%
	Bachelor's degree	23.1%
	Graduate or professional degree	3.6%
Poverty 200%	200% poverty or less	10.4%
	Greater than 200% poverty	17.4%
Local Comparisons		
	Region	16.7%
	Rural Benton	10.6%
	Sherburne	12.3%
	Stearns	18.4%
	St. Cloud	18.1%

**195. Where do you usually get health, wellness, and medical information?
Community Health Worker**

		Checked
Benton Total		1.1%
Gender	Male	0.7%
	Female	1.3%
Age groups	18-34	0.0%
	35-44	0.0%
	45-54	1.3%
	55-64	2.5%
	65-74	0.2%
	75+	4.3%
Education	High school graduate/GED or less	1.9%
	Trade/Voc, Associate degree or some college	0.6%
	Bachelor's degree	0.0%
	Graduate or professional degree	0.0%
Poverty 200%	200% poverty or less	2.8%
	Greater than 200% poverty	0.1%
<hr/>		
Local Comparisons	Region	1.3%
	Rural Benton	1.1%
	Sherburne	1.0%
	Stearns	1.5%
	St. Cloud	1.6%

**196. Where do you usually get health, wellness, and medical information?
Family or friends**

		Checked
Benton Total		30.1%
Gender	Male	22.3%
	Female	35.5%
Age groups	18-34	34.6%
	35-44	39.4%
	45-54	27.4%
	55-64	19.3%
	65-74	17.7%
	75+	31.3%
Education	High school graduate/GED or less	26.6%
	Trade/Voc, Associate degree or some college	24.0%
	Bachelor's degree	47.2%
	Graduate or professional degree	23.6%
Poverty 200%	200% poverty or less	26.2%
	Greater than 200% poverty	33.8%
<hr/>		
Local Comparisons	Region	32.7%
	Rural Benton	32.6%
	Sherburne	33.3%
	Stearns	33.0%
	St. Cloud	35.7%

**197. Where do you usually get health, wellness, and medical information?
Health fairs or other health-related community events**

		Checked
Benton Total		1.4%
Gender	Male	0.9%
	Female	1.9%
Age groups	18-34	0.0%
	35-44	0.8%
	45-54	3.1%
	55-64	4.5%
	65-74	1.3%
	75+	0.0%
Education	High school graduate/GED or less	0.7%
	Trade/Voc, Associate degree or some college	1.6%
	Bachelor's degree	0.8%
	Graduate or professional degree	2.3%
Poverty 200%	200% poverty or less	2.2%
	Greater than 200% poverty	0.8%
<hr/>		
Local Comparisons	Region	1.8%
	Rural Benton	2.8%
	Sherburne	1.9%
	Stearns	1.8%
	St. Cloud	0.9%

198. Where do you usually get health, wellness, and medical information?

Other

		Checked
Benton Total		3.2%
Gender	Male	5.0%
	Female	1.9%
Age groups	18-34	0.4%
	35-44	0.6%
	45-54	4.4%
	55-64	13.9%
	65-74	0.9%
	75+	1.3%
Education	High school graduate/GED or less	2.1%
	Trade/Voc, Associate degree or some college	4.4%
	Bachelor's degree	2.8%
	Graduate or professional degree	3.5%
Poverty 200%	200% poverty or less	2.7%
	Greater than 200% poverty	3.4%
<hr/>		
Local Comparisons	Region	2.9%
	Rural Benton	3.6%
	Sherburne	4.4%
	Stearns	2.0%
	St. Cloud	2.0%

199. Weight status according to BMI

		Not overweight	Overweight but not obese	Obese
Benton Total		29.5%	36.4%	34.1%
Gender	Male	16.3%	52.7%	31.0%
	Female	38.3%	25.5%	36.2%
Age groups	18-34	28.3%	30.0%	41.7%
	35-44	23.2%	38.3%	38.5%
	45-54	28.5%	48.2%	23.3%
	55-64	19.9%	43.9%	36.2%
	65-74	20.9%	37.4%	41.7%
	75+	63.0%	22.2%	14.8%
Education	High school graduate/GED or less	29.6%	48.2%	22.2%
	Trade/Voc, Associate degree or some college	32.8%	27.7%	39.5%
	Bachelor's degree	24.7%	30.0%	45.3%
	Graduate or professional degree	29.1%	48.2%	22.7%
Poverty 200%	200% poverty or less	20.7%	38.1%	41.3%
	Greater than 200% poverty	30.2%	37.6%	32.3%
Local Comparisons	Region	29.5%	40.9%	29.6%
	Rural Benton	27.7%	31.0%	41.3%
	Sherburne	23.9%	43.4%	32.6%
	Stearns	32.7%	40.7%	26.6%
	St. Cloud	32.5%	41.3%	26.2%

Community Concerns

200. In your opinion, how much of a problem is each of these issues in your county?

	No Problem	Minor Problem	Moderate Problem	Serious Problem	No Opinion
Benton Total					
A. Issues for Families					
Families experiencing financial stress	4.7%	18.7%	42.9%	23.4%	10.3%
Parents with inadequate or poor parenting skills	7.7%	21.4%	31.6%	30.0%	9.3%
Childhood trauma	14.8%	24.9%	24.1%	20.2%	16.1%
Bullying	9.3%	17.5%	32.2%	23.1%	18.0%
Abuse and neglect of children	11.1%	28.8%	25.2%	15.3%	19.6%
Abuse and neglect of vulnerable adults	12.2%	28.8%	22.7%	16.8%	19.6%
B. Social Experience					
Racism	21.7%	23.6%	29.1%	19.7%	5.9%
White privilege (inherent advantages possessed by a white person on the basis of their race in a society characterized by racial inequality and injustice)	30.2%	20.6%	12.1%	26.0%	11.1%
Police brutality	48.7%	25.0%	10.7%	3.9%	11.7%
C. Discrimination					
Discrimination based on race, color, ethnicity or country of origin	22.3%	27.1%	16.9%	22.0%	11.7%
Discrimination based on age	29.9%	35.4%	16.4%	2.8%	15.5%
Discrimination based on gender	25.1%	34.5%	15.7%	8.6%	16.1%
Discrimination based on sexual orientation	24.4%	24.6%	21.2%	13.5%	16.3%
Discrimination based on gender identity	23.5%	24.7%	14.4%	21.9%	15.5%
Discrimination based on disability	26.8%	29.7%	17.9%	11.6%	14.0%
Discrimination based on religion	30.2%	29.6%	8.8%	15.6%	15.7%
Discrimination based on being overweight or obese	29.1%	31.3%	17.9%	9.3%	12.4%
Discrimination based on something else	41.6%	7.5%	3.2%	4.8%	42.9%
D. Tobacco and Other Drug Use					
Smoking or other tobacco use	15.6%	29.0%	30.7%	11.5%	13.2%
Use of e-cigarettes/vaping for nicotine products	18.9%	22.6%	31.3%	14.2%	12.9%
Abuse of prescription drugs	16.2%	19.8%	30.1%	12.9%	21.1%

Illegal drug use among youth	12.8%	24.2%	27.3%	23.0%	12.8%
Illegal drug use among adults	13.0%	21.2%	31.5%	22.1%	12.2%
E. Mental Health					
Depression among youth	10.3%	21.4%	26.0%	30.7%	11.5%
Depression among adults	9.8%	19.9%	30.0%	30.2%	10.2%
Suicide among youth	14.2%	25.3%	26.1%	21.7%	12.6%
Suicide among adults	14.7%	27.6%	27.8%	17.1%	12.8%
Other mental health issues, such as anxiety or panic attacks, memory loss, Alzheimer's or another form of dementia, etc.	13.9%	17.2%	32.8%	27.7%	8.5%
Difficulty obtaining mental health services for youth	15.4%	17.5%	21.5%	30.5%	15.1%
Difficulty obtaining mental health services for adults	15.1%	17.7%	23.2%	29.0%	15.0%

201. In your opinion, how much of a problem is families experiencing financial stress in your county?

		No Problem	Minor Problem	Moderate Problem	Serious Problem	No Opinion
Benton Total		4.7%	18.7%	42.9%	23.4%	10.3%
Gender	Male	7.2%	23.4%	51.6%	13.3%	4.5%
	Female	2.9%	15.4%	36.7%	30.6%	14.5%
Age groups	18-34	0.0%	20.2%	47.5%	31.5%	0.8%
	35-44	2.4%	14.0%	62.0%	21.2%	0.4%
	45-54	2.0%	30.8%	38.2%	26.1%	2.9%
	55-64	7.5%	15.5%	52.7%	12.8%	11.4%
	65-74	9.1%	15.2%	32.9%	23.4%	19.4%
	75+	19.9%	6.2%	4.1%	11.6%	58.2%
Education	High school graduate/GED or less	8.2%	17.9%	49.9%	18.3%	5.8%
	Trade/Voc, Associate degree or some college	4.5%	20.2%	42.2%	15.0%	18.1%
	Bachelor's degree	1.4%	18.9%	33.5%	39.7%	6.5%
	Graduate or professional degree	1.7%	15.2%	43.0%	35.9%	4.2%
Poverty 200%	200% poverty or less	3.2%	12.7%	54.5%	24.1%	5.5%
	Greater than 200% poverty	4.0%	22.9%	42.6%	24.1%	6.4%
Local Comparisons	Region	7.4%	19.0%	43.9%	20.4%	9.3%
	Rural Benton	5.3%	34.9%	39.1%	12.9%	7.8%
	Sherburne	5.4%	25.7%	41.7%	17.0%	10.2%
	Stearns	9.4%	15.2%	45.3%	21.6%	8.5%
	St. Cloud	6.6%	9.6%	47.9%	29.0%	6.9%

202. In your opinion, how much of a problem is parents with inadequate or poor parenting skills in your county?

		No Problem	Minor Problem	Moderate Problem	Serious Problem	No Opinion
Benton Total		7.7%	21.4%	31.6%	30.0%	9.3%
Gender	Male	7.0%	27.1%	28.7%	34.8%	2.4%
	Female	8.2%	17.4%	33.6%	26.7%	14.1%
Age groups	18-34	6.8%	27.5%	24.9%	40.0%	0.8%
	35-44	4.1%	24.0%	47.0%	24.0%	0.8%
	45-54	5.3%	16.7%	35.5%	37.0%	5.4%
	55-64	9.3%	21.0%	39.9%	20.9%	8.9%
	65-74	7.7%	22.1%	30.3%	32.8%	7.1%
	75+	17.8%	8.5%	11.5%	7.5%	54.6%
Education	High school graduate/GED or less	12.2%	17.2%	32.2%	32.8%	5.6%
	Trade/Voc, Associate degree or some college	8.0%	22.4%	33.3%	18.8%	17.5%
	Bachelor's degree	1.9%	32.1%	27.8%	35.0%	3.1%
	Graduate or professional degree	5.6%	5.4%	31.6%	53.1%	4.2%
Poverty 200%	200% poverty or less	10.5%	16.6%	33.3%	35.4%	4.2%
	Greater than 200% poverty	5.6%	26.2%	34.7%	28.2%	5.3%
Local Comparisons						
Local Comparisons	Region	8.8%	19.8%	33.8%	25.2%	12.4%
	Rural Benton	8.2%	28.6%	31.0%	25.0%	7.2%
	Sherburne	9.3%	22.2%	36.5%	18.2%	13.7%
	Stearns	8.8%	17.9%	32.9%	27.9%	12.5%
	St. Cloud	5.9%	13.2%	34.4%	35.5%	11.0%

203. In your opinion, how much of a problem is childhood trauma in your county?

		No Problem	Minor Problem	Moderate Problem	Serious Problem	No Opinion
Benton Total		14.8%	24.9%	24.1%	20.2%	16.1%
Gender	Male	15.2%	30.2%	17.9%	26.9%	9.8%
	Female	14.5%	21.1%	28.5%	15.5%	20.5%
Age groups	18-34	20.8%	19.5%	24.2%	33.9%	1.6%
	35-44	8.9%	19.4%	47.8%	13.4%	10.6%
	45-54	7.7%	43.6%	16.6%	22.3%	9.8%
	55-64	12.6%	29.7%	25.1%	12.8%	19.8%
	65-74	15.7%	25.8%	20.1%	12.9%	25.6%
	75+	20.9%	8.1%	2.8%	1.6%	66.6%
Education	High school graduate/GED or less	27.7%	17.5%	13.0%	33.0%	8.8%
	Trade/Voc, Associate degree or some college	12.7%	29.3%	19.3%	11.0%	27.7%
	Bachelor's degree	3.9%	27.6%	43.6%	13.0%	11.8%
	Graduate or professional degree	6.1%	23.4%	32.3%	33.4%	4.7%
Poverty 200%	200% poverty or less	16.3%	18.8%	17.4%	38.3%	9.3%
	Greater than 200% poverty	14.0%	30.4%	29.8%	12.6%	13.2%
Local Comparisons						
Local Comparisons	Region	15.4%	26.4%	29.5%	12.9%	15.8%
	Rural Benton	18.5%	36.1%	22.5%	9.2%	13.7%
	Sherburne	19.7%	31.0%	27.8%	8.0%	13.5%
	Stearns	13.1%	24.1%	31.9%	13.8%	17.1%
	St. Cloud	8.7%	20.2%	35.1%	19.7%	16.3%

204. In your opinion, how much of a problem is bullying in your county?

		No Problem	Minor Problem	Moderate Problem	Serious Problem	No Opinion
Benton Total		9.3%	17.5%	32.2%	23.1%	18.0%
Gender	Male	10.8%	21.1%	35.0%	13.2%	20.0%
	Female	8.2%	15.0%	30.2%	30.0%	16.7%
Age groups	18-34	9.1%	14.0%	26.2%	29.6%	21.0%
	35-44	7.6%	14.8%	49.9%	17.7%	9.9%
	45-54	3.6%	28.7%	37.2%	29.7%	0.8%
	55-64	10.7%	18.9%	37.9%	17.4%	15.0%
	65-74	10.7%	16.9%	35.1%	23.2%	14.1%
	75+	19.4%	10.0%	4.5%	6.5%	59.5%
Education	High school graduate/GED or less	17.5%	9.5%	25.5%	23.0%	24.4%
	Trade/Voc, Associate degree or some college	8.0%	22.5%	32.7%	17.2%	19.5%
	Bachelor's degree	3.0%	15.9%	43.0%	28.0%	10.0%
	Graduate or professional degree	1.6%	26.3%	26.3%	35.1%	10.6%
Poverty 200%	200% poverty or less	17.4%	6.5%	29.2%	16.4%	30.5%
	Greater than 200% poverty	5.8%	23.8%	37.6%	25.0%	7.7%
Local Comparisons	Region	9.2%	23.2%	33.3%	19.9%	14.4%
	Rural Benton	11.4%	31.1%	31.9%	14.8%	10.9%
	Sherburne	10.0%	22.9%	34.6%	15.1%	17.4%
	Stearns	8.7%	24.9%	32.8%	21.9%	11.8%
	St. Cloud	5.9%	19.3%	35.9%	25.1%	13.9%

205. In your opinion, how much of a problem is abuse or neglect of children in your county?

		No Problem	Minor Problem	Moderate Problem	Serious Problem	No Opinion
Benton Total		11.1%	28.8%	25.2%	15.3%	19.6%
Gender	Male	13.6%	37.5%	14.2%	13.6%	21.1%
	Female	9.3%	22.5%	33.0%	16.5%	18.6%
Age groups	18-34	14.2%	25.7%	26.2%	14.5%	19.4%
	35-44	9.9%	42.2%	28.7%	7.4%	11.8%
	45-54	2.3%	33.7%	28.2%	24.8%	11.0%
	55-64	10.6%	32.5%	24.8%	17.9%	14.1%
	65-74	11.3%	22.9%	30.4%	19.9%	15.5%
	75+	20.0%	8.2%	7.9%	5.8%	58.2%
Education	High school graduate/GED or less	16.7%	24.6%	16.3%	15.1%	27.3%
	Trade/Voc, Associate degree or some college	10.7%	30.7%	23.6%	12.3%	22.8%
	Bachelor's degree	6.5%	33.8%	32.8%	17.0%	10.0%
	Graduate or professional degree	4.6%	20.8%	44.2%	25.8%	4.7%
Poverty 200%	200% poverty or less	17.1%	20.4%	23.0%	9.7%	29.8%
	Greater than 200% poverty	8.4%	35.4%	28.2%	17.5%	10.5%
Local Comparisons	Region	13.8%	27.0%	30.3%	11.9%	17.0%
	Rural Benton	16.9%	37.4%	23.8%	10.2%	11.7%
	Sherburne	19.1%	27.7%	26.4%	10.2%	16.6%
	Stearns	11.4%	26.1%	33.9%	12.0%	16.6%
	St. Cloud	7.0%	21.1%	38.7%	15.5%	17.8%

206. In your opinion, how much of a problem is abuse and neglect of vulnerable adults in your county?

		No Problem	Minor Problem	Moderate Problem	Serious Problem	No Opinion
Benton Total		12.2%	28.8%	22.7%	16.8%	19.6%
Gender	Male	14.9%	35.6%	8.7%	25.4%	15.4%
	Female	10.3%	24.1%	32.4%	10.9%	22.4%
Age groups	18-34	14.5%	26.2%	29.3%	25.5%	4.5%
	35-44	9.0%	35.5%	21.2%	6.5%	27.8%
	45-54	5.6%	32.9%	24.4%	22.0%	15.1%
	55-64	13.7%	34.5%	19.9%	10.5%	21.3%
	65-74	14.9%	26.9%	22.1%	17.9%	18.2%
	75+	18.1%	12.7%	6.4%	5.2%	57.6%
Education	High school graduate/GED or less	14.6%	27.8%	13.6%	33.5%	10.5%
	Trade/Voc, Associate degree or some college	14.8%	29.8%	16.8%	10.3%	28.2%
	Bachelor's degree	7.2%	27.9%	40.4%	5.4%	19.1%
	Graduate or professional degree	5.0%	27.6%	35.0%	15.1%	17.4%
Poverty 200%	200% poverty or less	14.7%	25.4%	20.0%	28.7%	11.3%
	Greater than 200% poverty	11.0%	33.2%	26.2%	11.9%	17.7%
Local Comparisons	Region	15.5%	29.4%	24.2%	10.4%	20.5%
	Rural Benton	19.0%	40.7%	18.3%	5.7%	16.3%
	Sherburne	22.4%	28.3%	22.0%	7.9%	19.4%
	Stearns	12.4%	30.1%	25.8%	10.2%	21.5%
	St. Cloud	7.7%	25.8%	30.5%	14.6%	21.3%

207. In your opinion, how much of a problem is racism in your county?

		No Problem	Minor Problem	Moderate Problem	Serious Problem	No Opinion
Benton Total		21.7%	23.6%	29.1%	19.7%	5.9%
Gender	Male	22.2%	26.7%	35.1%	11.8%	4.2%
	Female	21.4%	21.4%	24.8%	25.4%	7.1%
Age groups	18-34	11.9%	26.6%	40.1%	20.6%	0.8%
	35-44	15.3%	28.5%	31.9%	23.7%	0.6%
	45-54	17.2%	28.7%	22.7%	27.6%	3.9%
	55-64	26.0%	18.6%	31.5%	13.9%	10.0%
	65-74	25.7%	19.9%	26.8%	15.9%	11.6%
	75+	60.7%	6.8%	2.6%	7.0%	22.8%
Education	High school graduate/GED or less	22.5%	25.8%	30.4%	16.0%	5.4%
	Trade/Voc, Associate degree or some college	31.4%	25.4%	27.3%	9.4%	6.5%
	Bachelor's degree	11.3%	18.7%	32.4%	32.2%	5.5%
	Graduate or professional degree	5.8%	19.3%	24.5%	44.3%	6.1%
Poverty 200%	200% poverty or less	21.4%	22.7%	32.1%	18.3%	5.6%
	Greater than 200% poverty	16.0%	26.8%	28.4%	22.9%	5.8%
Local Comparisons						
Local Comparisons	Region	21.7%	24.5%	26.8%	20.6%	6.4%
	Rural Benton	27.9%	32.1%	20.5%	11.8%	7.7%
	Sherburne	21.6%	19.6%	28.4%	21.6%	8.8%
	Stearns	21.6%	27.5%	25.4%	20.3%	5.2%
	St. Cloud	15.3%	24.5%	31.0%	26.1%	3.1%

208. In your opinion, how much of a problem is white privilege in your county? (inherent advantages possessed by a white person on the basis of their race in a society characterized by racial inequality and injustice)

		No Problem	Minor Problem	Moderate Problem	Serious Problem	No Opinion
Benton Total		30.2%	20.6%	12.1%	26.0%	11.1%
Gender	Male	37.2%	20.8%	8.4%	28.1%	5.6%
	Female	25.1%	20.4%	14.9%	24.5%	15.1%
Age groups	18-34	22.5%	21.2%	8.0%	47.5%	0.8%
	35-44	35.5%	31.7%	9.9%	20.5%	2.4%
	45-54	34.1%	19.4%	19.2%	20.0%	7.3%
	55-64	39.0%	19.1%	17.1%	12.1%	12.6%
	65-74	32.9%	21.1%	14.6%	18.6%	12.8%
	75+	24.0%	5.1%	6.8%	4.5%	59.7%
Education	High school graduate/GED or less	32.2%	18.7%	12.8%	30.0%	6.3%
	Trade/Voc, Associate degree or some college	38.6%	17.9%	14.1%	8.7%	20.7%
	Bachelor's degree	19.0%	28.8%	5.8%	42.4%	4.0%
	Graduate or professional degree	14.0%	17.3%	18.2%	43.6%	6.8%
Poverty 200%	200% poverty or less	36.3%	13.0%	8.5%	37.2%	5.0%
	Greater than 200% poverty	26.8%	26.1%	15.2%	24.0%	7.8%
Local Comparisons	Region	32.7%	21.3%	17.9%	19.0%	9.1%
	Rural Benton	43.1%	23.5%	9.7%	14.8%	8.9%
	Sherburne	31.2%	19.3%	21.7%	17.8%	10.0%
	Stearns	34.3%	22.6%	17.3%	17.8%	8.0%
	St. Cloud	24.8%	24.0%	19.4%	24.8%	7.0%

209. In your opinion, how much of a problem is police brutality in your county?

		No Problem	Minor Problem	Moderate Problem	Serious Problem	No Opinion
Benton Total		48.7%	25.0%	10.7%	3.9%	11.7%
Gender	Male	56.3%	34.0%	2.8%	2.8%	4.1%
	Female	43.2%	18.4%	16.5%	4.7%	17.2%
Age groups	18-34	39.6%	29.6%	22.0%	4.6%	4.2%
	35-44	70.4%	16.0%	4.0%	7.2%	2.4%
	45-54	51.2%	34.9%	4.5%	2.1%	7.4%
	55-64	53.6%	28.8%	5.5%	0.7%	11.5%
	65-74	52.7%	19.7%	11.0%	9.4%	7.3%
	75+	28.0%	7.3%	6.9%	0.0%	57.8%
Education	High school graduate/GED or less	50.4%	32.8%	7.5%	0.9%	8.4%
	Trade/Voc, Associate degree or some college	50.3%	22.6%	3.7%	4.2%	19.2%
	Bachelor's degree	51.0%	12.6%	23.1%	6.2%	7.1%
	Graduate or professional degree	28.0%	40.0%	19.4%	7.6%	5.1%
Poverty 200%	200% poverty or less	39.3%	38.9%	5.7%	5.7%	10.3%
	Greater than 200% poverty	55.0%	20.9%	14.1%	3.6%	6.3%
Local Comparisons						
Local Comparisons	Region	50.9%	21.1%	12.9%	5.4%	9.7%
	Rural Benton	65.5%	17.5%	5.5%	3.1%	8.4%
	Sherburne	44.2%	20.3%	16.1%	7.5%	11.9%
	Stearns	55.4%	20.6%	11.7%	4.5%	7.8%
	St. Cloud	48.6%	23.9%	14.2%	6.4%	7.0%

210. In your opinion, how much of a problem is discrimination based on race, color, ethnicity or country of origin in your county?

		No Problem	Minor Problem	Moderate Problem	Serious Problem	No Opinion
Benton Total		22.3%	27.1%	16.9%	22.0%	11.7%
Gender	Male	24.6%	32.9%	12.1%	25.2%	5.2%
	Female	20.6%	23.0%	20.3%	19.7%	16.3%
Age groups	18-34	14.8%	22.9%	21.6%	35.5%	5.2%
	35-44	17.2%	48.1%	19.4%	14.1%	1.3%
	45-54	23.4%	30.2%	16.8%	22.5%	7.1%
	55-64	29.2%	24.3%	17.2%	14.6%	14.6%
	65-74	38.6%	23.3%	13.3%	14.0%	10.8%
	75+	28.1%	9.7%	2.5%	8.6%	51.2%
Education	High school graduate/GED or less	24.9%	25.8%	14.3%	30.1%	4.9%
	Trade/Voc, Associate degree or some college	26.3%	28.8%	14.4%	7.6%	22.9%
	Bachelor's degree	14.7%	30.0%	19.7%	30.2%	5.4%
	Graduate or professional degree	12.9%	18.9%	29.8%	32.4%	6.0%
Poverty 200%	200% poverty or less	22.0%	23.4%	12.1%	38.6%	3.9%
	Greater than 200% poverty	22.1%	32.3%	20.0%	18.1%	7.5%
Local Comparisons						
Local Comparisons	Region	25.0%	27.2%	18.8%	19.7%	9.3%
	Rural Benton	36.0%	26.7%	18.2%	10.1%	9.0%
	Sherburne	23.1%	29.0%	16.3%	19.5%	12.1%
	Stearns	26.8%	26.1%	20.8%	19.2%	7.0%
	St. Cloud	18.3%	27.8%	21.2%	25.7%	7.0%

211. In your opinion, how much of a problem is discrimination based on age in your county?

		No Problem	Minor Problem	Moderate Problem	Serious Problem	No Opinion
Benton Total		29.9%	35.4%	16.4%	2.8%	15.5%
Gender	Male	30.9%	42.1%	13.7%	2.3%	10.9%
	Female	29.2%	30.6%	18.3%	3.1%	18.8%
Age groups	18-34	28.1%	49.5%	14.8%	1.6%	6.0%
	35-44	25.7%	37.3%	22.8%	0.4%	13.8%
	45-54	32.1%	32.1%	21.3%	2.4%	12.2%
	55-64	33.2%	32.2%	10.9%	7.7%	16.0%
	65-74	34.9%	17.1%	23.5%	8.3%	16.2%
	75+	29.9%	15.1%	4.0%	0.0%	51.0%
Education	High school graduate/GED or less	37.6%	35.5%	17.2%	3.1%	6.7%
	Trade/Voc, Associate degree or some college	32.9%	28.6%	9.9%	1.5%	27.1%
	Bachelor's degree	17.8%	47.2%	17.5%	4.4%	13.1%
	Graduate or professional degree	19.5%	33.9%	37.5%	2.7%	6.3%
Poverty 200%	200% poverty or less	26.7%	52.1%	11.3%	5.2%	4.7%
	Greater than 200% poverty	32.2%	33.0%	19.6%	2.1%	13.0%
Local Comparisons						
Local Comparisons	Region	37.4%	36.4%	10.9%	3.8%	11.5%
	Rural Benton	39.4%	35.9%	11.9%	2.3%	10.5%
	Sherburne	37.0%	37.0%	8.0%	4.5%	13.5%
	Stearns	39.5%	36.4%	11.1%	3.6%	9.4%
	St. Cloud	33.4%	39.6%	13.6%	3.3%	10.0%

212. In your opinion, how much of a problem is discrimination based on gender in your county?

		No Problem	Minor Problem	Moderate Problem	Serious Problem	No Opinion
Benton Total		25.1%	34.5%	15.7%	8.6%	16.1%
Gender	Male	27.1%	46.8%	5.9%	8.6%	11.6%
	Female	23.7%	25.6%	22.8%	8.6%	19.3%
Age groups	18-34	17.3%	44.3%	25.6%	6.8%	6.0%
	35-44	27.6%	39.2%	17.7%	1.8%	13.7%
	45-54	27.1%	32.1%	9.3%	19.4%	12.2%
	55-64	28.8%	35.2%	9.6%	10.6%	15.8%
	65-74	36.8%	22.5%	17.6%	10.0%	13.0%
	75+	27.9%	10.8%	1.6%	0.6%	59.1%
Education	High school graduate/GED or less	28.0%	41.9%	10.1%	13.4%	6.7%
	Trade/Voc, Associate degree or some college	29.8%	33.2%	6.3%	3.2%	27.6%
	Bachelor's degree	16.3%	27.2%	30.4%	11.2%	14.9%
	Graduate or professional degree	16.5%	33.7%	36.1%	7.2%	6.5%
Poverty 200%	200% poverty or less	27.4%	47.8%	8.1%	10.3%	6.3%
	Greater than 200% poverty	24.8%	32.9%	19.9%	9.1%	13.4%
<hr/>						
Local Comparisons	Region	36.2%	30.4%	15.0%	6.9%	11.5%
	Rural Benton	40.8%	33.4%	12.4%	3.1%	10.3%
	Sherburne	30.4%	33.7%	17.1%	5.5%	13.4%
	Stearns	42.5%	27.4%	13.7%	7.3%	9.1%
	St. Cloud	34.1%	29.7%	16.2%	9.8%	10.3%

213. In your opinion, how much of a problem is discrimination based on sexual orientation in your county?

		No Problem	Minor Problem	Moderate Problem	Serious Problem	No Opinion
Benton Total		24.4%	24.6%	21.2%	13.5%	16.3%
Gender	Male	26.7%	28.7%	21.8%	10.6%	12.2%
	Female	22.7%	21.7%	20.7%	15.5%	19.3%
Age groups	18-34	13.5%	26.7%	36.1%	17.7%	6.0%
	35-44	26.7%	31.8%	17.9%	9.4%	14.1%
	45-54	28.2%	25.5%	16.6%	16.7%	12.9%
	55-64	31.8%	25.0%	16.1%	12.2%	14.9%
	65-74	34.0%	19.4%	14.2%	14.4%	18.0%
	75+	29.5%	9.8%	2.0%	2.0%	56.7%
Education	High school graduate/GED or less	29.9%	20.8%	30.1%	12.2%	7.0%
	Trade/Voc, Associate degree or some college	25.7%	29.5%	11.7%	4.6%	28.5%
	Bachelor's degree	17.0%	23.5%	19.9%	24.5%	15.1%
	Graduate or professional degree	18.3%	18.9%	32.9%	27.1%	2.8%
Poverty 200%	200% poverty or less	24.9%	22.2%	33.0%	13.5%	6.4%
	Greater than 200% poverty	24.7%	28.5%	17.8%	15.2%	13.7%
Local Comparisons	Region	31.4%	26.0%	18.4%	10.9%	13.4%
	Rural Benton	34.6%	33.8%	13.3%	7.4%	10.9%
	Sherburne	32.2%	27.6%	17.8%	8.5%	14.0%
	Stearns	32.7%	25.4%	18.0%	11.6%	12.3%
	St. Cloud	22.9%	28.0%	21.3%	14.7%	13.1%

214. In your opinion, how much of a problem is discrimination based on gender identity in your county?

		No Problem	Minor Problem	Moderate Problem	Serious Problem	No Opinion
Benton Total		23.5%	24.7%	14.4%	21.9%	15.5%
Gender	Male	24.9%	29.0%	10.2%	25.0%	11.0%
	Female	22.5%	21.7%	17.5%	19.7%	18.7%
Age groups	18-34	15.2%	27.1%	8.8%	42.9%	6.0%
	35-44	26.3%	35.9%	14.3%	9.4%	14.1%
	45-54	18.9%	24.6%	22.5%	21.2%	12.9%
	55-64	35.2%	21.3%	19.3%	11.9%	12.3%
	65-74	33.3%	20.2%	19.0%	8.7%	18.8%
	75+	29.8%	9.1%	7.0%	2.0%	52.1%
Education	High school graduate/GED or less	25.2%	18.9%	17.1%	33.1%	5.7%
	Trade/Voc, Associate degree or some college	25.6%	31.2%	11.3%	4.7%	27.2%
	Bachelor's degree	19.5%	20.5%	11.2%	33.5%	15.3%
	Graduate or professional degree	18.3%	27.8%	26.8%	24.4%	2.8%
Poverty 200%	200% poverty or less	25.3%	21.4%	12.4%	36.1%	4.8%
	Greater than 200% poverty	23.1%	27.9%	16.9%	19.1%	13.0%
Local Comparisons	Region	31.0%	26.9%	15.2%	12.9%	14.1%
	Rural Benton	35.5%	33.9%	9.0%	10.3%	11.2%
	Sherburne	30.3%	31.6%	13.9%	9.5%	14.7%
	Stearns	33.4%	24.7%	16.1%	12.4%	13.3%
	St. Cloud	23.3%	26.7%	17.7%	18.3%	14.1%

215. In your opinion, how much of a problem is discrimination based on disability in your county?

		No Problem	Minor Problem	Moderate Problem	Serious Problem	No Opinion
Benton Total		26.8%	29.7%	17.9%	11.6%	14.0%
Gender	Male	30.8%	30.5%	12.2%	15.7%	10.8%
	Female	24.0%	29.0%	22.0%	8.6%	16.4%
Age groups	18-34	21.6%	30.3%	21.6%	24.9%	1.7%
	35-44	27.5%	38.4%	10.1%	7.4%	16.6%
	45-54	26.0%	32.0%	26.3%	6.1%	9.6%
	55-64	33.0%	35.7%	11.0%	6.3%	13.9%
	65-74	33.1%	17.6%	24.2%	8.0%	17.2%
	75+	29.3%	13.0%	7.2%	0.0%	50.5%
Education	High school graduate/GED or less	28.7%	25.3%	17.3%	23.4%	5.3%
	Trade/Voc, Associate degree or some college	31.1%	36.1%	8.5%	2.5%	21.9%
	Bachelor's degree	19.3%	22.0%	28.1%	12.2%	18.4%
	Graduate or professional degree	20.7%	39.5%	31.9%	5.8%	2.1%
Poverty 200%	200% poverty or less	25.0%	27.6%	9.6%	33.2%	4.5%
	Greater than 200% poverty	27.3%	32.5%	23.2%	4.3%	12.7%
Local Comparisons						
Local Comparisons	Region	36.0%	28.4%	16.4%	6.1%	13.1%
	Rural Benton	42.8%	35.7%	8.9%	2.0%	10.6%
	Sherburne	35.8%	28.4%	16.2%	6.0%	13.7%
	Stearns	38.6%	28.1%	16.2%	4.7%	12.5%
	St. Cloud	29.3%	29.1%	20.8%	8.2%	12.6%

216. In your opinion, how much of a problem is discrimination based on religion in your county?

		No Problem	Minor Problem	Moderate Problem	Serious Problem	No Opinion
Benton Total		30.2%	29.6%	8.8%	15.6%	15.7%
Gender	Male	34.0%	34.1%	6.0%	15.6%	10.2%
	Female	27.6%	26.4%	10.9%	15.5%	19.6%
Age groups	18-34	16.9%	33.7%	5.6%	36.8%	7.1%
	35-44	30.8%	35.0%	10.7%	9.4%	14.1%
	45-54	39.4%	34.2%	11.0%	2.6%	12.8%
	55-64	37.7%	28.8%	9.9%	10.8%	12.8%
	65-74	47.4%	18.3%	14.7%	4.3%	15.2%
	75+	29.2%	11.8%	5.9%	0.6%	52.5%
Education	High school graduate/GED or less	33.9%	25.6%	10.3%	22.9%	7.3%
	Trade/Voc, Associate degree or some college	31.8%	31.3%	6.1%	3.8%	27.0%
	Bachelor's degree	26.6%	26.7%	7.9%	24.9%	13.8%
	Graduate or professional degree	20.7%	41.4%	18.1%	16.1%	3.7%
Poverty 200%	200% poverty or less	26.0%	25.4%	6.4%	36.8%	5.3%
	Greater than 200% poverty	32.9%	33.7%	11.1%	9.1%	13.2%
Local Comparisons						
Local Comparisons	Region	38.0%	27.6%	12.5%	9.8%	12.1%
	Rural Benton	40.6%	33.0%	9.0%	5.2%	12.3%
	Sherburne	41.0%	28.8%	7.0%	9.1%	14.1%
	Stearns	38.3%	26.3%	16.6%	8.7%	10.0%
	St. Cloud	27.8%	29.1%	18.5%	13.6%	11.0%

217. In your opinion, how much of a problem is discrimination based on being overweight or obese in your county?

		No Problem	Minor Problem	Moderate Problem	Serious Problem	No Opinion
Benton Total		29.1%	31.3%	17.9%	9.3%	12.4%
Gender	Male	37.2%	28.5%	20.4%	8.3%	5.6%
	Female	23.4%	33.3%	16.2%	10.0%	17.1%
Age groups	18-34	21.5%	33.4%	32.4%	11.1%	1.6%
	35-44	27.7%	56.3%	8.1%	3.7%	4.2%
	45-54	37.5%	20.2%	12.6%	15.7%	14.0%
	55-64	37.4%	27.5%	15.8%	5.5%	13.7%
	65-74	30.4%	32.8%	17.7%	8.4%	10.7%
	75+	27.0%	12.2%	2.6%	5.8%	52.4%
Education	High school graduate/GED or less	31.0%	20.1%	30.9%	12.4%	5.6%
	Trade/Voc, Associate degree or some college	31.8%	32.6%	6.4%	6.8%	22.4%
	Bachelor's degree	24.5%	40.2%	14.4%	11.3%	9.5%
	Graduate or professional degree	20.2%	43.5%	30.3%	4.1%	1.9%
Poverty 200%	200% poverty or less	29.0%	21.5%	31.9%	12.7%	4.9%
	Greater than 200% poverty	30.2%	37.6%	14.8%	7.2%	10.3%
Local Comparisons	Region	35.9%	33.3%	14.4%	4.6%	11.8%
	Rural Benton	40.9%	37.3%	8.8%	2.5%	10.5%
	Sherburne	35.9%	36.4%	11.0%	3.6%	13.0%
	Stearns	37.6%	32.1%	15.5%	3.9%	11.0%
	St. Cloud	29.4%	33.5%	20.0%	5.9%	11.2%

218. In your opinion, how much of a problem is discrimination based on something else in your county?

		No Problem	Minor Problem	Moderate Problem	Serious Problem	No Opinion
Benton Total		41.6%	7.5%	3.2%	4.8%	42.9%
Gender	Male	52.9%	15.0%	0.9%	4.6%	26.7%
	Female	34.9%	3.1%	4.6%	4.9%	52.6%
Age groups	18-34	33.8%	5.9%	6.5%	4.9%	48.9%
	35-44	38.6%	22.8%	0.7%	2.1%	35.9%
	45-54	67.3%	2.8%	0.9%	3.1%	25.9%
	55-64	50.4%	5.3%	2.2%	7.1%	35.0%
	65-74	34.3%	9.4%	4.6%	14.8%	36.9%
	75+	26.9%	0.0%	1.3%	0.0%	71.8%
Education	High school graduate/GED or less	54.2%	2.6%	8.7%	4.5%	30.0%
	Trade/Voc, Associate degree or some college	39.0%	15.3%	0.6%	2.6%	42.5%
	Bachelor's degree	32.3%	1.4%	1.3%	6.8%	58.1%
	Graduate or professional degree	35.3%	5.0%	2.3%	11.3%	46.1%
Poverty 200%	200% poverty or less	46.3%	17.2%	1.2%	8.5%	26.9%
	Greater than 200% poverty	42.9%	4.7%	4.7%	4.1%	43.6%
Local Comparisons	Region	48.1%	7.0%	3.3%	5.9%	35.6%
	Rural Benton	55.0%	9.4%	1.2%	2.6%	31.9%
	Sherburne	44.1%	10.7%	2.5%	12.1%	30.6%
	Stearns	52.5%	4.6%	3.9%	2.3%	36.7%
	St. Cloud	43.5%	4.6%	4.2%	3.2%	44.5%

219. In your opinion, how much of a problem is smoking or other tobacco use in your county?

		No Problem	Minor Problem	Moderate Problem	Serious Problem	No Opinion
Benton Total		15.6%	29.0%	30.7%	11.5%	13.2%
Gender	Male	14.9%	38.2%	34.4%	5.6%	6.8%
	Female	16.1%	22.1%	28.0%	15.8%	18.0%
Age groups	18-34	10.8%	28.3%	40.9%	17.5%	2.5%
	35-44	18.4%	44.5%	18.3%	8.0%	10.7%
	45-54	11.9%	30.7%	39.8%	7.7%	9.9%
	55-64	20.7%	21.6%	30.1%	11.3%	16.2%
	65-74	14.6%	33.3%	22.9%	17.2%	12.0%
	75+	25.9%	9.6%	12.2%	2.2%	50.1%
Education	High school graduate/GED or less	18.9%	22.9%	43.7%	8.3%	6.2%
	Trade/Voc, Associate degree or some college	18.0%	32.4%	18.2%	7.9%	23.5%
	Bachelor's degree	9.8%	34.7%	26.4%	19.0%	10.1%
	Graduate or professional degree	8.7%	23.0%	45.4%	17.7%	5.2%
Poverty 200%	200% poverty or less	18.2%	23.6%	41.7%	9.2%	7.3%
	Greater than 200% poverty	13.7%	34.2%	28.9%	12.7%	10.5%
Local Comparisons						
Local Comparisons	Region	16.9%	29.0%	30.6%	12.3%	11.2%
	Rural Benton	18.6%	35.8%	23.4%	10.7%	11.6%
	Sherburne	14.8%	39.6%	28.2%	8.8%	8.6%
	Stearns	18.4%	23.0%	32.0%	14.5%	12.1%
	St. Cloud	10.6%	22.2%	36.4%	18.4%	12.5%

220. In your opinion, how much of a problem is the use of e-cigarettes/vaping for nicotine products in your county?

		No Problem	Minor Problem	Moderate Problem	Serious Problem	No Opinion
Benton Total		18.9%	22.6%	31.3%	14.2%	12.9%
Gender	Male	19.6%	31.7%	32.2%	8.7%	7.8%
	Female	18.5%	16.0%	30.6%	18.2%	16.7%
Age groups	18-34	10.8%	18.0%	45.8%	23.3%	2.1%
	35-44	20.2%	45.9%	15.2%	8.5%	10.3%
	45-54	21.8%	22.6%	40.0%	9.1%	6.5%
	55-64	21.3%	18.4%	24.2%	17.0%	19.0%
	65-74	26.8%	26.4%	20.0%	13.9%	12.8%
	75+	25.9%	2.3%	16.5%	3.3%	52.0%
Education	High school graduate/GED or less	27.4%	8.5%	51.4%	6.2%	6.5%
	Trade/Voc, Associate degree or some college	20.5%	31.5%	15.7%	10.2%	22.0%
	Bachelor's degree	9.0%	26.8%	26.8%	27.6%	9.8%
	Graduate or professional degree	8.1%	27.7%	32.1%	24.3%	7.7%
Poverty 200%	200% poverty or less	23.4%	20.0%	34.3%	15.6%	6.7%
	Greater than 200% poverty	17.0%	25.7%	33.5%	13.8%	9.9%
Local Comparisons	Region	18.5%	21.0%	30.1%	16.2%	14.2%
	Rural Benton	18.5%	33.9%	21.5%	12.7%	13.4%
	Sherburne	19.8%	20.8%	32.9%	13.3%	13.2%
	Stearns	17.6%	20.6%	28.2%	18.4%	15.1%
	St. Cloud	11.5%	18.5%	32.7%	22.6%	14.6%

221. In your opinion, how much of a problem is the abuse of prescription drugs in your county?

		No Problem	Minor Problem	Moderate Problem	Serious Problem	No Opinion
Benton Total		16.2%	19.8%	30.1%	12.9%	21.1%
Gender	Male	15.6%	27.5%	27.2%	6.8%	22.9%
	Female	16.6%	14.1%	32.2%	17.4%	19.7%
Age groups	18-34	12.6%	11.5%	40.3%	12.3%	23.2%
	35-44	19.2%	23.3%	33.6%	13.5%	10.5%
	45-54	9.2%	36.8%	29.6%	10.5%	13.8%
	55-64	15.4%	24.0%	24.7%	18.2%	17.7%
	65-74	27.2%	17.0%	21.8%	17.9%	16.2%
	75+	26.4%	3.8%	9.6%	7.5%	52.6%
Education	High school graduate/GED or less	21.2%	12.6%	30.2%	8.0%	28.0%
	Trade/Voc, Associate degree or some college	19.1%	17.2%	26.2%	13.5%	23.9%
	Bachelor's degree	7.9%	32.4%	29.6%	17.6%	12.5%
	Graduate or professional degree	8.1%	22.9%	45.2%	15.8%	8.0%
Poverty 200%	200% poverty or less	20.0%	14.1%	27.1%	8.3%	30.6%
	Greater than 200% poverty	14.3%	23.6%	33.7%	15.9%	12.5%
<hr/>						
Local Comparisons	Region	15.4%	18.3%	30.7%	18.8%	16.8%
	Rural Benton	20.8%	27.2%	24.4%	11.8%	15.8%
	Sherburne	13.1%	16.1%	34.1%	18.3%	18.4%
	Stearns	16.5%	19.2%	28.9%	20.7%	14.7%
	St. Cloud	9.6%	15.4%	34.7%	24.2%	16.2%

222. In your opinion, how much of a problem is illegal drug use among youth in your county?

		No Problem	Minor Problem	Moderate Problem	Serious Problem	No Opinion
Benton Total		12.8%	24.2%	27.3%	23.0%	12.8%
Gender	Male	11.8%	29.1%	27.5%	24.0%	7.6%
	Female	13.5%	20.6%	27.1%	22.2%	16.7%
Age groups	18-34	9.6%	22.9%	29.1%	35.5%	2.9%
	35-44	15.8%	26.1%	37.1%	10.1%	10.9%
	45-54	3.9%	39.9%	31.8%	19.1%	5.3%
	55-64	14.4%	19.9%	23.1%	25.8%	16.8%
	65-74	24.8%	21.8%	17.4%	22.1%	13.9%
	75+	21.4%	3.4%	12.3%	11.5%	51.5%
Education	High school graduate/GED or less	16.5%	21.0%	26.2%	30.9%	5.4%
	Trade/Voc, Associate degree or some college	15.3%	23.8%	24.2%	16.2%	20.5%
	Bachelor's degree	5.6%	26.8%	31.5%	22.9%	13.2%
	Graduate or professional degree	8.1%	27.6%	33.9%	22.9%	7.5%
Poverty 200%	200% poverty or less	16.5%	9.9%	31.1%	37.8%	4.8%
	Greater than 200% poverty	10.6%	31.9%	27.6%	19.2%	10.6%
Local Comparisons	Region	13.3%	19.0%	32.0%	21.3%	14.3%
	Rural Benton	14.5%	30.2%	25.7%	16.3%	13.2%
	Sherburne	16.5%	21.6%	28.7%	15.6%	17.5%
	Stearns	11.7%	16.1%	35.2%	24.1%	12.9%
	St. Cloud	6.5%	14.3%	35.5%	30.3%	13.4%

223. In your opinion, how much of a problem is illegal drug use in adults in your county?

		No Problem	Minor Problem	Moderate Problem	Serious Problem	No Opinion
Benton Total		13.0%	21.2%	31.5%	22.1%	12.2%
Gender	Male	11.2%	24.8%	34.0%	23.6%	6.4%
	Female	14.4%	18.6%	29.6%	20.9%	16.5%
Age groups	18-34	11.3%	22.1%	31.1%	33.5%	2.1%
	35-44	14.5%	27.3%	34.3%	12.6%	11.3%
	45-54	3.9%	27.4%	45.2%	18.2%	5.3%
	55-64	14.6%	19.9%	27.2%	24.3%	14.0%
	65-74	24.3%	17.6%	25.2%	19.3%	13.6%
	75+	21.5%	2.9%	13.3%	10.9%	51.4%
Education	High school graduate/GED or less	16.6%	16.9%	29.7%	31.3%	5.4%
	Trade/Voc, Associate degree or some college	15.4%	20.7%	29.9%	14.2%	19.8%
	Bachelor's degree	6.6%	28.8%	31.5%	21.5%	11.6%
	Graduate or professional degree	8.1%	16.0%	45.2%	23.1%	7.5%
Poverty 200%	200% poverty or less	17.8%	10.3%	29.6%	37.3%	5.1%
	Greater than 200% poverty	10.5%	27.4%	34.7%	18.2%	9.3%
<hr/>						
Local Comparisons	Region	14.2%	17.9%	32.5%	21.1%	14.3%
	Rural Benton	14.5%	29.1%	29.7%	13.6%	13.1%
	Sherburne	16.1%	16.2%	34.2%	15.5%	18.0%
	Stearns	13.4%	17.8%	31.8%	24.1%	12.9%
	St. Cloud	8.6%	14.2%	33.3%	30.5%	13.3%

224. In your opinion, how much of a problem is depression among youth in your county?

		No Problem	Minor Problem	Moderate Problem	Serious Problem	No Opinion
Benton Total		10.3%	21.4%	26.0%	30.7%	11.5%
Gender	Male	9.9%	29.0%	26.8%	28.1%	6.2%
	Female	10.6%	15.9%	25.5%	32.7%	15.4%
Age groups	18-34	9.6%	10.8%	27.3%	49.8%	2.5%
	35-44	6.1%	31.3%	29.2%	28.9%	4.5%
	45-54	3.7%	36.8%	22.7%	31.5%	5.2%
	55-64	11.6%	19.0%	38.1%	17.6%	13.7%
	65-74	22.6%	25.9%	23.9%	13.9%	13.7%
	75+	19.2%	8.0%	10.5%	7.1%	55.2%
Education	High school graduate/GED or less	13.8%	17.6%	24.8%	36.4%	7.4%
	Trade/Voc, Associate degree or some college	13.2%	22.9%	27.3%	17.7%	18.9%
	Bachelor's degree	2.0%	24.1%	22.3%	43.6%	8.0%
	Graduate or professional degree	8.1%	20.7%	34.9%	29.9%	6.4%
Poverty 200%	200% poverty or less	12.4%	13.9%	24.0%	42.4%	7.3%
	Greater than 200% poverty	9.4%	25.1%	28.5%	29.5%	7.5%
Local Comparisons						
Local Comparisons	Region	8.2%	17.9%	30.5%	29.6%	13.8%
	Rural Benton	11.4%	30.9%	25.3%	22.3%	10.1%
	Sherburne	5.3%	16.9%	33.1%	31.2%	13.4%
	Stearns	9.2%	17.6%	30.1%	28.4%	14.7%
	St. Cloud	5.0%	13.5%	31.9%	36.3%	13.3%

225. In your opinion, how much of a problem is depression among adults in your county?

		No Problem	Minor Problem	Moderate Problem	Serious Problem	No Opinion
Benton Total		9.8%	19.9%	30.0%	30.2%	10.2%
Gender	Male	9.6%	25.1%	27.4%	32.7%	5.2%
	Female	9.9%	16.1%	31.9%	28.3%	13.9%
Age groups	18-34	9.6%	10.8%	34.9%	43.9%	0.8%
	35-44	4.7%	16.5%	35.9%	38.4%	4.5%
	45-54	2.5%	39.4%	24.9%	29.2%	4.0%
	55-64	11.4%	19.3%	35.7%	19.7%	14.0%
	65-74	22.6%	31.0%	19.9%	14.2%	12.4%
	75+	19.1%	7.1%	17.1%	5.5%	51.1%
Education	High school graduate/GED or less	12.3%	17.1%	29.6%	34.7%	6.3%
	Trade/Voc, Associate degree or some college	13.1%	23.5%	26.4%	18.1%	18.9%
	Bachelor's degree	2.0%	17.3%	31.7%	43.4%	5.6%
	Graduate or professional degree	8.1%	20.7%	41.2%	28.4%	1.6%
Poverty 200%	200% poverty or less	10.1%	11.7%	29.7%	44.7%	3.7%
	Greater than 200% poverty	9.5%	23.6%	32.3%	27.6%	7.0%
Local Comparisons						
Local Comparisons	Region	8.1%	18.5%	35.7%	25.1%	12.7%
	Rural Benton	11.4%	31.6%	29.5%	17.7%	9.7%
	Sherburne	5.7%	16.8%	38.4%	26.0%	13.2%
	Stearns	9.0%	19.1%	35.6%	23.3%	13.1%
	St. Cloud	4.7%	15.0%	37.8%	31.1%	11.4%

226. In your opinion, how much of a problem is suicide among youth in your county?

		No Problem	Minor Problem	Moderate Problem	Serious Problem	No Opinion
Benton Total		14.2%	25.3%	26.1%	21.7%	12.6%
Gender	Male	16.6%	30.0%	30.2%	11.3%	12.0%
	Female	12.5%	21.9%	23.1%	29.4%	13.1%
Age groups	18-34	15.6%	18.5%	42.2%	19.8%	3.8%
	35-44	13.7%	33.3%	16.2%	13.6%	23.2%
	45-54	3.5%	37.5%	20.1%	29.0%	9.9%
	55-64	13.2%	25.7%	30.4%	13.6%	17.1%
	65-74	29.5%	26.5%	15.9%	9.4%	18.8%
	75+	19.5%	8.5%	8.6%	46.6%	16.8%
Education	High school graduate/GED or less	16.9%	22.0%	34.7%	16.2%	10.1%
	Trade/Voc, Associate degree or some college	15.7%	30.2%	17.6%	24.5%	12.0%
	Bachelor's degree	8.4%	20.4%	24.5%	25.4%	21.3%
	Graduate or professional degree	14.4%	27.6%	33.9%	22.1%	2.0%
Poverty 200%	200% poverty or less	14.5%	18.3%	36.9%	19.1%	11.1%
	Greater than 200% poverty	14.4%	29.5%	23.2%	19.0%	13.8%
<hr/>						
Local Comparisons	Region	13.8%	22.9%	24.9%	22.3%	16.1%
	Rural Benton	20.8%	33.8%	20.6%	10.5%	14.4%
	Sherburne	9.3%	23.0%	28.5%	22.5%	16.7%
	Stearns	16.3%	22.2%	22.6%	22.2%	16.7%
	St. Cloud	10.5%	19.5%	26.3%	28.0%	15.7%

227. In your opinion, how much of a problem is suicide among adults in your county?

		No Problem	Minor Problem	Moderate Problem	Serious Problem	No Opinion
Benton Total		14.7%	27.6%	27.8%	17.1%	12.8%
Gender	Male	16.7%	32.1%	27.7%	12.0%	11.4%
	Female	13.1%	24.0%	27.8%	21.1%	14.0%
Age groups	18-34	14.8%	19.4%	42.2%	19.8%	3.8%
	35-44	13.7%	32.9%	18.1%	12.1%	23.2%
	45-54	4.0%	37.0%	26.2%	22.9%	9.9%
	55-64	13.4%	33.1%	22.7%	14.2%	16.6%
	65-74	29.2%	29.3%	12.8%	10.3%	18.5%
	75+	33.4%	10.2%	17.9%	14.3%	24.3%
Education	High school graduate/GED or less	16.9%	22.2%	35.7%	15.0%	10.2%
	Trade/Voc, Associate degree or some college	18.3%	38.0%	17.5%	13.4%	12.9%
	Bachelor's degree	8.4%	18.9%	26.2%	25.8%	20.7%
	Graduate or professional degree	11.5%	30.6%	39.9%	16.1%	2.0%
Poverty 200%	200% poverty or less	14.4%	21.6%	34.6%	18.3%	11.1%
	Greater than 200% poverty	14.3%	29.8%	24.9%	17.7%	13.3%
Local Comparisons	Region	13.8%	26.2%	28.5%	15.5%	16.1%
	Rural Benton	20.4%	35.0%	22.1%	8.3%	14.2%
	Sherburne	10.2%	25.2%	37.4%	9.1%	18.1%
	Stearns	15.5%	26.5%	23.6%	18.7%	15.8%
	St. Cloud	9.7%	24.4%	27.3%	23.1%	15.5%

228. In your opinion, how much of a problem are other mental health issues, such as anxiety or panic attacks, memory loss, Alzheimer's or another form of dementia, etc. in your county?

		No Problem	Minor Problem	Moderate Problem	Serious Problem	No Opinion
Benton Total		13.9%	17.2%	32.8%	27.7%	8.5%
Gender	Male	10.1%	27.3%	28.7%	27.2%	6.8%
	Female	16.7%	9.8%	35.8%	28.0%	9.7%
Age groups	18-34	11.8%	8.2%	38.3%	40.1%	1.7%
	35-44	7.2%	12.2%	51.2%	22.6%	6.8%
	45-54	1.5%	28.9%	23.3%	33.9%	12.3%
	55-64	11.1%	26.8%	30.0%	15.6%	16.6%
	65-74	14.8%	26.9%	32.6%	13.6%	12.1%
	75+	56.5%	9.4%	9.4%	14.1%	10.6%
Education	High school graduate/GED or less	13.2%	13.0%	27.8%	38.9%	7.2%
	Trade/Voc, Associate degree or some college	24.1%	19.5%	30.1%	14.8%	11.4%
	Bachelor's degree	1.9%	12.1%	43.9%	33.6%	8.6%
	Graduate or professional degree	7.6%	34.5%	32.4%	24.4%	1.1%
Poverty 200%	200% poverty or less	12.3%	12.4%	24.3%	46.2%	4.7%
	Greater than 200% poverty	8.5%	20.3%	37.7%	23.1%	10.5%
Local Comparisons	Region	9.2%	19.7%	31.7%	28.2%	11.2%
	Rural Benton	11.9%	26.9%	32.8%	17.6%	10.8%
	Sherburne	7.4%	22.3%	28.7%	25.9%	15.7%
	Stearns	9.0%	18.9%	33.0%	29.7%	9.3%
	St. Cloud	6.9%	16.1%	33.9%	35.7%	7.4%

229. In your opinion, how much of a problem is difficulty obtaining mental health services for youth in your county?

		No Problem	Minor Problem	Moderate Problem	Serious Problem	No Opinion
Benton Total		15.4%	17.5%	21.5%	30.5%	15.1%
Gender	Male	18.8%	25.7%	16.7%	30.2%	8.6%
	Female	12.9%	11.4%	25.0%	30.8%	19.9%
Age groups	18-34	13.8%	10.4%	22.5%	50.8%	2.5%
	35-44	15.5%	25.4%	16.5%	35.9%	6.8%
	45-54	11.3%	24.3%	27.3%	26.1%	11.1%
	55-64	21.6%	21.8%	23.7%	14.3%	18.5%
	65-74	17.1%	19.0%	20.6%	18.0%	25.3%
	75+	18.7%	6.6%	13.2%	1.9%	59.6%
Education	High school graduate/GED or less	20.3%	12.5%	25.6%	33.1%	8.5%
	Trade/Voc, Associate degree or some college	17.0%	24.8%	16.6%	15.5%	26.1%
	Bachelor's degree	8.1%	16.3%	12.2%	50.8%	12.5%
	Graduate or professional degree	11.8%	10.1%	47.5%	28.3%	2.3%
Poverty 200%	200% poverty or less	18.3%	16.9%	14.9%	41.3%	8.5%
	Greater than 200% poverty	14.3%	18.5%	25.2%	29.5%	12.5%
Local Comparisons	Region	16.2%	21.6%	21.1%	27.0%	14.1%
	Rural Benton	20.7%	25.5%	20.8%	18.1%	14.9%
	Sherburne	15.8%	21.8%	23.8%	25.0%	13.5%
	Stearns	16.6%	22.6%	19.4%	27.3%	14.2%
	St. Cloud	12.4%	19.2%	20.4%	35.6%	12.3%

230. In your opinion, how much of a problem is difficulty obtaining mental health services for adults in your county?

		No Problem	Minor Problem	Moderate Problem	Serious Problem	No Opinion
Benton Total		15.1%	17.7%	23.2%	29.0%	15.0%
Gender	Male	18.2%	25.2%	18.1%	30.3%	8.2%
	Female	12.8%	12.2%	26.9%	28.0%	20.1%
Age groups	18-34	13.8%	10.4%	25.5%	47.8%	2.5%
	35-44	15.5%	28.6%	13.9%	34.8%	7.2%
	45-54	10.1%	23.0%	30.9%	25.0%	11.1%
	55-64	21.3%	21.3%	24.4%	14.0%	19.0%
	65-74	17.1%	16.8%	25.4%	16.1%	24.7%
	75+	18.0%	8.9%	13.4%	1.9%	57.8%
Education	High school graduate/GED or less	19.3%	12.4%	28.4%	31.4%	8.4%
	Trade/Voc, Associate degree or some college	16.6%	24.5%	18.4%	14.7%	25.7%
	Bachelor's degree	8.2%	18.8%	11.7%	49.1%	12.3%
	Graduate or professional degree	12.4%	7.8%	50.9%	25.1%	3.7%
Poverty 200%	200% poverty or less	17.5%	19.1%	16.2%	38.7%	8.5%
	Greater than 200% poverty	14.1%	18.5%	27.0%	28.1%	12.3%
Local Comparisons	Region	15.7%	22.0%	22.3%	26.6%	13.5%
	Rural Benton	20.7%	24.6%	23.3%	15.9%	15.5%
	Sherburne	15.6%	21.8%	25.3%	23.7%	13.6%
	Stearns	15.9%	23.2%	20.2%	27.6%	13.1%
	St. Cloud	10.9%	20.2%	22.2%	35.5%	11.3%

Appendices

Central Minnesota Community Health Survey Tool

CENTRAL MINNESOTA COMMUNITY HEALTH SURVEY

SURVEY INSTRUCTIONS



Correct marks



Incorrect marks

- Please use #2 pencil or blue or black pen to complete this survey.
- Do not use red pencil or ink.
- Do not use X's or check marks to indicate your responses.
- Fill response ovals completely with heavy, dark marks.

INSTRUCTION: Please give this survey to the adult (age 18 or over) in the household who has most recently had a birthday.

GENERAL HEALTH AND HEALTH CARE

1. In general, would you say that your health is:

- Excellent
 Very good
 Good
 Fair
 Poor

2. Have you ever been told by a doctor, nurse or other health care professional that you had any of the following health conditions?

	No	Yes	Yes, but only related to pregnancy
a. Diabetes	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
b. Pre-diabetes	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
c. High blood pressure/hypertension	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
d. Pre-hypertension	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
e. Depression	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
f. Anxiety or panic attacks	<input type="radio"/>	<input type="radio"/>	
g. Memory loss, Alzheimer's disease or another form of dementia	<input type="radio"/>	<input type="radio"/>	
h. Post-traumatic stress disorder (PTSD)	<input type="radio"/>	<input type="radio"/>	
i. Other mental health issues	<input type="radio"/>	<input type="radio"/>	
j. Sleep-related disorders (such as insomnia, restless leg syndrome or sleep apnea)	<input type="radio"/>	<input type="radio"/>	
k. Cancer	<input type="radio"/>	<input type="radio"/>	
l. Heart trouble or angina	<input type="radio"/>	<input type="radio"/>	
m. Stroke or stroke-related health issues	<input type="radio"/>	<input type="radio"/>	
n. High cholesterol or triglycerides	<input type="radio"/>	<input type="radio"/>	
o. Chronic lung disease (including COPD, chronic bronchitis or emphysema)	<input type="radio"/>	<input type="radio"/>	
p. Asthma	<input type="radio"/>	<input type="radio"/>	
q. Arthritis	<input type="radio"/>	<input type="radio"/>	
r. Risk of falling	<input type="radio"/>	<input type="radio"/>	
s. Sexually transmitted diseases/infections (Chlamydia, HIV, etc.)	<input type="radio"/>	<input type="radio"/>	

3. Is there a place that you usually go to when you are sick or need medical care?

(Mark only ONE answer)

- | | | |
|---|--|---|
| <input type="radio"/> I do not have a place I usually go when I need medical care | <input type="radio"/> An emergency room | <input type="radio"/> Religious healer |
| <input type="radio"/> A doctor's office | <input type="radio"/> Some other health center | <input type="radio"/> Google/Internet |
| <input type="radio"/> A hospital outpatient clinic | <input type="radio"/> Schedule an e-visit | <input type="radio"/> Trusted family or friends |
| <input type="radio"/> Public health | <input type="radio"/> Call a nurse line | <input type="radio"/> Some other place: _____ |
| <input type="radio"/> A chiropractor's office | <input type="radio"/> Traditional healer | |
| <input type="radio"/> An urgent care center | | |

DO NOT WRITE IN THIS BOX



4. About how long has it been since you last visited a doctor or other health care professional for a routine check-up?

- Within the past year
- Within the past 2 years
- Within the past 5 years
- 5 or more years ago
- Never

5. During the past 12 months, was there a time when you thought you needed medical care but did not get it or delayed getting it?

- Yes
- No ► IF NO, GO TO QUESTION 7

6. Why did you not get or delay getting the medical care you thought you needed?

(Mark ALL that apply)

- The care I needed cost too much
- My co-pay was too expensive
- My deductible was too expensive
- My insurance did not cover it
- I did not have insurance
- I could not get an appointment
- I had transportation problems
- I did not think it was serious enough
- I was too nervous or afraid
- I don't trust the health care system
- The clinic cancelled my appointment due to COVID-19
- I cancelled my appointment due to COVID-19
- I did not have access to telehealth or a virtual visit
- Other reason _____

7. During the past 12 months, was there a time when you thought you needed dental care but did not get it or delayed getting it?

- Yes
- No ► IF NO, GO TO QUESTION 9

8. Why did you not get or delay getting the dental care you thought you needed?

(Mark ALL that apply)

- The care I needed cost too much
- My co-pay was too expensive
- My deductible was too expensive
- My insurance did not cover it
- I did not have insurance
- The dentist would not accept my insurance
- I could not get an appointment
- I had transportation problems
- I did not think it was serious enough
- I was too nervous or afraid
- I don't trust the health care system
- The office cancelled my appointment due to COVID-19
- I cancelled my appointment due to COVID-19
- I did not have access to telehealth or a virtual visit
- Other reason _____

9. During the past 12 months, was there a time when you wanted to talk with or seek help from a health professional about mental health issues such as stress, depression, excess worrying, troubling thoughts or emotional problems, but did not or delayed talking with someone?

- Yes
- No ► IF NO, GO TO QUESTION 11

10. Why did you not get or delay getting the mental health care you thought you needed?

(Mark ALL that apply)

- The care I needed cost too much
- My co-pay was too expensive
- My deductible was too expensive
- My insurance did not cover it
- I did not have insurance
- I could not get an appointment
- I had transportation problems
- I did not think it was serious enough
- I was too nervous or afraid
- I was afraid someone I know would see me
- I don't trust the health care system
- The office cancelled my appointment due to COVID-19
- I cancelled my appointment due to COVID-19
- I did not have access to telehealth or a virtual visit
- Other reason _____

11. During the past 30 days, for about how many days have you felt sad, blue, or depressed? →

		Days
0	0	
1	1	
2	2	
3	3	
	4	
	5	
	6	
	7	
	8	
	9	

12. Which statement best describes the medications prescribed for you in the past 6 months?

- I had no medications prescribed for me ► **GO TO QUESTION 14**
- I had medications prescribed for me and I filled them all ► **GO TO QUESTION 14**
- I had medications prescribed for me and I did not fill at least one of them ► **GO TO QUESTION 13**

13. Why did you not fill at least one prescription?

(Mark ALL that apply)

- The medication I needed cost too much
- My co-pay was too expensive
- My deductible was too expensive
- My insurance did not cover it
- I did not have insurance
- I do not like taking medications
- I did not like the side effects
- I had transportation problems
- Pharmacy services are not available in my community
- Other reason _____

14. Which of the following types of health insurance do you have?

(Please mark yes or no for each.)

	Yes	No
a. Health insurance or coverage through your employer or your spouse/partner, parent, or someone else's employer	<input type="radio"/>	<input type="radio"/>
b. Health insurance or coverage bought directly by you or your family	<input type="radio"/>	<input type="radio"/>
c. Indian or Tribal Health Service	<input type="radio"/>	<input type="radio"/>
d. Medicare or Medicare Supplement (such as Part D)	<input type="radio"/>	<input type="radio"/>
e. Medicaid, Medical Assistance (MA), or Prepaid Medical Assistance Program (PMAP)	<input type="radio"/>	<input type="radio"/>
f. MinnesotaCare	<input type="radio"/>	<input type="radio"/>
g. Health Insurance through MnSure	<input type="radio"/>	<input type="radio"/>
h. CHAMPUS, TRICARE, or Veteran's benefits	<input type="radio"/>	<input type="radio"/>
i. Other health insurance or coverage (please specify) _____	<input type="radio"/>	<input type="radio"/>
j. I don't have health insurance	<input type="radio"/>	<input type="radio"/>

15. A serving of fruit is a medium-sized fruit or a half cup chopped, cut, or canned fruit. How many servings of fruit did you have yesterday?

Number of Servings:

0 1 2 3 4 5 6 7 8 9 10 11 12 or more

16. A serving of 100% fruit juice is 6 ounces. How many servings of fruit juice did you have yesterday?

Number of Servings:

0 1 2 3 4 5 6 7 8 9 10 11 12 or more

17. A serving of vegetables-not including french fries- is one cup of salad greens or a half cup of vegetables. How many servings of vegetables did you have yesterday?

Number of Servings:

0 1 2 3 4 5 6 7 8 9 10 11 12 or more

18. How often did you drink the following beverages in the past week?

Never or less than 1 time per week 1 time per week 2-4 times per week 5-6 times per week 1 time per day 2-3 times per day 4 or more times per day

- a. Fruit drinks (such as Snapple, flavored teas, Capri Sun or Kool-Aid)
- b. Sports drinks (such as Gatorade or Powerade); these drinks usually do not have caffeine
- c. Regular soda or pop (include all kinds such as Coke, Pepsi, 7-Up, Sprite or root beer)
- d. Energy drinks (such as Rockstar, Red Bull, Monster or Full Throttle); these drinks usually have caffeine

19. During the past 12 months, have you used a community food shelf program or a community food box program?

- Yes No

20. How often do you or others in your household buy or get food from the following places?

Never or less than 1 time per month About 1 time per month About 2 or 3 times per month About 1 time per week 2 or more times per week

- a. Supermarket or large grocery store
- b. Small grocery store
- c. Convenience store or gas station
- d. Food shelf, food pantry or community food box program
- e. Some other place: _____

21. During the past 12 months, how often did you worry that your food would run out before you had money to buy more?

- Often Sometimes Rarely Never

22. During the past 30 days, other than your regular job, did you participate in any physical activity or exercises such as running, calisthenics, golf, gardening or walking for exercise?

- Yes No

23. During an average week, other than your regular job, on how many days do you get at least 30 minutes of moderate physical activity? (Moderate activities cause only light sweating and a small increase in breathing or heart rate.)

- 0 days 1 day 2 days 3 days 4 days 5 days 6 days 7 days

24. During an average week, other than your regular job, on how many days do you get at least 20 minutes of vigorous physical activity? (Vigorous activities cause heavy sweating and a large increase in breathing and heart rate.)

- 0 days 1 day 2 days 3 days 4 days 5 days 6 days 7 days

25. How much of a problem are the following factors for you in terms of preventing you from being more physically active?

	Not a problem	A small problem	A big problem
a. Lack of programs or facilities	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
b. Public facilities (schools, sports fields, etc.) are not open or available at the times I want to use them	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
c. Distance I have to travel to a fitness or community center, parks or walking trails	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
d. No safe place to be physically active	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
e. Not having sidewalks or walking paths/trails	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
f. Poor maintenance of sidewalks or walking paths/trails	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
g. Other reason (please specify): _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

26. How often do you feel safe in your community?

- Often Sometimes Rarely Never

26a. Why do you feel this way? _____

27. If you were to experience or witness a crime or harassment in your community, how safe would you feel calling the police or sheriff for help?

- Very safe Fairly safe Not very safe Not at all safe

28. During the past 12 months, have you experienced any of the following situations? If yes, have you felt you were discriminated against during the situation?

	Experienced the situation		Felt discriminated against	
	<input type="radio"/> No	<input type="radio"/> Yes →	<input type="radio"/> No	<input type="radio"/> Yes
a. Applied for a job?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
b. Worked at a job?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
c. Received medical care?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
d. Looked for a different house or apartment?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
e. Applied for a credit card, bank loan or a mortgage?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
f. Shopped at a store or eaten at a restaurant?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
g. Applied for social services or public assistance?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
h. Dealt with the police?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
i. Appeared in court?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

29. If you felt discriminated against in any of the above situations, what was the reason(s)?

(Mark ALL that apply)

- I did not experience any discrimination Disability
 Race, color, ethnicity or country of origin Religion
 Age Being overweight or obese
 Gender Other, please specify: _____
 Sexual orientation
 Gender identity

30. Have you smoked at least 100 cigarettes in your entire life? (100 cigarettes = 5 packs)

- Yes
 No ► GO TO QUESTION 33

31. Do you now smoke cigarettes every day, some days or not at all?

- Every day
 Some days
 Not at all ► GO TO QUESTION 33

32. During the past 12 months, have you stopped smoking for one day or longer because you were trying to quit?

- Yes
 No

33. How often do you use any of the following products?

	Every day	Some days	Not at all
a. Cigars, cigarillos or little cigars	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
b. Pipes	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
c. Snuff, snus or chewing tobacco	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
d. E-cigarettes or vaping devices to smoke nicotine products (do not include marijuana or THC products)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
e. A hookah water pipe	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
f. Any other type of tobacco product	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

34. How often do you feel lonely or isolated from those around you?

- Always
- Often
- Sometimes
- Rarely
- Never

35. Have you ever considered attempting suicide? (Mark ALL that apply)

- No
- Yes, during the last 6 months
- Yes, during the last year
- Yes, more than a year ago

36. Have you experienced any losses related to the COVID-19 pandemic? (Mark ALL that apply)

- None
- Job (layoff, furlough, hours reduction)
- Income
- Housing
- Health Insurance
- Transportation
- Child care
- Regular school routine
- Social connectedness
- Social support
- Sense of wellness
- Recreation or entertainment
- Exercise opportunities
- Death of family member or friend
- Other: _____

37. Where do you usually get health, wellness, and medical information?

(Please mark UP TO 3 sources)

- E-mail alert or e-newsletter
- Newspaper (print or online)
- Brochure, newsletter, magazine or other print material
- Text message
- Social media such as Facebook or Twitter
- Websites or internet
- Phone apps
- Nurse or other health professional at a church, synagogue, mosque, etc.
- Television
- Radio
- Medical professionals
- Pharmacy
- Community Health Worker
- Family or friends
- Health fairs or other health-related community events
- Other: _____

COMMUNITY CONCERNS

38. In your opinion, how much of a problem is each of these issues in your county?

No Problem Minor Problem Moderate Problem Serious Problem No Opinion

A. ISSUES FOR FAMILIES

1. Families experiencing financial stress	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
2. Parents with inadequate or poor parenting skills	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
3. Childhood trauma	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
4. Bullying	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
5. Abuse and neglect of children	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
6. Abuse and neglect of vulnerable adults	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

B. SOCIAL EXPERIENCE

1. Racism	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
2. White privilege (inherent advantages possessed by a white person on the basis of their race in a society characterized by racial inequality and injustice)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
3. Police brutality	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

C. DISCRIMINATION

1. Discrimination based on race, color, ethnicity or country of origin	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
2. Discrimination based on age	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
3. Discrimination based on gender	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
4. Discrimination based on sexual orientation	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
5. Discrimination based on gender identity	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
6. Discrimination based on disability	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
7. Discrimination based on religion	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
8. Discrimination based on being overweight or obese	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
9. Discrimination based on something else Please specify: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

D. TOBACCO AND OTHER DRUG USE

1. Smoking or other tobacco use	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
2. Use of e-cigarettes/vaping for <u>nicotine</u> products	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
3. Abuse of prescription drugs	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
4. Illegal drug use among youth	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
5. Illegal drug use among adults	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

E. MENTAL HEALTH

1. Depression among youth	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
2. Depression among adults	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
3. Suicide among youth	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
4. Suicide among adults	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
5. Other mental health issues, such as anxiety or panic attacks, memory loss, Alzheimer's or another form of dementia, etc.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
6. Difficulty obtaining mental health services for youth	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
7. Difficulty obtaining mental health services for adults	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

ABOUT YOU

39. What best describes your gender identity? (Mark ALL that apply)

- Male
 Female
 Transgender Male
 Transgender Female
 Non-Binary
 Please describe: _____

40. What best describes your sexual orientation? (Mark ALL that apply)

- Straight/Heterosexual
 Gay/Lesbian
 Bisexual
 Pansexual
 Queer
 Asexual
 Please describe: _____

41. Your age group:

- 18-24
 35-44
 55-64
 75 or older
 25-34
 45-54
 65-74

42. How many adults (including you) and children live in your household?

Number of adults age 18 or older (including you):

- 1 2 3 4 5 6 7 8 9 10 11 12 or more

Number of children under age 18:

- 0 1 2 3 4 5 6 7 8 9 10 11 12 or more

43. About how tall are you without shoes?

	Feet		Inches
0		0	
1		1	
2		2	
3		3	
4		4	
5		5	
6		6	
7		7	
		8	
		9	
		10	
		11	

44. About how much do you weigh without shoes?

			Pounds
0	0	0	
1	1	1	
2	2	2	
3	3	3	
4	4	4	
5	5	5	
6	6	6	
7	7	7	
8	8	8	
9	9	9	

45. Are you a member of either of the following ethnic or cultural groups?

- | | Yes | No |
|------------------------------|-----------------------|-----------------------|
| a. Hispanic or Latino/Latina | <input type="radio"/> | <input type="radio"/> |
| b. Somali | <input type="radio"/> | <input type="radio"/> |

46. Which of the following best describe you? (Mark ALL that apply)

- American Indian or Alaska Native
 Asian or Asian American
 Black or African American
 African Native
 Native Hawaiian or Pacific Islander
 White
 Other: _____

47. Your education level:

- Did not complete 8th grade
 Did not complete high school
 High school diploma/GED
 Trade/Vocational school
 Some college
 Associate degree
 Bachelor's degree
 Graduate/Professional degree

48. What was your household's total income from all earners and all sources in 2020?

- \$25,000 or less
 \$25,501 - \$34,500
 \$34,501 - \$43,500
 \$43,501 - \$52,500
 \$52,501 - \$61,500
 \$61,501 - \$70,000
 \$70,001 - \$79,000
 \$79,001 - \$88,000
 \$88,001 - \$100,000
 More than \$100,000

Thank you for your participation!