

MEMO

TO: Clients

FROM: CCLS – Specimen Referral Center

DATE: 2/14/2022

SUBJECT: Amylase Isoenzymes

Effective February 22,2022, Mayo will be making changes to the following test code:

Amylase Isoenzymes, Mayo test code FAMYS (Lab 1790)

Explanation: Mayo test code FAMYS, referred to ARUP Laboratories, will reflect the following changes to the Pancreatic amylase and Total amylase reference range components.

Current Reference Value	New Reference Value
Pancreatic amylase 6-35 months: 2-28 U/L 3-6 years: 8-34 U/L 7-17 years: 9-39 U/L 18 years and older: 12-52 U/L Salivary amylase 18 months and older: 9-86 U/L Total amylase 3-90 days: 0-30 U/L 3-6 months: 7-40 U/L 7-8 months: 7-57 U/L 9-11 months: 11-70 U/L 12-17 months: 11-79 U/L 18-35 months: 19-92 U/L 3-4 years: 26-106 U/L 5-12 years: 30-119 U/L 13 years and older: 30-110 U/L	Pancreatic amylase 6-35 months: 2-28 U/L 3-6 years: 8-34 U/L 7-17 years: 9-39 U/L 18 years and older: 13-53 U/L Salivary amylase 18 months and older: 9-86 U/L Total amylase 3-90 days: 0-30 U/L 3-6 months: 7-40 U/L 7-8 months: 7-57 U/L 9-11 months: 11-70 U/L 12-17 months: 11-79 U/L 18-35 months: 19-92 U/L 3-4 years: 26-106 U/L 5-12 years: 30-119 U/L 13 years and older: 28-100 U/L

Please feel free to contact the Specimen Referrals Center with any questions at 320-251-2700 Ext. 57320.