2021 Central Minnesota Community Health Survey



Americans with Disabilities Act Advisory:

This information is available in accessible formats to individuals with disabilities. For information about equal access to services call 320-656-6000 (voice). TTY users place calls through 320-656-6204 (TTY).

Acknowledgements

Partnering agencies:







Stearns County



This report was prepared by:

Sam Hageman, Benton County Ann Kinney, Minnesota Department of Health Jennifer Lezer, Benton County Peggy Sammons, Stearns County

The Central Minnesota Alliance would like to thank the many individuals whoprovided advice and support for the development of the 2021 Central Minnesota Community Health Survey including Sam Hageman, Mariah Klein, Jennifer Lezer and Jaclyn Litfin (Benton County), Ann Kinney (Minnesota Departmentof Health), Rachel Anyu, Dan Backes, Pam Beckering, Delali Degbey, Hannah Dockendorf, Jodi Gertken, Sergio Guerrero, Angelic Hightand Hani Jacobson (CentraCare), Brian Davis, Allison Dudek, Janet Goligowski, Samantha Heskin, Mike Matanich, Natalia Nice, Danielle Protivinsky, Peggy Sammons, and Jennifer Wald (Stearns County), and Cody Engelhaupt, Amanda Larson, Abdi Osman, Nicole Ruhoff, and Kara Zoller (Sherburne County).

In addition, the Central MN Alliance would especially like to thank the more than 1,500 residents in Benton, Sherburne and Stearns counties who completed the survey.

This study was funded equally by CentraCare and the public health departments of Benton, Sherburne and Stearns Counties, using a portion of their grant funds from the Minnesota Department of Health's Statewide Health Improvement Partnership.

Suggested Citation:

Hageman S, Kinney A, Lezer J, Sammons P; *Central Minnesota Alliance* (2018). *Central Minnesota Community Health Survey Data Book.* October2021.

Table of Contents

Page Number | Content

- 4 Survey Methodology Overview
- 4 Survey Instrument
- 4 Sample
- 4 Survey Administration
- 5 Survey Response
- 5 Data Entry and Weighting
- 5 About the Data Tables
- 7 About the Survey Methods
- 8 Sample Characteristics

10 Data Tables

- **10** General Health and Health Care
- 11 Health Conditions
- 31 Medical Care
- 48 Routine Check-Up
- 54 Delayed Medical Care
- 70 Delayed Dental Care
- 89 Delayed Mental Health Care
- 104 Felt sad, blue or depressed
- 105 Medications Prescribed
- 106 Prescriptions Not Filled
- 107 Health Insurance Status
- 108 Healthy Eating
- 125 Active Living
- 137 Community Safety
- 139 Discrimination
- 159 Tobacco Use
- 169 Isolation
- 170 Suicide
- 175 COVID-19 Losses
- 191 Health, Wellness and Medical Information
- 208 Body Mass Index Status

209 Community Concerns

- 211 Issues for Families
- 217 Social Experience
- 220 Discrimination220
- 229 Tobacco and Other Drug Use
- 234 Mental Health

241 Appendices

242 2021 Community Health Survey Tool

Survey Methodology Overview

The *Central Minnesota Community Health Survey* of adults was conducted between March and June 2021 in Benton, Sherburne, and Stearns counties.

Survey Instrument

For the 2021 survey, a number of changes were made to the content of a survey conducted in the region in 2016. Staff from each of the participating public health agencies and from CentraCare Health System selected and developed the questions for the 2016 and 2021 survey instruments, with technical assistance from the Minnesota Department of Health Center for Health Statistics. The 2021 survey was formatted by the survey vendor, Survey Systems, Inc. of Shoreview, MN, as a scannable, self-administered English-language questionnaire.

Sample

A disproportionate stratified design was employed for the sample. Six sampling strata were defined by countyand ZIP code boundaries. Within each stratum, a two-stage sampling strategy was used for obtaining a probability sample of adults. For the first stage of sampling, a random sample of residential addresses within each stratum was purchased from a national sampling vendor (Marketing Systems Group of Horsham, PA). Address-based sampling was used so that all households would have an equal chance of being sampled for the survey. Marketing Systems Group obtained the list of addresses from the U.S. Postal Service. For the second stage of sampling, the "most recent birthday" method of within-household respondent selection was used to specify one adult from each selected household to complete the survey.

Survey Administration

An initial survey packet was mailed to 7,268 sampled households that included a cover letter, the survey instrument, and a postage-paid return envelope on April 5 and 6, 2021. About 10 days after the first survey packets were mailed (April 15), a reminder postcard was sent to all sampled households, reminding those who had not yet returned a survey to do so, and thanking those who had already responded. Three weeks after the reminder postcards were mailed (May 6 and 7), another full survey packet was sent to all households that had still not returned the survey. The remaining completed surveys were received over the next four weeks, with the final date for the receipt of surveys being June 18, 2021.

Survey Response

Reporting area	Number ofaddresses sampled	Number of completed surveys	Response rate
St. Cloud metro (56301, 56303, 56304, 56374, 56377, 56379, and 56387)	2,468	470	19.0%
Stearns County whole	2,760	604	21.9%
Stearns County "rural" (Stearns excluding 56301, 56303, 56374, 56377, and 56387)	1,600	390	24.4%
Benton County whole	2,400	549	22.9%
Benton County "rural" (Benton excluding 56304, 56379 and 56377)	1,600	403	25.2%
Sherburne County whole	2,108	397	18.8%
Three county region	7,268	1550	21.3%

Data Entry and Weighting

The responses from the completed surveys were scanned into an electronic file by Survey Systems, Inc.

To ensure that the survey results are representative of the adult population of each reporting area, the data were weighted when analyzed. The weighting accounts for the sample design by adjusting for the number of adults living in each sampled household and for the disproportionate stratification. The weighting also includes a post-stratification adjustment so that the gender and age distribution of the survey respondents mirrors the gender and age distribution of the adult population of each reporting area according to U.S. Census 2010 estimates.

About the Data Tables

For every table in this data book, results are displayed for sub-groups of respondents based on:

- Gender: male and female
- Age: 18-34, 35-44, 45-54, 55-64, 65-74, and 75+
- Highest level of education: high school graduate/GED or less, trade or vocational school/some college/Associate degree, bachelor's degree, and graduate or professional degree
- Poverty status: Less than or equal to 200% of poverty level, and more than 200% of poverty level (example: In 2020, a family of 4 with annual income of \$52,500 = 200% of poverty level)

The columns in each table correspond to the response options respondents were given on the survey; each column indicates the percentage of respondents who gave that response to the question. Some questions apply only to certain types of respondents (due to skip patterns in the survey).

Two different types of tables are included in this report:

- Some tables include all response options for a particular question in one table. Each table contains the Sherburne County level results, as well as gender, age, education, and poverty status. In addition, each table includes "Local Comparisons" as a quick reference to the other geographic area totals for that question.
- Some tables display results for the sub-questions included in a multi-question. These tables only include aggregate data.

Data in each row is rounded to the nearest tenth of a percentage; therefore, some rows may equal 99% rather than 100%.

Data Suppressed (DS): For statistical validity purposes, data is suppressed when the number of respondents to the question is less than 30. At times, only specific breakdowns in the data tables are suppressed if there are less than 30 respondents from a demographic subgroup (Gender, Age groups, Education, and Poverty status). All suppressed data will be indicated on the table with DS. This assures respondents cannot be identified and the survey remains anonymous.

Collection of Sex, Gender Identity, and Sexual Orientation

To respect the dignity and diversity of our region's residents, for the first time on the Central Minnesota Community Health Survey, an expanded sex (male, female) question was offered by asking "What best describes your gender identity?" and offered six categories and an open-ended text option, and a separate question regarding sexual orientation was added also with six categories and an open-ended text option.

For the purposes of statistical weighting by sex, the survey responses for gender identity were used. For survey respondents that selected categories of transgender male, transgender female, non-binary, or described their identity via a narrative response, the benefit of giving their survey responses a voice by including them was weighed against the negative consequence of having to impute male or female sex for each to allow statistical weighting, and thereby inclusion of their responses. The decision was made to include the responses for the respondents that selected either transgender male, transgender female, non-binary, or described their identity via a narrative response within the male and female subgroups. We acknowledge that this is an imperfect solution. Measurement in survey research faces increasing statistical and ethical challenges as we move toward a more diverse recognition of sex and gender constructs, with no currently recognized single best solution.¹

The survey results by gender identity are included in the Sample Characteristics section of this methodology section. These data are available for researchers interested in pursuing further analyses. As survey science evolves to fully embrace the complexities of sex and gender characteristics, our hope is that both ethical and statistical solutions for measurement will be developed and universally applied to advance health equity.

About the Survey Methods

- This is a mailed survey. According to best practices in survey research (i.e., best response rate for lowest cost), a three-mailing sequence was used for all sampled households, which includes an initial survey packet, a reminder post card, and a final packet.
- The survey was sent to a random sample of households in the three counties. All households had a chance of being sampled.
- The response rates for this survey are within the expected range for surveys using the three-mailing sequence with no incentive offered for participation.
- The survey data are adjusted using design weighting, which is necessary to account for the sample design, and post-stratification weighting, which is a statistical technique commonly used to adjust for nonresponse bias (whereby certain types of people are more or less likely to respond to surveys).
- These methods ultimately produced a final sample that is statistically representative of the adult population.

 ¹ - Kennedy, L., Khanna, K., Simpson, D. & Gelman, A. (2020). Using Sex and Gender in Survey Adjustment. Unpublished, September 30, 2020. Retrieved April 20, 2021 from, http://www.stat.columbia.edu/~gelman/research/unpublished/Using_gender_in_surveys.pdf

Sample Characteristics

		Unweighted Frequency	Unweighted Percent	Weighte Percer
Sherburne Total				
Gender	Male	153	38.7	50.
	Female	241	61.0	48.
	Transgender male	0	0.0	0.
	Transgender female	0	0.0	0.
	Non-binary	1	0.3	0
	Other gender identity	0	0.0	0
Sexual	Straight/heterosexual	374	94.7	96
Drientation	Gay/lesbian	14	3.5	3
	Bisexual	5	1.3	2
	Pansexual	1	0.3	0
	Queer	1	0.3	0
	Asexual	3	0.8	0
	Other sexual orientation	1	0.3	0
Age Group	18-34	26	6.6	31
	35-44	54	13.7	22
	45-54	56	14.2	21
	55-64	72	18.2	13
	65-74	103	26.1	6
	75+	84	21.3	4
Race/Ethnicity	White	373	94.4	91
	BIMPOC*	22	5.6	9
	Hispanic/Latino/a	8	2.1	6
	Somali	3	0.8	
	American Indian/Alaska Native	8	2.0	0
	Asian or Asian American	4	1.0	1
	Black or African American	7	1.8	1
	African Native	2	0.5	0
	Native Hawaiian or Pacific Islander	1	0.3	0
	Other race	14	3.5	8
Education	High school/GED or less	75	19.0	14
	Some college/Trade or vocational	10	10.0	
	school/Associate degree	171	43.4	38
	Bachelor's degree	81	20.6	24
	Graduate/professional degree	67	17.0	22

Sample Characteristics

		Unweighted Frequency	Unweighted Percent	Weighted Percent
Sherburne Total				
Income	\$25,000 or less	45	11.8	2.7
	\$25,501-\$34,500	34	8.9	3.2
	\$34,501-\$43,500	23	6.0	2.0
	\$43,501-\$52,500	28	7.3	3.1
	\$52,501-\$61,500	26	6.8	3.2
	\$61,501-\$70,000	28	7.3	13.0
	\$61,501-\$70,000	33	8.7	5.6
	\$79,001-\$88,000	21	5.5	10.3
	\$88,001-\$100,000	34	8.9	11.4
	More than \$100,000	109	28.6	45.5
Poverty Status	<less 200%<="" th="" than=""><th>69</th><th>18.1</th><th>8.1</th></less>	69	18.1	8.1
	200% or more	312	81.9	91.9

General Health and Health Care

		Poor	Fair	Good	Very good	Excellent
Sherburne Total		0.7%	5.4%	29.7%	52.8%	11.4%
Gender	Male	0.5%	3.6%	31.2%	56.7%	8.0%
	Female	0.8%	7.4%	28.1%	48.7%	15.0%
Age groups	18-34	DS	DS	DS	DS	DS
	35-44	0.0%	0.0%	18.0%	66.2%	15.8%
	45-54	1.4%	2.9%	46.1%	27.9%	21.7%
	55-64	0.0%	8.1%	32.6%	50.6%	8.6%
	65-74	4.4%	17.1%	28.4%	41.2%	8.8%
	75+	2.5%	12.5%	45.7%	37.4%	1.9%
Education	High school graduate/GED or less	0.7%	7.9%	32.2%	52.3%	6.8%
	Trade/Voc, Associate degree or some college	1.2%	10.8%	27.1%	53.7%	7.2%
	Bachelor's degree	0.4%	0.5%	48.4%	38.4%	12.3%
	Graduate or professional degree	0.0%	0.3%	12.4%	67.8%	19.5%
Poverty status	200% poverty or less	2.3%	21.5%	22.0%	46.0%	8.2%
	Greater than 200% poverty	0.5%	4.2%	30.2%	53.7%	11.4%
Local Comparisons	Benton	1.6%	11.2%	37.6%	36.8%	12.7%
	Region	0.8%	5.5%	31.4%	51.5%	10.8%
	Stearns	0.6%	4.0%	30.7%	54.8%	9.9%
	St. Cloud	0.7%	6.3%	30.4%	53.0%	9.6%

1. In general, would you say that your health is excellent, very good, good, fair or poor?

2. Have you ever been told by a doctor, nurse, or other health professional that you had any of the following health conditions?

	No	Yes	Yes, during pregnancy
Sherburne Total			
Diabetes	90.8%	7.2%	1.9%
Pre-diabetes	91.9%	7.5%	0.5%
High blood pressure/hypertension	81.0%	17.7%	1.2%
Pre-hypertension	95.4%	4.5%	0.1%
Depression	82.7%	17.1%	0.2%
Anxiety or panic attacks	77.9%	22.1%	
Memory loss, Alzheimer's disease or another form of dementia	99.0%	1.0%	
Post-traumatic stress disorder (PTSD)	96.8%	3.2%	
Other mental health issues	96.6%	3.4%	
Sleep-related disorders (such as insomnia, restless leg syndrome or sleep apnea)	82.3%	17.7%	
Cancer	92.3%	7.7%	
Heart trouble or angina	95.2%	4.8%	
Stroke or stroke-related health issues	98.8%	1.2%	
High cholesterol or triglycerides	82.7%	17.3%	
Chronic lung disease (including COPD, chronic bronchitis or emphysema)	97.8%	2.2%	
Asthma	81.3%	18.7%	
Arthritis	86.0%	14.0%	
Risk of falling	96.8%	3.2%	
Sexually transmitted diseases/infections (Chlamydia, HIV, etc.)	96.1%	3.9%	

		No	Yes	Yes, during pregnancy
Sherburne Total		90.8%	7.2%	1.9%
Gender	Male	91.3%	8.7%	0.0%
	Female	90.4%	5.7%	3.9%
Age groups	18-34	DS	DS	DS
	35-44	94.8%	3.0%	2.1%
	45-54	88.6%	8.1%	3.2%
	55-64	79.9%	17.0%	3.1%
	65-74	80.4%	19.6%	0.0%
	75+	69.1%	30.9%	0.0%
Education	High school graduate/GED or less	90.9%	7.1%	1.9%
	Trade/Voc, Associate degree or some college	86.9%	10.7%	2.4%
	Bachelor's degree	90.4%	6.6%	3.0%
	Graduate or professional degree	97.7%	2.3%	0.0%
Poverty 200%	200% poverty or less	77.8%	18.0%	4.2%
	Greater than 200% poverty	91.8%	6.4%	1.8%
Local	Benton	87.6%	11.5%	0.8%
Comparisons	Region	90.7%	8.4%	0.9%
	Stearns	91.5%	8.2%	0.3%
	St. Cloud	90.5%	9.1%	0.3%

3. Have you ever been told by a doctor, nurse, or other health professional that you had <u>diabetes</u>?

		No	Yes	Yes, during pregnancy
Sherburne Tota	I	91.9%	7.5%	0.5%
Gender	Male	92.2%	7.8%	0.0%
	Female	91.7%	7.2%	1.1%
Age groups	18-34	DS	DS	DS
	35-44	97.1%	1.7%	1.1%
	45-54	82.3%	16.4%	1.3%
	55-64	87.9%	12.1%	0.0%
	65-74	78.9%	21.1%	0.0%
	75+	85.8%	14.2%	0.0%
Education	High school graduate/GED or less	82.8%	15.2%	1.9%
	Trade/Voc, Associate degree or some college	93.2%	6.8%	0.0%
	Bachelor's degree	92.8%	6.1%	1.1%
	Graduate or professional degree	94.6%	5.4%	0.0%
Poverty 200%	200% poverty or less	88.8%	11.2%	0.0%
	Greater than 200% poverty	92.0%	7.4%	0.6%
Local	Benton	88.8%	10.4%	0.8%
Comparisons	Region	91.2%	8.3%	0.6%
	Stearns	91.4%	8.1%	0.5%
	St. Cloud	91.4%	8.3%	0.3%

4. Have you ever been told by a doctor, nurse, or other health professional that you had <u>pre-diabetes</u>?

		No	Yes	Yes, during pregnancy
Sherburne Tota	1	81.0%	17.7%	1.2%
Gender	Male	81.8%	18.2%	0.0%
	Female	80.2%	17.2%	2.5%
Age groups	18-34	DS	DS	DS
	35-44	91.3%	7.0%	1.7%
	45-54	80.0%	18.0%	1.9%
	55-64	65.7%	33.7%	0.5%
	65-74	50.0%	49.5%	0.4%
	75+	46.7%	53.3%	0.0%
Education	High school graduate/GED or less	81.8%	18.2%	0.0%
	Trade/Voc, Associate degree or some college	72.0%	26.0%	2.0%
	Bachelor's degree	85.6%	12.7%	1.7%
	Graduate or professional degree	90.3%	9.3%	0.3%
Poverty 200%	200% poverty or less	60.8%	29.7%	9.5%
	Greater than 200% poverty	83.1%	16.4%	0.5%
Local	Benton	73.8%	24.9%	1.3%
Comparisons	Region	76.0%	22.3%	1.6%
	Stearns	73.8%	24.2%	1.9%
	St. Cloud	74.9%	23.7%	1.4%

5. Have you ever been told by a doctor, nurse, or other health professional that you had <u>high blood</u> <u>pressure/hypertension?</u>

• •

. .

6. Have you ever been told by a doctor, nurse, or other health professional that you had <u>pre-hypertension</u>?

		No	Yes	Yes, during pregnancy
Sherburne Tota	al	95.4%	4.5%	0.1%
Gender	Male	96.0%	4.0%	0.0%
	Female	94.7%	5.1%	0.2%
Age groups	18-34	DS	DS	DS
	35-44	98.9%	1.1%	0.0%
	45-54	90.4%	9.6%	0.0%
	55-64	89.7%	10.3%	0.0%
	65-74	94.6%	5.4%	0.0%
	75+	91.6%	8.4%	0.0%
Education	High school graduate/GED or less	98.3%	1.7%	0.0%
	Trade/Voc, Associate degree or some college	95.1%	4.6%	0.3%
	Bachelor's degree	94.6%	5.4%	0.0%
	Graduate or professional degree	94.8%	5.2%	0.0%
Poverty 200%	200% poverty or less	97.5%	1.1%	1.4%
	Greater than 200% poverty	95.2%	4.8%	0.0%
Local	Benton	93.3%	6.3%	0.4%
Comparisons	Region	91.6%	8.0%	0.4%
	Stearns	89.0%	10.4%	0.6%
	St. Cloud	89.1%	10.3%	0.5%

		No	Yes	Yes, during pregnancy
Sherburne Tota		82.7%	17.1%	0.2%
Gender	Male	92.0%	8.0%	0.0%
	Female	73.1%	26.5%	0.4%
Age groups	18-34	DS	DS	DS
	35-44	83.0%	17.0%	0.0%
	45-54	74.2%	25.8%	0.0%
	55-64	84.5%	14.9%	0.7%
	65-74	79.1%	20.9%	0.0%
	75+	96.2%	3.8%	0.0%
Education	High school graduate/GED or less	91.6%	8.4%	0.0%
	Trade/Voc, Associate degree or some college	73.5%	25.9%	0.5%
	Bachelor's degree	90.0%	10.0%	0.0%
	Graduate or professional degree	84.3%	15.7%	0.0%
Poverty 200%	200% poverty or less	71.1%	27.5%	1.4%
	Greater than 200% poverty	83.7%	16.2%	0.1%
Local	Benton	68.6%	30.8%	0.6%
Comparisons	Region	77.4%	22.1%	0.5%
	Stearns	76.7%	22.7%	0.6%
	St. Cloud	70.1%	29.7%	0.2%

7. Have you ever been told by a doctor, nurse, or other health professional that you had <u>depression</u>?

		No	Yes
Sherburne Total		77.9%	22.1%
Gender	Male	86.9%	13.1%
	Female	68.7%	31.3%
Age groups	18-34	DS	DS
	35-44	67.8%	32.2%
	45-54	74.7%	25.3%
	55-64	90.1%	9.9%
	65-74	78.8%	21.2%
	75+	96.3%	3.7%
Education	High school graduate/GED or less	85.8%	14.2%
	Trade/Voc, Associate degree or some college	69.6%	30.4%
	Bachelor's degree	83.3%	16.7%
	Graduate or professional degree	80.7%	19.3%
Poverty 200%	200% poverty or less	72.2%	27.8%
	Greater than 200% poverty	78.3%	21.7%
Local Comparisons	Benton	71.7%	28.3%
	Region	76.6%	23.4%
	Stearns	77.1%	22.9%
	St. Cloud	71.4%	28.6%

8. Have you ever been told by a doctor, nurse, or other health professional that you had <u>anxiety or panic attacks</u>?

		No	Yes
Sherburne Total		99.0%	1.0%
Gender	Male	98.5%	1.5%
	Female	99.5%	0.5%
Age groups	18-34	DS	DS
	35-44	99.1%	0.9%
	45-54	99.4%	0.6%
	55-64	97.9%	2.1%
	65-74	96.1%	3.9%
	75+	97.6%	2.4%
Education	High school graduate/GED or less	95.4%	4.6%
	Trade/Voc, Associate degree or some college	99.8%	0.2%
	Bachelor's degree	99.6%	0.4%
	Graduate or professional degree	99.4%	0.6%
Poverty 200%	200% poverty or less	96.3%	3.7%
	Greater than 200% poverty	99.2%	0.8%
Local Comparisons	Benton	98.0%	2.0%
	Region	98.3%	1.7%
	Stearns	98.0%	2.0%
	St. Cloud	98.1%	1.9%

9. Have you ever been told by a doctor, nurse, or other health professional that you had <u>memory</u> <u>loss, Alzheimer's disease or another form of dementia</u>?

		No	Yes
Sherburne Total		96.8%	3.2%
Gender	Male	99.5%	0.5%
	Female	94.1%	5.9%
Age groups	18-34	DS	DS
	35-44	96.1%	3.9%
	45-54	94.8%	5.2%
	55-64	96.7%	3.3%
	65-74	94.8%	5.2%
	75+	98.8%	1.2%
Education	High school graduate/GED or less	99.4%	0.6%
	Trade/Voc, Associate degree or some college	97.9%	2.1%
	Bachelor's degree	94.9%	5.1%
	Graduate or professional degree	95.6%	4.4%
Poverty 200%	200% poverty or less	93.6%	6.4%
	Greater than 200% poverty	97.0%	3.0%
Local Comparisons	Benton	88.2%	11.8%
	Region	92.7%	7.3%
	Stearns	91.6%	8.4%
	St. Cloud	88.5%	11.5%

10. Have you ever been told by a doctor, nurse, or other health professional that you had <u>post-traumatic stress disorder (PTSD)</u>?

		No	Yes
Sherburne Total		96.6%	3.4%
Gender	Male	99.4%	0.6%
	Female	93.6%	6.4%
Age groups	18-34	DS	DS
	35-44	95.9%	4.1%
	45-54	100.0%	0.0%
	55-64	94.5%	5.5%
	65-74	98.4%	1.6%
	75+	99.7%	0.3%
Education	High school graduate/GED or less	98.9%	1.1%
	Trade/Voc, Associate degree or some college	93.0%	7.0%
	Bachelor's degree	97.4%	2.6%
	Graduate or professional degree	100.0%	0.0%
Poverty 200%	200% poverty or less	95.8%	4.2%
	Greater than 200% poverty	96.5%	3.5%
Local Comparisons	Benton	88.9%	11.1%
	Region	93.7%	6.3%
	Stearns	93.3%	6.7%
	St. Cloud	90.5%	9.5%

11. Have you ever been told by a doctor, nurse, or other health professional that you had <u>other</u> <u>mental health issues</u>?

		No	Yes
Sherburne Total		82.3%	17.7%
Gender	Male	90.2%	9.8%
	Female	74.2%	25.8%
Age groups	18-34	DS	DS
	35-44	88.4%	11.6%
	45-54	73.2%	26.8%
	55-64	72.5%	27.5%
	65-74	68.9%	31.1%
	75+	85.3%	14.7%
Education	High school graduate/GED or less	83.4%	16.6%
	Trade/Voc, Associate degree or some college	72.7%	27.3%
	Bachelor's degree	91.6%	8.4%
	Graduate or professional degree	87.4%	12.6%
Poverty 200%	200% poverty or less	76.8%	23.2%
	Greater than 200% poverty	82.8%	17.2%
Local Comparisons	Benton	84.4%	15.6%
	Region	83.3%	16.7%
	Stearns	83.6%	16.4%
	St. Cloud	83.9%	16.1%

12. Have you ever been told by a doctor, nurse, or other health professional that you had <u>sleep-related disorders (such as insomnia, restless leg syndrome or sleep apnea)</u>?

		No	Yes
Sherburne Total		92.3%	7.7%
Gender	Male	94.0%	6.0%
	Female	90.7%	9.3%
Age groups	18-34	DS	DS
	35-44	89.7%	10.3%
	45-54	90.9%	9.1%
	55-64	88.7%	11.3%
	65-74	87.2%	12.8%
	75+	75.6%	24.4%
Education	High school graduate/GED or less	96.2%	3.8%
	Trade/Voc, Associate degree or some college	86.8%	13.2%
	Bachelor's degree	95.5%	4.5%
	Graduate or professional degree	95.6%	4.4%
Poverty 200%	200% poverty or less	65.9%	34.1%
	Greater than 200% poverty	95.4%	4.6%
Local Comparisons	Benton	88.7%	11.3%
	Region	92.4%	7.6%
	Stearns	93.4%	6.6%
	St. Cloud	93.2%	6.8%

13. Have you ever been told by a doctor, nurse, or other health professional that you had <u>cancer</u>?

		No	Yes
Sherburne Total		95.2%	4.8%
Gender	Male	93.6%	6.4%
	Female	96.8%	3.2%
Age groups	18-34	DS	DS
	35-44	98.9%	1.1%
	45-54	96.9%	3.1%
	55-64	86.2%	13.8%
	65-74	89.6%	10.4%
	75+	66.2%	33.8%
Education	High school graduate/GED or less	93.0%	7.0%
	Trade/Voc, Associate degree or some college	94.5%	5.5%
	Bachelor's degree	94.6%	5.4%
	Graduate or professional degree	98.4%	1.6%
Poverty 200%	200% poverty or less	87.3%	12.7%
	Greater than 200% poverty	96.1%	3.9%
Local Comparisons	Benton	95.6%	4.4%
	Region	94.7%	5.3%
	Stearns	94.2%	5.8%
	St. Cloud	95.1%	4.9%

14. Have you ever been told by a doctor, nurse, or other health professional that you had <u>heart</u> <u>trouble or angina</u>?

		No	Yes
Sherburne Total		98.8%	1.2%
Gender	Male	99.5%	0.5%
	Female	98.0%	2.0%
Age groups	18-34	DS	DS
	35-44	100.0%	0.0%
	45-54	99.2%	0.8%
	55-64	96.4%	3.6%
	65-74	92.9%	7.1%
	75+	97.3%	2.7%
Education	High school graduate/GED or less	97.6%	2.4%
	Trade/Voc, Associate degree or some college	98.8%	1.2%
	Bachelor's degree	98.4%	1.6%
	Graduate or professional degree	100.0%	0.0%
Poverty 200%	200% poverty or less	90.9%	9.1%
	Greater than 200% poverty	99.4%	0.6%
Local Comparisons	Benton	98.3%	1.7%
	Region	97.2%	2.8%
	Stearns	95.9%	4.1%
	St. Cloud	96.5%	3.5%

15. Have you ever been told by a doctor, nurse, or other health professional that you had a <u>stroke or</u> <u>stroke-related health issues</u>?

		No	Yes
Sherburne Total		82.7%	17.3%
Gender	Male	81.9%	18.1%
	Female	83.4%	16.6%
Age groups	18-34	DS	DS
	35-44	93.9%	6.1%
	45-54	78.9%	21.1%
	55-64	57.1%	42.9%
	65-74	59.4%	40.6%
	75+	40.4%	59.6%
Education	High school graduate/GED or less	76.8%	23.2%
	Trade/Voc, Associate degree or some college	79.6%	20.4%
	Bachelor's degree	83.2%	16.8%
	Graduate or professional degree	90.8%	9.2%
Poverty 200%	200% poverty or less	74.8%	25.2%
	Greater than 200% poverty	83.5%	16.5%
Local Comparisons	Benton	75.3%	24.7%
	Region	78.2%	21.8%
	Stearns	76.4%	23.6%
	St. Cloud	78.6%	21.4%

16. Have you ever been told by a doctor, nurse, or other health professional that you had <u>high</u> <u>cholesterol or triglycerides</u>?

		No	Yes
Sherburne Total		97.8%	2.2%
Gender	Male	98.1%	1.9%
	Female	97.6%	2.4%
Age groups	18-34	DS	DS
	35-44	98.9%	1.1%
	45-54	97.0%	3.0%
	55-64	98.5%	1.5%
	65-74	89.0%	11.0%
	75+	91.5%	8.5%
Education	High school graduate/GED or less	94.9%	5.1%
	Trade/Voc, Associate degree or some college	97.3%	2.7%
	Bachelor's degree	98.5%	1.5%
	Graduate or professional degree	99.8%	0.2%
Poverty 200%	200% poverty or less	91.7%	8.3%
	Greater than 200% poverty	98.3%	1.7%
Local Comparisons	Benton	96.5%	3.5%
	Region	97.3%	2.7%
	Stearns	97.1%	2.9%
	St. Cloud	97.1%	2.9%

17. Have you ever been told by a doctor, nurse, or other health professional that you had <u>chronic</u> <u>lung disease (including COPD, chronic bronchitis or emphysema)</u>?

		No	Yes
Sherburne Total		81.3%	18.7%
Gender	Male	75.6%	24.4%
	Female	87.3%	12.7%
Age groups	18-34	DS	DS
	35-44	87.0%	13.0%
	45-54	76.4%	23.6%
	55-64	90.3%	9.7%
	65-74	93.9%	6.1%
	75+	95.0%	5.0%
Education	High school graduate/GED or less	90.8%	9.2%
	Trade/Voc, Associate degree or some college	77.5%	22.5%
	Bachelor's degree	74.7%	25.3%
	Graduate or professional degree	88.7%	11.3%
Poverty 200%	200% poverty or less	92.1%	7.9%
	Greater than 200% poverty	79.9%	20.1%
Local Comparisons	Benton	85.8%	14.2%
	Region	88.0%	12.0%
	Stearns	92.3%	7.7%
	St. Cloud	90.8%	9.2%

18. Have you ever been told by a doctor, nurse, or other health professional that you had <u>asthma</u>?

		No	Yes
Sherburne Total		86.0%	14.0%
Gender	Male	88.7%	11.3%
	Female	83.3%	16.7%
Age groups	18-34	DS	DS
	35-44	91.4%	8.6%
	45-54	86.0%	14.0%
	55-64	73.7%	26.3%
	65-74	68.6%	31.4%
	75+	53.6%	46.4%
Education	High school graduate/GED or less	87.2%	12.8%
	Trade/Voc, Associate degree or some college	80.0%	20.0%
	Bachelor's degree	87.8%	12.2%
	Graduate or professional degree	93.4%	6.6%
Poverty 200%	200% poverty or less	55.3%	44.7%
	Greater than 200% poverty	88.5%	11.5%
Local Comparisons	Benton	80.8%	19.2%
	Region	81.4%	18.6%
	Stearns	79.0%	21.0%
	St. Cloud	79.4%	20.6%

19. Have you ever been told by a doctor, nurse, or other health professional that you had arthritis?

20. Have you ever been told by a doctor, nurse, or other health professional that you had a risk of	
<u>falling</u> ?	

		No	Yes
Sherburne Total		96.8%	3.2%
Gender	Male	97.5%	2.5%
	Female	96.1%	3.9%
Age groups	18-34	DS	DS
	35-44	100.0%	0.0%
	45-54	93.4%	6.6%
	55-64	95.7%	4.3%
	65-74	87.6%	12.4%
	75+	90.0%	10.0%
Education	High school graduate/GED or less	95.2%	4.8%
	Trade/Voc, Associate degree or some college	96.4%	3.6%
	Bachelor's degree	99.2%	0.8%
	Graduate or professional degree	95.8%	4.2%
Poverty 200%	200% poverty or less	89.4%	10.6%
	Greater than 200% poverty	97.4%	2.6%
	, ,		
Local Comparisons	Benton	90.6%	9.4%
	Region	95.2%	4.8%
	Stearns	95.6%	4.4%
	St. Cloud	95.1%	4.9%

21. Have you ever been told by a doctor, nurse, or other health professional that you had a <u>sexually</u>
transmitted diseases/infections (Chlamydia, HIV, etc.)?

		No	Yes
Sherburne Total		96.1%	3.9%
Gender	Male	98.6%	1.4%
	Female	93.5%	6.5%
Age groups	18-34	DS	DS
	35-44	95.6%	4.4%
	45-54	92.0%	8.0%
	55-64	97.5%	2.5%
	65-74	94.5%	5.5%
	75+	99.7%	0.3%
Education	High school graduate/GED or less	99.9%	0.1%
	Trade/Voc, Associate degree or some college	97.0%	3.0%
	Bachelor's degree	90.2%	9.8%
	Graduate or professional degree	98.5%	1.5%
Poverty 200%	200% poverty or less	89.0%	11.0%
	Greater than 200% poverty	96.6%	3.4%
Local Comparisons	Benton	97.8%	2.2%
	Region	96.6%	3.4%
	Stearns	96.7%	3.3%
	St. Cloud	96.8%	3.2%

		No	Yes
Sherburne Total		16.2%	83.8%
Gender	Male	28.5%	71.5%
	Female	3.2%	96.8%
Age groups	18-34	DS	DS
	35-44	1.6%	98.4%
	45-54	3.3%	96.7%
	55-64	1.6%	98.4%
	65-74	1.4%	98.6%
	75+	0.2%	99.8%
Education	High school graduate/GED or less	35.5%	64.5%
	Trade/Voc, Associate degree or some college	4.3%	95.7%
	Bachelor's degree	19.2%	80.8%
	Graduate or professional degree	20.9%	79.1%
Poverty 200%	200% poverty or less	9.7%	90.3%
	Greater than 200% poverty	17.2%	82.8%
Local Comparisons	Benton	7.0%	93.0%
	Region	12.9%	87.1%
	Stearns	6.6%	93.4%
	St. Cloud	7.4%	92.6%

22. Is there a place that you <u>usually</u> go to when you are sick or need medical care?

23. Is there a place that you <u>usually</u> go to when you are sick or need medical care? (check one)

	Checked
Sherburne Total	
A doctor's office	69.6%
A hospital outpatient clinic	3.5%
Public health	0.0%
A chiropractor's office	4.6%
An urgent care center	3.2%
An emergency room	1.1%
Some other health center	0.6%
Schedule an e-visit	2.2%
Call nurse line	0.1%
Traditional healer	0.0%
Religious healer	0.0%
Google/Internet	1.8%
Trusted family or friends	0.1%
VA Medical Center	0.7%
Some other place	0.0%

24. Is there a place that you usually go to when you are sick or need medical care? A doctor's office

		Checked
Sherburne Total		69.6%
Gender	Male	56.9%
	Female	83.0%
Age groups	18-34	DS
	35-44	90.8%
	45-54	75.7%
	55-64	89.2%
	65-74	80.3%
	75+	86.9%
Education	High school graduate/GED or less	50.1%
	Trade/Voc, Associate degree or some college	78.1%
	Bachelor's degree	64.5%
	Graduate or professional degree	73.0%
Poverty 200%	200% poverty or less	66.3%
	Greater than 200% poverty	69.5%
	· · ·	
Local Comparisons	Benton	76.2%
	Region	77.6%
	Stearns	82.5%
	St. Cloud	78.0%

25. Is there a place that you usually go to when you are sick or need medical care? A hospital outpatient clinic

		Checked
Sherburne Total		3.5%
Gender	Male	5.9%
	Female	1.0%
Age groups	18-34	DS
	35-44	4.0%
	45-54	6.5%
	55-64	2.9%
	65-74	5.8%
	75+	9.9%
Education	High school graduate/GED or less	3.6%
	Trade/Voc, Associate degree or some college	5.4%
	Bachelor's degree	2.4%
	Graduate or professional degree	1.4%
Poverty 200%	200% poverty or less	5.0%
	Greater than 200% poverty	3.3%
Local Comparisons	Benton	2.5%
	Region	3.5%
	Stearns	3.9%
	St. Cloud	3.8%

		Checked
Sherburne Total		0.0%
Gender	Male	0.0%
	Female	0.0%
Age groups	18-34	DS
	35-44	0.0%
	45-54	0.0%
	55-64	0.0%
	65-74	0.0%
	75+	0.0%
Education	High school graduate/GED or less	0.0%
	Trade/Voc, Associate degree or some college	0.0%
	Bachelor's degree	0.0%
	Graduate or professional degree	0.0%
Poverty 200%	200% poverty or less	0.0%
	Greater than 200% poverty	0.0%
Local Comparisons	Benton	0.0%
	Region	0.5%
	Stearns	0.9%
	St. Cloud	1.1%

26. Is there a place that you usually go to when you are sick or need medical care? Public health

27. Is there a place that you usually go to when you are sick or need medical care? A chiropractor's office

		Checked
Sherburne Total		4.6%
Gender	Male	2.1%
	Female	7.2%
Age groups	18-34	DS
	35-44	1.1%
	45-54	2.9%
	55-64	4.5%
	65-74	1.3%
	75+	3.7%
Education	High school graduate/GED or less	1.1%
	Trade/Voc, Associate degree or some college	6.4%
	Bachelor's degree	7.5%
	Graduate or professional degree	0.6%
Poverty 200%	200% poverty or less	1.1%
	Greater than 200% poverty	5.0%
Local Comparisons	Benton	1.8%
	Region	3.0%
	Stearns	2.4%
	St. Cloud	1.1%

28. Is there a place that you usually go to when you are sick or need medical care? An urgent care center

		Checked
Sherburne Total		3.2%
Gender	Male	3.3%
	Female	3.1%
Age groups	18-34	DS
	35-44	0.9%
	45-54	3.3%
	55-64	5.2%
	65-74	3.2%
	75+	0.1%
Education	High school graduate/GED or less	5.9%
	Trade/Voc, Associate degree or some college	1.5%
	Bachelor's degree	6.9%
	Graduate or professional degree	0.4%
Poverty 200%	200% poverty or less	11.2%
	Greater than 200% poverty	2.6%
Local Comparisons	Benton	8.8%
	Region	3.9%
	Stearns	3.1%
	St. Cloud	6.0%

29. Is there a place that you usually go to when you are sick or need medical care? An emergency room

		Checked
Sherburne Total		1.1%
Gender	Male	1.0%
	Female	1.3%
Age groups	18-34	DS
	35-44	0.0%
	45-54	3.1%
	55-64	0.7%
	65-74	1.0%
	75+	2.3%
Education	High school graduate/GED or less	1.5%
	Trade/Voc, Associate degree or some college	0.5%
	Bachelor's degree	0.9%
	Graduate or professional degree	2.2%
Poverty 200%	200% poverty or less	5.8%
	Greater than 200% poverty	0.7%
Local Comparisons	Benton	2.3%
	Region	1.5%
	Stearns	1.5%
	St. Cloud	1.3%

30. Is there a place that you usually go to when you are sick or need medical care? Some other health center

		Checked
Sherburne Total		0.6%
Gender	Male	0.7%
	Female	0.6%
Age groups	18-34	DS
	35-44	0.0%
	45-54	0.0%
	55-64	2.0%
	65-74	5.3%
	75+	0.0%
Education	High school graduate/GED or less	0.0%
	Trade/Voc, Associate degree or some college	0.2%
	Bachelor's degree	0.7%
	Graduate or professional degree	1.6%
Poverty 200%	200% poverty or less	1.1%
	Greater than 200% poverty	0.3%
Local Comparisons	Benton	1.8%
	Region	0.7%
	Stearns	0.5%
	St. Cloud	1.0%

31. Is there a place that you usually go to when you are sick or need medical care? Schedule an e-visit

		Checked
Sherburne Total		2.2%
Gender	Male	2.1%
	Female	2.2%
Age groups	18-34	DS
	35-44	1.5%
	45-54	5.2%
	55-64	0.0%
	65-74	0.0%
	75+	0.0%
Education	High school graduate/GED or less	1.5%
	Trade/Voc, Associate degree or some college	4.8%
	Bachelor's degree	0.5%
	Graduate or professional degree	0.0%
Poverty 200%	200% poverty or less	4.1%
	Greater than 200% poverty	2.1%
Local Comparisons	Benton	1.0%
	Region	0.9%
	Stearns	0.2%
	St. Cloud	1.1%

32. Is there a place that you usually go to when you are sick or need medical care? Call Nurse line

		Checked
Sherburne Total		0.1%
Gender	Male	0.0%
	Female	0.2%
Age groups	18-34	DS
	35-44	0.0%
	45-54	0.0%
	55-64	0.7%
	65-74	0.0%
	75+	0.6%
Education	High school graduate/GED or less	0.0%
	Trade/Voc, Associate degree or some college	0.3%
	Bachelor's degree	0.0%
	Graduate or professional degree	0.0%
Poverty 200%	200% poverty or less	1.4%
	Greater than 200% poverty	0.0%
Local Comparisons	Benton	1.7%
	Region	0.7%
	Stearns	0.8%
	St. Cloud	1.2%

33. Is there a place that you usually go to when you are sick or need medical care? Traditional healer

		Checked
Sherburne Total		0.0%
Gender	Male	0.0%
	Female	0.0%
Age groups	18-34	DS
	35-44	0.0%
	45-54	0.0%
	55-64	0.0%
	65-74	0.0%
	75+	0.0%
Education	High school graduate/GED or less	0.0%
	Trade/Voc, Associate degree or some college	0.0%
	Bachelor's degree	0.0%
	Graduate or professional degree	0.0%
Poverty 200%	200% poverty or less	0.0%
	Greater than 200% poverty	0.0%
Local Comparisons	Benton	0.3%
	Region	0.0%
	Stearns	0.0%
	St. Cloud	0.0%

34. Is there a place that you usually go to when you are sick or need medical care? Religious healer

		Checked
Sherburne Total		0.0%
Gender	Male	0.0%
	Female	0.0%
Age groups	18-34	DS
	35-44	0.0%
	45-54	0.0%
	55-64	0.0%
	65-74	0.0%
	75+	0.0%
Education	High school graduate/GED or less	0.0%
	Trade/Voc, Associate degree or some college	0.0%
	Bachelor's degree	0.0%
	Graduate or professional degree	0.0%
Poverty 200%	200% poverty or less	0.0%
	Greater than 200% poverty	0.0%
Local Comparisons	Benton	0.1%
	Region	0.2%
	Stearns	0.4%
	St. Cloud	0.4%

35. Is there a place that you usually go to when you are sick or need medical care? Google/Internet

		Checked
Sherburne Total		1.8%
Gender	Male	0.8%
	Female	3.0%
Age groups	18-34	DS
	35-44	0.0%
	45-54	0.0%
	55-64	0.0%
	65-74	1.3%
	75+	0.0%
Education	High school graduate/GED or less	0.0%
	Trade/Voc, Associate degree or some college	4.0%
	Bachelor's degree	1.2%
	Graduate or professional degree	0.0%
Poverty 200%	200% poverty or less	0.0%
	Greater than 200% poverty	2.0%
Local Comparisons	Benton	0.5%
	Region	0.8%
	Stearns	0.3%
	St. Cloud	0.2%

36. Is there a place that you usually go to when you are sick or need medical care? Trusted family or friends

		Checked
Sherburne Total		0.1%
Gender	Male	0.1%
	Female	0.0%
Age groups	18-34	DS
	35-44	0.0%
	45-54	0.0%
	55-64	0.2%
	65-74	0.3%
	75+	0.0%
Education	High school graduate/GED or less	0.2%
	Trade/Voc, Associate degree or some college	0.0%
	Bachelor's degree	0.0%
	Graduate or professional degree	0.0%
Poverty 200%	200% poverty or less	0.0%
	Greater than 200% poverty	0.1%
Local Comparisons	Benton	1.2%
	Region	0.5%
	Stearns	0.7%
	St. Cloud	0.8%

37. Is there a place that you usually go to when you are sick or need medical care? VA Medical Center

		Checked
Sherburne Total		0.7%
Gender	Male	1.2%
	Female	0.0%
Age groups	18-34	DS
	35-44	0.0%
	45-54	0.0%
	55-64	1.2%
	65-74	6.0%
	75+	2.7%
Education	High school graduate/GED or less	1.7%
	Trade/Voc, Associate degree or some college	0.9%
	Bachelor's degree	0.0%
	Graduate or professional degree	0.4%
Poverty 200%	200% poverty or less	1.1%
	Greater than 200% poverty	0.6%
Local Comparisons	Benton	1.0%
	Region	0.8%
	Stearns	0.8%
	St. Cloud	0.6%

		Checked
Sherburne Total		0.0%
Gender	Male	0.0%
	Female	0.0%
Age groups	18-34	DS
	35-44	0.0%
	45-54	0.0%
	55-64	0.0%
	65-74	0.0%
	75+	0.0%
Education	High school graduate/GED or less	0.0%
	Trade/Voc, Associate degree or some college	0.0%
	Bachelor's degree	0.0%
	Graduate or professional degree	0.0%
Poverty 200%	200% poverty or less	0.0%
	Greater than 200% poverty	0.0%
Local Comparisons	Benton	0.2%
	Region	0.1%
	Stearns	0.1%
	St. Cloud	0.0%

38. Is there a place that you usually go to when you are sick or need medical care? Some other place

39. About how long has it been since you last visited a doctor or other health care professional for a routine check-up?

	Checked
Sherburne Total	
Within the past year	55.8%
Within the past 2 years	20.8%
Within the past 5 years	16.4%
5 of more years ago	6.4%
Never	0.5%

40. About how long has it been since you last visited a doctor or other health care professional for a routine check-up? Within the past year

		Checked
Sherburne Total		55.8%
Gender	Male	45.7%
	Female	66.4%
Age groups	18-34	DS
	35-44	72.4%
	45-54	59.3%
	55-64	78.0%
	65-74	94.0%
	75+	88.8%
Education	High school graduate/GED or less	47.3%
	Trade/Voc, Associate degree or some college	69.1%
	Bachelor's degree	49.1%
	Graduate or professional degree	46.3%
Poverty 200%	200% poverty or less	84.4%
	Greater than 200% poverty	52.8%
Local Comparisons	Benton	78.0%
	Region	68.6%
	Stearns	73.4%
	St. Cloud	76.3%

41. About how long has it been since you last visited a doctor or other health care professional for a routine check-up? Within the past 2 years

		Checked
Sherburne Total		20.8%
Gender	Male	26.3%
	Female	15.1%
Age groups	18-34	DS
	35-44	20.4%
	45-54	23.0%
	55-64	15.9%
	65-74	5.7%
	75+	11.0%
Education	High school graduate/GED or less	9.7%
	Trade/Voc, Associate degree or some college	13.3%
	Bachelor's degree	17.8%
	Graduate or professional degree	44.0%
Poverty 200%	200% poverty or less	7.5%
	Greater than 200% poverty	22.2%
Local Comparisons	Benton	8.7%
	Region	16.0%
	Stearns	15.2%
	St. Cloud	10.4%

42. About how long has it been since you last visited a doctor or other health care professional for a routine check-up? Within the past 5 years

		Checked
Sherburne Total		16.4%
Gender	Male	15.0%
	Female	17.9%
Age groups	18-34	DS
	35-44	6.3%
	45-54	13.1%
	55-64	6.0%
	65-74	0.1%
	75+	0.0%
Education	High school graduate/GED or less	38.8%
	Trade/Voc, Associate degree or some college	14.8%
	Bachelor's degree	13.9%
	Graduate or professional degree	7.6%
Poverty 200%	200% poverty or less	5.4%
	Greater than 200% poverty	17.5%
Local Comparisons	Benton	4.2%
	Region	8.2%
	Stearns	4.5%
	St. Cloud	5.3%

43. About how long has it been since you last visited a doctor or other health care professional for a routine check-up? 5 or more years ago

		Checked
Sherburne Total		6.4%
Gender	Male	12.6%
	Female	0.0%
Age groups	18-34	DS
	35-44	0.0%
	45-54	3.4%
	55-64	0.0%
	65-74	0.1%
	75+	0.0%
Education	High school graduate/GED or less	4.2%
	Trade/Voc, Associate degree or some college	1.5%
	Bachelor's degree	19.2%
	Graduate or professional degree	2.1%
Poverty 200%	200% poverty or less	0.0%
	Greater than 200% poverty	7.2%
Local Comparisons	Benton	8.6%
	Region	6.1%
	Stearns	5.4%
	St. Cloud	7.7%

44. About how long has it been since you last visited a doctor or other health care professional for a routine check-up? Never

		Checked
Sherburne Total		0.5%
Gender	Male	0.4%
	Female	0.6%
Age groups	18-34	DS
	35-44	0.9%
	45-54	1.3%
	55-64	0.0%
	65-74	0.0%
	75+	0.1%
Education	High school graduate/GED or less	0.0%
	Trade/Voc, Associate degree or some college	1.3%
	Bachelor's degree	0.0%
	Graduate or professional degree	0.0%
Poverty 200%	200% poverty or less	2.8%
	Greater than 200% poverty	0.3%
Local Comparisons	Benton	0.6%
	Region	1.1%
	Stearns	1.6%
	St. Cloud	0.3%

		Yes	No
Sherburne Total		25.6%	74.4%
Gender	Male	25.8%	74.2%
	Female	25.3%	74.7%
Age groups	18-34	DS	DS
	35-44	22.8%	77.2%
	45-54	26.8%	73.2%
	55-64	21.5%	78.5%
	65-74	10.6%	89.4%
	75+	4.0%	96.0%
Education	High school graduate/GED or less	56.2%	43.8%
	Trade/Voc, Associate degree or some college	23.2%	76.8%
	Bachelor's degree	19.4%	80.6%
	Graduate or professional degree	17.3%	82.7%
Poverty 200%	200% poverty or less	37.7%	62.3%
	Greater than 200% poverty	25.2%	74.8%
Local Comparisons	Benton	24.9%	75.1%
	Region	26.2%	73.8%
	Stearns	26.9%	73.1%
	St. Cloud	31.8%	68.2%

45. During the past 12 months, was there a time when you thought you needed medical care but did not get it or delayed getting it?

46. Why did you not get or delay getting the medical care you thought you needed?

	Checked
Sherburne Total	
The care I needed cost too much	46.1%
My co-pay was too expensive	16.6%
My deductible was too expensive	45.9%
My insurance did not cover it	42.9%
I did not have insurance	29.6%
I could not get an appointment	5.8%
I had transportation problems	0.9%
I did not think it was serious enough	29.6%
I was too nervous or afraid	4.9%
I don't trust the health care system	9.5%
The clinic cancelled my appointment due to COVID-19	10.9%
I cancelled my appointment due to COVID-19	13.1%
I did not have access to telehealth or a virtual visit	0.0%
Other reason	1.9%

47. Why did you not get or delay getting the medical care you thought you needed? The care I needed cost too much

		Checked
Sherburne Total		46.1%
Gender	Male	DS
	Female	49.3%
Age groups	18-34	DS
	35-44	DS
	45-54	DS
	55-64	DS
	65-74	DS
	75+	DS
Education	High school graduate/GED or less	DS
	Trade/Voc, Associate degree or some college	69.8%
	Bachelor's degree	DS
	Graduate or professional degree	DS
Poverty 200%	200% poverty or less	DS
	Greater than 200% poverty	40.3%
	· · ·	
Local Comparisons	Benton	35.7%
	Region	37.7%
	Stearns	33.6%
	St. Cloud	39.2%

48. Why did you not get or delay getting the medical care you thought you needed? My co-pay was too expensive

		Checked
Sherburne Total		16.6%
Gender	Male	DS
	Female	28.3%
Age groups	18-34	DS
	35-44	DS
	45-54	DS
	55-64	DS
	65-74	DS
	75+	DS
Education	High school graduate/GED or less	DS
	Trade/Voc, Associate degree or some college	22.8%
	Bachelor's degree	DS
	Graduate or professional degree	DS
Poverty 200%	200% poverty or less	DS
	Greater than 200% poverty	18.1%
Local Comparisons	Benton	2.3%
	Region	8.6%
	Stearns	5.8%
	St. Cloud	4.6%

49. Why did you not get or delay getting the medical care you thought you needed? My deductible was too expensive

		Checked
Sherburne Total		45.9%
Gender	Male	DS
	Female	44.5%
Age groups	18-34	DS
	35-44	DS
	45-54	DS
	55-64	DS
	65-74	DS
	75+	DS
Education	High school graduate/GED or less	DS
	Trade/Voc, Associate degree or some college	34.2%
	Bachelor's degree	DS
	Graduate or professional degree	DS
Poverty 200%	200% poverty or less	DS
	Greater than 200% poverty	51.8%
Local Comparisons	Benton	12.5%
	Region	31.8%
	Stearns	28.7%
	St. Cloud	27.4%

50. Why did you not get or delay getting the medical care you thought you needed? My insurance did not cover it

		Checked
Sherburne Total		42.9%
Gender	Male	DS
	Female	35.7%
Age groups	18-34	DS
	35-44	DS
	45-54	DS
	55-64	DS
	65-74	DS
	75+	DS
Education	High school graduate/GED or less	DS
	Trade/Voc, Associate degree or some college	27.3%
	Bachelor's degree	DS
	Graduate or professional degree	DS
Poverty 200%	200% poverty or less	DS
	Greater than 200% poverty	47.9%
Local Comparisons	Benton	9.5%
	Region	19.3%
	Stearns	8.7%
	St. Cloud	8.2%

51. Why did you not get or delay getting the medical care you thought you needed? I did not have insurance

		Checked
Sherburne Total		29.6%
Gender	Male	DS
	Female	22.6%
Age groups	18-34	DS
	35-44	DS
	45-54	DS
	55-64	DS
	65-74	DS
	75+	DS
Education	High school graduate/GED or less	DS
	Trade/Voc, Associate degree or some college	26.8%
	Bachelor's degree	DS
	Graduate or professional degree	DS
Poverty 200%	200% poverty or less	DS
	Greater than 200% poverty	31.6%
Local Comparisons	Benton	28.7%
	Region	13.0%
	Stearns	0.3%
	St. Cloud	7.8%

52. Why did you not get or delay getting the medical care you thought you needed? I could not get an appointment

		Checked
Sherburne Total		5.8%
Gender	Male	DS
	Female	3.1%
Age groups	18-34	DS
	35-44	DS
	45-54	DS
	55-64	DS
	65-74	DS
	75+	DS
Education	High school graduate/GED or less	DS
	Trade/Voc, Associate degree or some college	2.2%
	Bachelor's degree	DS
	Graduate or professional degree	DS
Poverty 200%	200% poverty or less	DS
	Greater than 200% poverty	6.6%
Local Comparisons	Benton	7.3%
	Region	8.2%
	Stearns	9.7%
	St. Cloud	7.6%

53. Why did you not get or delay getting the medical care you thought you needed? I had transportation problems

		Checked
Sherburne Total		0.9%
Gender	Male	DS
	Female	1.2%
Age groups	18-34	DS
	35-44	DS
	45-54	DS
	55-64	DS
	65-74	DS
	75+	DS
Education	High school graduate/GED or less	DS
	Trade/Voc, Associate degree or some college	2.2%
	Bachelor's degree	DS
	Graduate or professional degree	DS
Poverty 200%	200% poverty or less	DS
	Greater than 200% poverty	0.4%
Local Comparisons	Benton	2.9%
	Region	1.2%
	Stearns	0.9%
	St. Cloud	1.1%

54. Why did you not get or delay getting the medical care you thought you needed? I did not think it was serious enough

		Checked
Sherburne Total		29.6%
Gender	Male	DS
	Female	52.4%
Age groups	18-34	DS
	35-44	DS
	45-54	DS
	55-64	DS
	65-74	DS
	75+	DS
Education	High school graduate/GED or less	DS
	Trade/Voc, Associate degree or some college	34.6%
	Bachelor's degree	DS
	Graduate or professional degree	DS
Poverty 200%	200% poverty or less	DS
	Greater than 200% poverty	32.2%
Local Comparisons	Benton	41.7%
	Region	35.8%
	Stearns	37.7%
	St. Cloud	34.4%

55. Why did you not get or delay getting the medical care you thought you needed? I was too nervous or afraid

		Checked
Sherburne Total		4.9%
Gender	Male	DS
	Female	7.7%
Age groups	18-34	DS
	35-44	DS
	45-54	DS
	55-64	DS
	65-74	DS
	75+	DS
Education	High school graduate/GED or less	DS
	Trade/Voc, Associate degree or some college	6.8%
	Bachelor's degree	DS
	Graduate or professional degree	DS
Poverty 200%	200% poverty or less	DS
	Greater than 200% poverty	3.9%
Local Comparisons	Benton	6.5%
	Region	3.3%
	Stearns	1.7%
	St. Cloud	4.0%

56. Why did you not get or delay getting the medical care you thought you needed? I don't trust the health care system

		Checked
Sherburne Total		9.5%
Gender	Male	DS
	Female	4.6%
Age groups	18-34	DS
	35-44	DS
	45-54	DS
	55-64	DS
	65-74	DS
	75+	DS
Education	High school graduate/GED or less	DS
	Trade/Voc, Associate degree or some college	24.3%
	Bachelor's degree	DS
	Graduate or professional degree	DS
Poverty 200%	200% poverty or less	DS
	Greater than 200% poverty	2.0%
Local Comparisons	Benton	6.1%
	Region	4.9%
	Stearns	2.1%
	St. Cloud	1.2%

57. Why did you not get or delay getting the medical care you thought you needed? The clinic cancelled my appointment due to COVID-19

		Checked
Sherburne Total		10.9%
Gender	Male	DS
	Female	15.8%
Age groups	18-34	DS
	35-44	DS
	45-54	DS
	55-64	DS
	65-74	DS
	75+	DS
Education	High school graduate/GED or less	DS
	Trade/Voc, Associate degree or some college	6.3%
	Bachelor's degree	DS
	Graduate or professional degree	DS
Poverty 200%	200% poverty or less	DS
	Greater than 200% poverty	12.4%
Local Comparisons	Benton	3.8%
	Region	10.2%
	Stearns	11.3%
	St. Cloud	8.5%

58. Why did you not get or delay getting the medical care you thought you needed? I cancelled my appointment due to COVID-19

		Checked
Sherburne Total		13.1%
Gender	Male	DS
	Female	4.8%
Age groups	18-34	DS
	35-44	DS
	45-54	DS
	55-64	DS
	65-74	DS
	75+	DS
Education	High school graduate/GED or less	DS
	Trade/Voc, Associate degree or some college	25.4%
	Bachelor's degree	DS
	Graduate or professional degree	DS
Poverty 200%	200% poverty or less	DS
	Greater than 200% poverty	6.5%
Local Comparisons	Benton	9.6%
	Region	13.7%
	Stearns	15.1%
	St. Cloud	11.7%

59. Why did you not get or delay getting the medical care you thought you needed? I did not have access to telehealth or a virtual visit

		Checked
Sherburne Total		0.0%
Gender	Male	DS
	Female	0.0%
Age groups	18-34	DS
	35-44	DS
	45-54	DS
	55-64	DS
	65-74	DS
	75+	DS
Education	High school graduate/GED or less	DS
	Trade/Voc, Associate degree or some college	0.0%
	Bachelor's degree	DS
	Graduate or professional degree	DS
Poverty 200%	200% poverty or less	DS
	Greater than 200% poverty	0.0%
Local Comparisons	Benton	1.0%
	Region	2.2%
	Stearns	3.7%
	St. Cloud	0.9%

60. Why did you not get or delay getting the medical care you thought you needed? Other reason

		Checked
Sherburne Total		1.9%
Gender	Male	DS
	Female	3.0%
Age groups	18-34	DS
	35-44	DS
	45-54	DS
	55-64	DS
	65-74	DS
	75+	DS
Education	High school graduate/GED or less	DS
	Trade/Voc, Associate degree or some college	2.4%
	Bachelor's degree	DS
	Graduate or professional degree	DS
Poverty 200%	200% poverty or less	DS
	Greater than 200% poverty	2.1%
Local Comparisons	Benton	4.1%
	Region	5.8%
	Stearns	8.3%
	St. Cloud	6.1%

		Yes	No
Sherburne Total		39.7%	60.3%
Gender	Male	37.8%	62.2%
	Female	41.7%	58.3%
Age groups	18-34	DS	DS
	35-44	28.4%	71.6%
	45-54	37.6%	62.4%
	55-64	22.8%	77.2%
	65-74	30.7%	69.3%
	75+	21.4%	78.6%
Education	High school graduate/GED or less	55.3%	44.7%
	Trade/Voc, Associate degree or some college	36.8%	63.2%
	Bachelor's degree	53.3%	46.7%
	Graduate or professional degree	19.2%	80.8%
Poverty 200%	200% poverty or less	40.4%	59.6%
	Greater than 200% poverty	40.0%	60.0%
Local Comparisons	Benton	31.1%	68.9%
	Region	28.0%	72.0%
	Stearns	20.6%	79.4%
	St. Cloud	25.0%	75.0%

61. During the past 12 months, was there a time when you thought you needed dental care but did not get it or delayed getting it?

62. Why did you not get or delay getting the dental care you thought you needed? (mark all that apply)

	Checked
Sherburne Total	
The care I needed cost too much	44.6%
My co-pay was too expensive	5.0%
My deductible was too expensive	7.0%
My insurance did not cover it	21.9%
I did not have insurance	27.1%
The dentist would not accept my insurance	7.8%
I could not get an appointment	12.0%
I had transportation problems	0.0%
I did not think it was serious enough	29.3%
I was too nervous or afraid	12.2%
I don't trust the health care system	1.6%
The office cancelled my appointment due to COVID-19	4.8%
I cancelled my appointment due to COVID-19	12.5%
I did not have access to telehealth or a virtual visit	0.0%
Other reason	6.7%

63. Why did you not get or delay getting the dental care you thought you needed? The care I needed cost too much

		Checked
Sherburne Total		44.6%
Gender	Male	49.4%
	Female	40.2%
Age groups	18-34	DS
	35-44	DS
	45-54	DS
	55-64	DS
	65-74	41.7%
	75+	DS
Education	High school graduate/GED or less	DS
	Trade/Voc, Associate degree or some college	54.8%
	Bachelor's degree	DS
	Graduate or professional degree	DS
Poverty 200%	200% poverty or less	DS
	Greater than 200% poverty	43.6%
Local Comparisons	Benton	57.9%
	Region	41.4%
	Stearns	31.6%
	St. Cloud	42.6%

64. Why did you not get or delay getting the dental care you thought you needed? My co-pay was too expensive

		Checked
Sherburne Total		5.0%
Gender	Male	0.9%
	Female	8.8%
Age groups	18-34	DS
	35-44	DS
	45-54	DS
	55-64	DS
	65-74	13.6%
	75+	DS
Education	High school graduate/GED or less	DS
	Trade/Voc, Associate degree or some college	12.0%
	Bachelor's degree	DS
	Graduate or professional degree	DS
Poverty 200%	200% poverty or less	DS
	Greater than 200% poverty	4.6%
Local Comparisons	Benton	12.3%
	Region	6.5%
	Stearns	5.9%
	St. Cloud	6.5%

65. Why did you not get or delay getting the dental care you thought you needed? My deductible was too expensive

		Checked
Sherburne Total		7.0%
Gender	Male	3.3%
	Female	10.4%
Age groups	18-34	DS
	35-44	DS
	45-54	DS
	55-64	DS
	65-74	1.2%
	75+	DS
Education	High school graduate/GED or less	DS
	Trade/Voc, Associate degree or some college	18.8%
	Bachelor's degree	DS
	Graduate or professional degree	DS
Poverty 200%	200% poverty or less	DS
	Greater than 200% poverty	7.4%
Local Comparisons	Benton	4.1%
	Region	6.4%
	Stearns	6.5%
	St. Cloud	4.6%

66. Why did you not get or delay getting the dental care you thought you needed? My insurance did not cover it

		Checked
Sherburne Total		21.9%
Gender	Male	23.3%
	Female	20.7%
Age groups	18-34	DS
	35-44	DS
	45-54	DS
	55-64	DS
	65-74	10.7%
	75+	DS
Education	High school graduate/GED or less	DS
	Trade/Voc, Associate degree or some college	43.9%
	Bachelor's degree	DS
	Graduate or professional degree	DS
Poverty 200%	200% poverty or less	DS
	Greater than 200% poverty	19.9%
	· · ·	
Local Comparisons	Benton	12.9%
	Region	18.2%
	Stearns	16.7%
	St. Cloud	14.9%

67. Why did you not get or delay getting the dental care you thought you needed? I did not have insurance

		Checked
Sherburne Total		27.1%
Gender	Male	38.6%
	Female	16.8%
Age groups	18-34	DS
	35-44	DS
	45-54	DS
	55-64	DS
	65-74	20.4%
	75+	DS
Education	High school graduate/GED or less	DS
	Trade/Voc, Associate degree or some college	30.4%
	Bachelor's degree	DS
	Graduate or professional degree	DS
Poverty 200%	200% poverty or less	DS
	Greater than 200% poverty	27.5%
Local Comparisons	Benton	37.1%
	Region	20.8%
	Stearns	7.6%
	St. Cloud	17.2%

68. Why did you not get or delay getting the dental care you thought you needed? My dentist would not accept my insurance

		Checked
Sherburne Total		7.8%
Gender	Male	2.7%
	Female	12.4%
Age groups	18-34	DS
	35-44	DS
	45-54	DS
	55-64	DS
	65-74	1.2%
	75+	DS
Education	High school graduate/GED or less	DS
	Trade/Voc, Associate degree or some college	20.6%
	Bachelor's degree	DS
	Graduate or professional degree	DS
Poverty 200%	200% poverty or less	DS
	Greater than 200% poverty	6.7%
Local Comparisons	Benton	0.8%
	Region	5.3%
	Stearns	4.3%
	St. Cloud	4.4%

69. Why did you not get or delay getting the dental care you thought you needed? I could not get an appointment

		Checked
Sherburne Total		12.0%
Gender	Male	0.0%
	Female	23.0%
Age groups	18-34	DS
	35-44	DS
	45-54	DS
	55-64	DS
	65-74	0.0%
	75+	DS
Education	High school graduate/GED or less	DS
	Trade/Voc, Associate degree or some college	20.1%
	Bachelor's degree	DS
	Graduate or professional degree	DS
Poverty 200%	200% poverty or less	DS
	Greater than 200% poverty	12.8%
Local Comparisons	Benton	7.3%
	Region	7.3%
	Stearns	2.1%
	St. Cloud	2.8%

70. Why did you not get or delay getting the dental care you thought you needed? I had transportation problems

		Checked
Sherburne Total		0.0%
Gender	Male	0.0%
	Female	0.0%
Age groups	18-34	DS
	35-44	DS
	45-54	DS
	55-64	DS
	65-74	0.0%
	75+	DS
Education	High school graduate/GED or less	DS
	Trade/Voc, Associate degree or some college	0.0%
	Bachelor's degree	DS
	Graduate or professional degree	DS
Poverty 200%	200% poverty or less	DS
	Greater than 200% poverty	0.0%
Local Comparisons	Benton	1.3%
	Region	0.4%
	Stearns	0.5%
	St. Cloud	0.2%

71. Why did you not get or delay getting the dental care you thought you needed? I did not think it was serious enough

		Checked
Sherburne Total		29.3%
Gender	Male	42.0%
	Female	17.8%
Age groups	18-34	DS
	35-44	DS
	45-54	DS
	55-64	DS
	65-74	14.6%
	75+	DS
Education Poverty 200%	High school graduate/GED or less	DS
	Trade/Voc, Associate degree or some college	24.8%
	Bachelor's degree	DS
	Graduate or professional degree	DS
	200% poverty or less	DS
	Greater than 200% poverty	32.3%
Local Comparisons	Benton	12.2%
	Region	17.4%
	Stearns	6.5%
	St. Cloud	4.8%

72. Why did you not get or delay getting the dental care you thought you needed? I was too nervous or afraid

		Checked
Sherburne Total		12.2%
Gender	Male	0.9%
	Female	22.5%
Age groups	18-34	DS
	35-44	DS
	45-54	DS
	55-64	DS
	65-74	13.6%
	75+	DS
Education	High school graduate/GED or less	DS
	Trade/Voc, Associate degree or some college	11.2%
	Bachelor's degree	DS
	Graduate or professional degree	DS
Poverty 200%	200% poverty or less	DS
	Greater than 200% poverty	11.0%
Local Comparisons	Benton	18.6%
	Region	11.1%
	Stearns	6.9%
	St. Cloud	8.4%

73. Why did you not get or delay getting the dental care you thought you needed? I don't trust the health care system

		Checked
Sherburne Total		1.6%
Gender	Male	2.7%
	Female	0.5%
Age groups	18-34	DS
	35-44	DS
	45-54	DS
	55-64	DS
	65-74	0.0%
	75+	DS
Education	High school graduate/GED or less	DS
	Trade/Voc, Associate degree or some college	4.4%
	Bachelor's degree	DS
	Graduate or professional degree	DS
Poverty 200%	200% poverty or less	DS
	Greater than 200% poverty	1.4%
Local Comparisons	Benton	0.7%
	Region	0.8%
	Stearns	0.0%
	St. Cloud	0.4%

74. Why did you not get or delay getting the dental care you thought you needed? The clinic cancelled my appointment due to COVID-19

		Checked
Sherburne Total		4.8%
Gender	Male	0.9%
	Female	8.4%
Age groups	18-34	DS
	35-44	DS
	45-54	DS
	55-64	DS
	65-74	11.2%
	75+	DS
Education	High school graduate/GED or less	DS
	Trade/Voc, Associate degree or some college	8.2%
	Bachelor's degree	DS
	Graduate or professional degree	DS
Poverty 200%	200% poverty or less	DS
	Greater than 200% poverty	4.9%
Local Comparisons	Benton	5.1%
	Region	10.0%
	Stearns	17.6%
	St. Cloud	10.1%

75. Why did you not get or delay getting the dental care you thought you needed? I cancelled my appointment due to COVID-19

		Checked
Sherburne Total		12.5%
Gender	Male	7.7%
	Female	16.8%
Age groups	18-34	DS
	35-44	DS
	45-54	DS
	55-64	DS
	65-74	16.2%
	75+	DS
Education	High school graduate/GED or less	DS
	Trade/Voc, Associate degree or some college	3.0%
	Bachelor's degree	DS
	Graduate or professional degree	DS
Poverty 200%	200% poverty or less	DS
	Greater than 200% poverty	13.9%
	· · ·	
Local Comparisons	Benton	8.8%
	Region	15.4%
	Stearns	21.1%
	St. Cloud	20.3%

76. Why did you not get or delay getting the dental care you thought you needed? I did not have access to telehealth or a virtual visit

		Checked
Sherburne Total		0.0%
Gender	Male	0.0%
	Female	0.0%
Age groups	18-34	DS
	35-44	DS
	45-54	DS
	55-64	DS
	65-74	0.0%
	75+	DS
Education	High school graduate/GED or less	DS
	Trade/Voc, Associate degree or some college	0.0%
	Bachelor's degree	DS
	Graduate or professional degree	DS
Poverty 200%	200% poverty or less	DS
	Greater than 200% poverty	0.0%
Local Comparisons	Benton	0.3%
	Region	0.7%
	Stearns	1.6%
	St. Cloud	0.1%

77. Why did you not get or delay getting the dental care you thought you needed? Other reason

		Checked
Sherburne Total		6.7%
Gender	Male	2.9%
	Female	10.1%
Age groups	18-34	DS
	35-44	DS
	45-54	DS
	55-64	DS
	65-74	21.6%
	75+	DS
Education	High school graduate/GED or less	DS
	Trade/Voc, Associate degree or some college	6.2%
	Bachelor's degree	DS
	Graduate or professional degree	DS
Poverty 200%	200% poverty or less	DS
	Greater than 200% poverty	6.5%
Local Comparisons	Benton	2.9%
	Region	5.3%
	Stearns	4.8%
	St. Cloud	2.4%

78. During the past 12 months, was there a time when you wanted to talk with or seek help from a health professional about mental health issues such as stress, depression, excess worrying, troubling thoughts or emotional problems, but did not or delayed talking with someone?

		Yes	No
Sherburne Total		15.0%	85.0%
Gender	Male	9.3%	90.7%
	Female	20.7%	79.3%
Age groups	18-34	DS	DS
	35-44	24.7%	75.3%
	45-54	14.5%	85.5%
	55-64	8.6%	91.4%
	65-74	2.7%	97.3%
	75+	1.7%	98.3%
Education	High school graduate/GED or less	8.1%	91.9%
	Trade/Voc, Associate degree or some college	19.0%	81.0%
	Bachelor's degree	13.5%	86.5%
	Graduate or professional degree	14.2%	85.8%
Poverty 200%	200% poverty or less	16.7%	83.3%
	Greater than 200% poverty	14.9%	85.1%
Local Comparisons	Benton	20.0%	80.0%
	Region	14.5%	85.5%
	Stearns	12.9%	87.1%
	St. Cloud	18.8%	81.2%

79. Why did you not get or delay getting the mental health care you thought you needed? (Mark all that apply)

	Checked
Sherburne Total	
The care I needed cost too much	51.6%
My co-pay was too expensive	25.7%
My deductible was too expensive	32.2%
My insurance did not cover it	13.4%
I did not have insurance	14.5%
I could not get an appointment	20.9%
I had transportation problems	0.0%
I did not think it was serious enough	28.3%
I was too nervous or afraid	16.4%
I was afraid someone I know would see me	0.0%
I don't trust the health care system	10.8%
The office cancelled my appointment due to COVID-19	0.7%
I cancelled my appointment due to COVID-19	0.0%
I did not have access to telehealth or a virtual visit	0.0%
Other reason	18.0%

		Checked
Sherburne Total		51.6%
Gender	Male	DS
	Female	44.7%
Age groups	18-34	DS
	35-44	DS
	45-54	DS
	55-64	DS
	65-74	DS
	75+	DS
Education	High school graduate/GED or less	DS
	Trade/Voc, Associate degree or some college	DS
	Bachelor's degree	DS
	Graduate or professional degree	DS
Poverty 200%	200% poverty or less	DS
	Greater than 200% poverty	51.1%
Local Comparisons	Benton	35.5%
	Region	30.0%
	Stearns	13.4%
	St. Cloud	23.3%

80. Why did you not get or delay getting the mental health care you thought you needed? The care I needed cost too much

81. Why did you not get or delay getting the mental health care you thought you needed? My co-pay was too expensive

		Checked
Sherburne Total		25.7%
Gender	Male	DS
	Female	23.7%
Age groups	18-34	DS
	35-44	DS
	45-54	DS
	55-64	DS
	65-74	DS
	75+	DS
Education	High school graduate/GED or less	DS
	Trade/Voc, Associate degree or some college	DS
	Bachelor's degree	DS
	Graduate or professional degree	DS
Poverty 200%	200% poverty or less	DS
	Greater than 200% poverty	28.5%
Local Comparisons	Benton	0.7%
	Region	14.2%
	Stearns	11.9%
	St. Cloud	7.4%

		Checked
Sherburne Total		32.2%
Gender	Male	DS
	Female	33.1%
Age groups	18-34	DS
	35-44	DS
	45-54	DS
	55-64	DS
	65-74	DS
	75+	DS
Education	High school graduate/GED or less	DS
	Trade/Voc, Associate degree or some college	DS
	Bachelor's degree	DS
	Graduate or professional degree	DS
Poverty 200%	200% poverty or less	DS
	Greater than 200% poverty	36.1%
Local Comparisons	Benton	6.2%
	Region	21.1%
	Stearns	19.6%
	St. Cloud	12.0%

82. Why did you not get or delay getting the mental health care you thought you needed? My deductible was too expensive

83. Why did you not get or delay getting the mental health care you thought you needed? My insurance did not cover it

		Checked
Sherburne Total		13.4%
Gender	Male	DS
	Female	18.2%
Age groups	18-34	DS
	35-44	DS
	45-54	DS
	55-64	DS
	65-74	DS
	75+	DS
Education	High school graduate/GED or less	DS
	Trade/Voc, Associate degree or some college	DS
	Bachelor's degree	DS
	Graduate or professional degree	DS
Poverty 200%	200% poverty or less	DS
	Greater than 200% poverty	13.9%
Local Comparisons	Benton	8.0%
	Region	9.5%
	Stearns	7.5%
	St. Cloud	6.7%

84. Why did you not get or delay getting the mental health care you thought you needed? I did not have insurance

		Checked
Sherburne Total		14.5%
Gender	Male	DS
	Female	21.9%
Age groups	18-34	DS
	35-44	DS
	45-54	DS
	55-64	DS
	65-74	DS
	75+	DS
Education	High school graduate/GED or less	DS
	Trade/Voc, Associate degree or some college	DS
	Bachelor's degree	DS
	Graduate or professional degree	DS
Poverty 200%	200% poverty or less	DS
	Greater than 200% poverty	13.0%
Local Comparisons	Benton	32.3%
	Region	12.5%
	Stearns	3.4%
	St. Cloud	13.4%

		Checked
Sherburne Total		20.9%
Gender	Male	DS
	Female	30.5%
Age groups	18-34	DS
	35-44	DS
	45-54	DS
	55-64	DS
	65-74	DS
	75+	DS
Education	High school graduate/GED or less	DS
	Trade/Voc, Associate degree or some college	DS
	Bachelor's degree	DS
	Graduate or professional degree	DS
Poverty 200%	200% poverty or less	DS
	Greater than 200% poverty	19.9%
Local Comparisons	Benton	14.3%
	Region	13.6%
	Stearns	8.5%
	St. Cloud	11.6%

85. Why did you not get or delay getting the mental health care you thought you needed? I could not get an appointment

86. Why did you not get or delay getting the mental health care you thought you needed?	
I had transportation problems	

		Checked
Sherburne Total		0.0%
Gender	Male	DS
	Female	0.0%
Age groups	18-34	DS
	35-44	DS
	45-54	DS
	55-64	DS
	65-74	DS
	75+	DS
Education	High school graduate/GED or less	DS
	Trade/Voc, Associate degree or some college	DS
	Bachelor's degree	DS
	Graduate or professional degree	DS
Poverty 200%	200% poverty or less	DS
	Greater than 200% poverty	0.0%
Local Comparisons	Benton	2.4%
	Region	0.6%
	Stearns	0.3%
	St. Cloud	0.9%

		Checked
Sherburne Total		28.3%
Gender	Male	DS
	Female	37.2%
Age groups	18-34	DS
	35-44	DS
	45-54	DS
	55-64	DS
	65-74	DS
	75+	DS
Education	High school graduate/GED or less	DS
	Trade/Voc, Associate degree or some college	DS
	Bachelor's degree	DS
	Graduate or professional degree	DS
Poverty 200%	200% poverty or less	DS
	Greater than 200% poverty	26.7%
Local Comparisons	Benton	23.2%
	Region	29.2%
	Stearns	32.0%
	St. Cloud	26.8%

87. Why did you not get or delay getting the mental health care you thought you needed? I did not think it was serious enough

88. Why did you not get or delay getting the mental health care you thought you needed? I was too nervous or afraid

		Checked
Sherburne Total		16.4%
Gender	Male	DS
	Female	11.8%
Age groups	18-34	DS
	35-44	DS
	45-54	DS
	55-64	DS
	65-74	DS
	75+	DS
Education	High school graduate/GED or less	DS
	Trade/Voc, Associate degree or some college	DS
	Bachelor's degree	DS
	Graduate or professional degree	DS
Poverty 200%	200% poverty or less	DS
	Greater than 200% poverty	18.4%
Local Comparisons	Benton	61.6%
	Region	29.1%
	Stearns	24.9%
	St. Cloud	35.3%

89. Why did you not get or delay getting the mental health care you thought you needed? I was afraid someone I know would see me

		Checked
Sherburne Total		0.0%
Gender	Male	DS
	Female	0.0%
Age groups	18-34	DS
	35-44	DS
	45-54	DS
	55-64	DS
	65-74	DS
	75+	DS
Education	High school graduate/GED or less	DS
	Trade/Voc, Associate degree or some college	DS
	Bachelor's degree	DS
	Graduate or professional degree	DS
Poverty 200%	200% poverty or less	DS
	Greater than 200% poverty	0.0%
Local Comparisons	Benton	14.4%
	Region	4.8%
	Stearns	4.2%
	St. Cloud	6.8%

90. Why did you not get or delay getting the mental health care you thought you needed? I don't trust the health care system

		Checked
Sherburne Total		10.8%
Gender	Male	DS
	Female	2.0%
Age groups	18-34	DS
	35-44	DS
	45-54	DS
	55-64	DS
	65-74	DS
	75+	DS
Education	High school graduate/GED or less	DS
	Trade/Voc, Associate degree or some college	DS
	Bachelor's degree	DS
	Graduate or professional degree	DS
Poverty 200%	200% poverty or less	DS
	Greater than 200% poverty	12.1%
Local Comparisons	Benton	2.6%
	Region	7.5%
	Stearns	7.2%
	St. Cloud	1.8%

91. Why did you not get or delay getting the mental health care you thought you needed? The clinic cancelled my appointment due to COVID-19

		Checked
Sherburne Total		0.7%
Gender	Male	DS
	Female	1.0%
Age groups	18-34	DS
	35-44	DS
	45-54	DS
	55-64	DS
	65-74	DS
	75+	DS
Education	High school graduate/GED or less	DS
	Trade/Voc, Associate degree or some college	DS
	Bachelor's degree	DS
	Graduate or professional degree	DS
Poverty 200%	200% poverty or less	DS
	Greater than 200% poverty	0.8%
Local Comparisons	Benton	0.3%
	Region	0.4%
	Stearns	0.3%
	St. Cloud	0.6%

92. Why did you not get or delay getting the mental health care you thought you needed? I cancelled my appointment due to COVID-19

		Checked
Sherburne Total		0.0%
Gender	Male	DS
	Female	0.0%
Age groups	18-34	DS
	35-44	DS
	45-54	DS
	55-64	DS
	65-74	DS
	75+	DS
Education	High school graduate/GED or less	DS
	Trade/Voc, Associate degree or some college	DS
	Bachelor's degree	DS
	Graduate or professional degree	DS
Poverty 200%	200% poverty or less	DS
	Greater than 200% poverty	0.0%
Local Comparisons	Benton	4.3%
	Region	1.6%
	Stearns	1.6%
	St. Cloud	1.7%

93. Why did you not get or delay getting the mental health care you thought you needed? I did not have access to telehealth or a virtual visit

		Checked
Sherburne Total		0.0%
Gender	Male	DS
	Female	0.0%
Age groups	18-34	DS
	35-44	DS
	45-54	DS
	55-64	DS
	65-74	DS
	75+	DS
Education	High school graduate/GED or less	DS
	Trade/Voc, Associate degree or some college	DS
	Bachelor's degree	DS
	Graduate or professional degree	DS
Poverty 200%	200% poverty or less	DS
	Greater than 200% poverty	0.0%
Local Comparisons	Benton	0.4%
	Region	0.5%
	Stearns	0.8%
	St. Cloud	0.2%

94. Why did you not get or delay getting the mental health care you thought you needed? Other reason	
	Checked

		-
Sherburne Total		18.0%
Gender	Male	DS
	Female	24.2%
Age groups	18-34	DS
	35-44	DS
	45-54	DS
	55-64	DS
	65-74	DS
	75+	DS
Education	High school graduate/GED or less	DS
	Trade/Voc, Associate degree or some college	DS
	Bachelor's degree	DS
	Graduate or professional degree	DS
Poverty 200%	200% poverty or less	DS
	Greater than 200% poverty	20.2%
Local Comparisons	Benton	12.0%
	Region	20.0%
	Stearns	24.5%
	St. Cloud	20.7%

		0				
		days	1-9 days	10-19 days	20-29 days	All 30 days
Sherburne Tota	ll in the second se	55.0%	36.0%	4.8%	1.7%	2.4%
Gender	Male	58.3%	36.6%	3.8%	0.0%	1.4%
	Female	51.7%	35.5%	5.8%	3.5%	3.5%
Age groups	18-34	DS	DS	DS	DS	DS
	35-44	43.5%	50.4%	6.2%	0.0%	0.0%
	45-54	45.4%	41.4%	5.2%	5.8%	2.2%
	55-64	68.9%	19.2%	5.6%	3.3%	3.0%
	65-74	62.4%	31.8%	4.6%	0.5%	0.7%
	75+	61.8%	34.4%	2.6%	0.1%	1.1%
Education	High school graduate/GED or less	82.1%	11.1%	6.7%	0.0%	0.0%
	Trade/Voc, Associate degree or some college	45.4%	36.9%	7.0%	4.4%	6.2%
	Bachelor's degree	46.1%	51.5%	2.3%	0.1%	0.0%
	Graduate or professional degree	63.4%	33.9%	2.5%	0.0%	0.2%
Poverty 200%	200% poverty or less Greater than 200%	36.9%	48.6%	12.0%	1.9%	0.6%
	poverty	56.5%	34.8%	4.3%	1.8%	2.7%
Local Comparisons	Benton	41.3%	38.3%	11.4%	5.8%	3.2%
	Region	49.4%	37.0%	8.1%	3.4%	2.1%
	Stearns	48.1%	37.3%	9.2%	3.8%	1.6%
	St. Cloud	39.8%	39.6%	13.4%	5.3%	1.9%

95. During the past 30 days, about how many days have you felt sad, blue, or depressed?

		No prescriptions	Had prescriptions and filled them all	Had prescriptions and did not fill at least one
Sherburne Total		52.1%	47.1%	0.8%
Gender	Male	56.8%	42.9%	0.3%
	Female	47.0%	51.7%	1.3%
Age groups	18-34	DS	DS	DS
	35-44	41.7%	58.3%	0.0%
	45-54	41.4%	56.0%	2.6%
	55-64	27.9%	70.7%	1.4%
	65-74	18.8%	81.2%	0.0%
	75+	26.9%	72.7%	0.4%
Education	High school graduate/GED or less	57.8%	38.2%	4.0%
	Trade/Voc, Associate degree or some college	37.9%	61.9%	0.1%
	Bachelor's degree	59.4%	40.6%	0.0%
	Graduate or professional degree	65.3%	34.0%	0.7%
Poverty 200%	200% poverty or less Greater than 200%	24.5%	74.8%	0.7%
	poverty	55.0%	44.2%	0.8%
Local Comparisons	Benton	33.5%	61.8%	4.7%
	Region	45.2%	52.5%	2.2%
	Stearns	44.2%	53.4%	2.5%
	St. Cloud	38.5%	59.0%	2.5%

96. Which statement best describes the medications prescribed for you in the past 6 months?

97. Why did you not fill at least one prescription? (mark all that apply)

	Checked
Sherburne Total	
The medication I needed cost too much	
My co-pay was too expensive	
My deductible was too expensive	
My insurance did not cover it	
I did not have insurance	
I do not like taking medications	
I did not like the side effects	
I had transportation problems	
Pharmacy services are not available in my community	
Other reason	

**The number of respondents who did not fill a Rx was too small to be able to break out the reasons by the demographic factors, so only the overall percentages can be shown. County specific tables are also not available due to insufficient data.

98. Current insurance status

		Currently uninsured	Currently insured
Sherburne Total		2.8%	97.2%
Gender	Male	2.2%	97.8%
	Female	3.3%	96.7%
Age groups	18-34	DS	DS
	35-44	0.0%	100.0%
	45-54	6.5%	93.5%
	55-64	4.1%	95.9%
	65-74	0.0%	100.0%
	75+	0.0%	100.0%
Education	High school graduate/GED or less	6.3%	93.7%
	Trade/Voc, Associate degree or some college	4.1%	95.9%
	Bachelor's degree	0.7%	99.3%
	Graduate or professional degree	0.6%	99.4%
Poverty 200%	200% poverty or less	8.8%	91.2%
	Greater than 200% poverty	2.3%	97.7%
Local Comparisons	Benton	0.5%	99.5%
	Region	1.2%	98.8%
	Stearns	0.5%	99.5%
	St. Cloud	1.0%	99.0%

99. A serving of fruit is a medium-sized fruit or a half cup chopped, cut, or canned fruit. How many servings of fruit did you have yesterday?

		0 servings	1-2 servings	3-4 servings	5 or more servings
Sherburne Total		20.4%	65.0%	11.6%	3.0%
Gender	Male	21.5%	69.7%	5.1%	3.8%
	Female	19.2%	60.2%	18.4%	2.2%
Age groups	18-34	DS	DS	DS	DS
	35-44	26.2%	52.8%	10.6%	10.3%
	45-54	32.0%	54.1%	12.0%	1.9%
	55-64	23.7%	64.0%	12.4%	0.0%
	65-74	15.7%	66.8%	15.9%	1.6%
	75+	23.8%	60.6%	13.0%	2.7%
Education	High school graduate/GED or less	27.1%	67.3%	5.6%	0.0%
	Trade/Voc, Associate degree or some college	25.6%	61.1%	10.0%	3.3%
	Bachelor's degree	15.5%	67.0%	14.3%	3.2%
	Graduate or professional degree	12.9%	67.7%	15.2%	4.1%
Poverty 200%	200% poverty or less Greater than 200%	29.4%	59.4%	10.0%	1.3%
	poverty	19.7%	65.8%	11.3%	3.2%
Local Comparisons	Benton	22.0%	52.1%	24.5%	1.3%
	Region	23.2%	57.3%	15.6%	4.0%
	Stearns	25.1%	54.2%	15.5%	5.2%
	St. Cloud	26.7%	52.7%	14.7%	5.9%

		0 servings	1-2 servings	3-4 servings	5 or more servings
Sherburne Total		71.4%	20.6%	6.9%	1.1%
Gender	Male	66.5%	19.5%	12.5%	1.4%
	Female	76.5%	21.7%	1.0%	0.8%
Age groups	18-34	DS	DS	DS	DS
	35-44	75.2%	18.1%	4.0%	2.6%
	45-54	78.3%	16.1%	3.3%	2.2%
	55-64	69.4%	30.6%	0.0%	0.0%
	65-74	64.4%	34.6%	0.7%	0.3%
	75+	51.6%	48.2%	0.2%	0.0%
Education	High school graduate/GED or less	45.8%	14.8%	38.0%	1.5%
	Trade/Voc, Associate degree or some college	69.5%	29.9%	0.6%	0.0%
	Bachelor's degree	75.0%	19.2%	4.6%	1.1%
	Graduate or professional degree	87.8%	9.5%	0.0%	2.7%
Poverty 200%	200% poverty or less	40.7%	52.9%	3.4%	2.9%
	Greater than 200% poverty	74.7%	17.0%	7.4%	1.0%
Local	Benton	71.6%	23.5%	2.5%	2.3%
Comparisons	Region	71.1%	23.7%	4.2%	1.0%
	Stearns	70.7%	25.4%	3.2%	0.6%
	St. Cloud	70.7%	24.5%	3.7%	1.1%

100. A serving of 100% fruit juice is 6 ounces. How many servings of fruit juice did you have yesterday?

101. A serving of vegetables-not including french fries- is one cup of salad greens or half cup of vegetables. How many servings did you have yesterday?

		0 servings	1-2 servings	3-4 servings	5 or more servings
Sherburne Total		10.0%	52.3%	28.0%	9.7%
Gender	Male	13.6%	48.1%	29.2%	9.2%
	Female	6.3%	56.7%	26.8%	10.2%
Age groups	18-34	DS	DS	DS	DS
	35-44	14.6%	46.2%	22.1%	17.2%
	45-54	14.6%	44.7%	24.1%	16.6%
	55-64	13.4%	59.8%	23.3%	3.5%
	65-74	16.8%	62.5%	18.5%	2.3%
	75+	9.2%	71.5%	16.6%	2.7%
Education	High school graduate/GED or less	19.1%	39.3%	40.8%	0.9%
	Trade/Voc, Associate degree or some college	11.7%	63.1%	15.4%	9.9%
	Bachelor's degree	6.0%	62.0%	22.6%	9.4%
	Graduate or professional degree	5.9%	31.7%	47.2%	15.2%
Poverty 200%	200% poverty or less Greater than 200%	14.4%	47.1%	15.1%	23.4%
	poverty	9.9%	52.9%	29.1%	8.1%
Local Comparisons	Benton	16.2%	60.2%	20.1%	3.4%
	Region	12.6%	54.4%	24.6%	8.4%
	Stearns	13.1%	54.1%	23.8%	9.0%
	St. Cloud	14.2%	57.5%	19.7%	8.6%

		0 servings	1-2 servings	3-4 servings	5 or more servings
Sherburne Total		3.9%	25.5%	30.8%	39.7%
Gender	Male	4.6%	32.0%	23.7%	39.7%
	Female	3.1%	18.9%	38.2%	39.8%
Age groups	18-34	DS	DS	DS	DS
	35-44	4.9%	21.8%	32.3%	41.0%
	45-54	5.1%	33.4%	24.8%	36.7%
	55-64	7.4%	30.8%	30.6%	31.2%
	65-74	7.9%	23.0%	35.5%	33.6%
	75+	4.3%	25.7%	41.4%	28.6%
Education	High school graduate/GED or less	5.4%	25.0%	25.3%	44.2%
	Trade/Voc, Associate degree or some college	3.7%	33.2%	33.7%	29.5%
	Bachelor's degree	1.8%	32.8%	32.3%	33.1%
	Graduate or professional degree	5.5%	5.3%	28.2%	61.0%
Poverty 200%	200% poverty or less Greater than 200%	8.9%	17.5%	29.4%	44.2%
	poverty	3.5%	26.6%	30.6%	39.2%
Local Comparisons	Benton	3.5%	27.6%	32.9%	36.0%
	Region	4.3%	25.3%	29.0%	41.5%
	Stearns	4.8%	24.5%	26.9%	43.8%
	St. Cloud	2.9%	29.2%	26.4%	41.6%

102. How many servings of fruits and vegetables did you have yesterday?

103. How often did you drink the following beverages in the past week?

	Never or less than 1 time per week	1 time per week	2-4 times per week	5-6 times per week	1 time per day	2-3 times per day	4 or more times per day
Sherburne Total							
Fruit drinks (such as Snapple, flavored teas, Capri Sun or Kool- Aid)	71.6%	13.6%	6.8%	6.2%	0.4%	1.3%	0.2%
Sports drinks (such as Gatorade or Powerade); these drinks usually do not have caffeine	79.3%	6.1%	5.6%	7.8%	0.8%	0.4%	0.0%
Regular soda or pop (include all kinds such as Coke, Pepsi, 7- Up, Sprite or root beer)	44.6%	15.1%	17.4%	10.3%	8.8%	2.2%	1.6%
Energy drinks (such as Rockstar, Red Bull, Monster or Full Throttle); these drinks usually have caffeine	74.9%	7.1%	11.8%	2.2%	2.8%	1.2%	0.0%

104. How often did you drink fruit drinks in the past week?

	_	Never or less than 1 time per week	1 time per week	2-4 times per week	5-6 times per week	1 time per day	2-3 times per day	4 or more times per day
Sherburne Tot	tal	71.6%	13.6%	6.8%	6.2%	0.4%	1.3%	0.2%
Gender	Male	58.8%	17.1%	10.9%	11.6%	0.0%	1.4%	0.2%
	Female	84.8%	9.9%	2.6%	0.7%	0.9%	1.1%	0.1%
Age groups	18-34	DS	DS	DS	DS	DS	DS	DS
	35-44	70.7%	15.2%	13.2%	0.9%	0.0%	0.0%	0.0%
	45-54	83.5%	7.5%	5.6%	3.4%	0.0%	0.0%	0.0%
	55-64	86.7%	3.2%	4.7%	1.5%	2.0%	1.6%	0.2%
	65-74	74.4%	7.1%	11.7%	2.0%	1.6%	1.3%	2.0%
	75+	72.1%	8.6%	6.2%	2.4%	1.9%	8.8%	0.0%
Education	High school graduate/GED or less Trade/Voc, Associate degree or some college	48.2% 71.7%	4.0% 12.5%	13.3% 9.2%	34.2% 2.3%	0.1% 0.9%	0.0% 3.1%	0.3% 0.3%
	Bachelor's degree Graduate or professional	83.0%	10.2%	5.6%	0.6%	0.4%	0.3%	0.0%
Descentes	degree	73.5%	25.3%	0.0%	1.2%	0.0%	0.0%	0.0%
Poverty 200%	200% poverty or less Greater than 200%	48.4%	15.3%	26.6%	4.4%	0.3%	4.4%	0.5%
	poverty	72.8%	13.8%	5.2%	6.6%	0.5%	1.0%	0.1%
Local Comparisons	Benton	65.6%	9.4%	21.7%	1.7%	0.8%	0.4%	0.4%
0011120115	Region	75.1%	9.1%	11.1%	2.7%	0.7%	1.0%	0.2%
	Stearns	79.7%	6.5%	10.7%	0.9%	0.9%	1.0%	0.3%
	St. Cloud	73.1%	6.7%	16.3%	1.4%	1.1%	1.4%	0.1%

105. How often did you drink sports drinks in the past week?

		Never or less than 1 time per week	1 time per week	2-4 times per week	5-6 times per week	1 time per day	2-3 times per day	4 or more times per day
Sherburne Tot	tal	79.3%	6.1%	5.6%	7.8%	0.8%	0.4%	0.0%
Gender	Male	74.7%	2.6%	6.2%	14.7%	1.2%	0.5%	0.0%
	Female	84.2%	9.7%	5.0%	0.5%	0.4%	0.3%	0.0%
Age groups	18-34	DS	DS	DS	DS	DS	DS	DS
	35-44	77.9%	6.9%	6.0%	9.2%	0.0%	0.0%	0.0%
	45-54	81.3%	7.1%	6.9%	3.4%	0.0%	1.2%	0.0%
	55-64	93.2%	3.4%	1.4%	0.0%	1.4%	0.7%	0.0%
	65-74	87.9%	6.6%	3.5%	1.4%	0.0%	0.7%	0.0%
	75+	90.3%	2.9%	4.0%	2.5%	0.3%	0.0%	0.0%
Education	High school graduate/GED or less	61.9%	2.5%	2.1%	33.4%	0.0%	0.0%	0.0%
	Trade/Voc, Associate degree or some college	78.3%	7.9%	4.9%	5.8%	2.1%	1.0%	0.0%
	Bachelor's degree	82.4%	6.5%	8.8%	2.3%	0.0%	0.0%	0.0%
	Graduate or professional degree	88.5%	4.9%	5.5%	1.1%	0.0%	0.0%	0.0%
Poverty 200%	200% poverty or less	65.5%	3.9%	5.5%	23.5%	0.0%	1.7%	0.0%
20070	Greater than 200% poverty	80.2%	6.3%	5.7%	6.6%	0.9%	0.3%	0.0%
Local	Benton	73.1%	15.3%	6.0%	2.3%	0.4%	2.8%	0.1%
Comparisons	Region	81.2%	8.4%	5.0%	3.1%	1.4%	0.9%	0.1%
	Stearns	84.4%	7.8%	4.4%	0.7%	1.9%	0.6%	0.2%
	St. Cloud	82.7%	9.9%	4.6%	0.3%	0.7%	1.9%	0.0%

106. How often did you drink regular soda/pop in the past week?

		Never or less than 1 time per week	1 time per week	2-4 times per week	5-6 times per week	1 time per day	2-3 times per day	4 or more times per day
Sherburne Tot	al	44.6%	15.1%	17.4%	10.3%	8.8%	2.2%	1.6%
Gender	Male	41.1%	11.8%	16.0%	16.3%	11.9%	0.5%	2.4%
	Female	48.2%	18.6%	18.8%	4.2%	5.5%	3.9%	0.9%
Age groups	18-34	DS	DS	DS	DS	DS	DS	DS
	35-44	49.8%	15.4%	16.5%	14.0%	0.0%	3.4%	0.9%
	45-54	46.2%	16.6%	20.4%	4.2%	3.8%	3.3%	5.3%
	55-64	47.7%	22.5%	18.7%	3.1%	3.7%	2.3%	2.1%
	65-74	50.2%	17.0%	13.0%	8.1%	7.2%	4.6%	0.0%
	75+	59.2%	16.1%	17.7%	3.5%	1.9%	1.7%	0.0%
Education	High school graduate/GED or less	22.6%	19.9%	19.5%	36.6%	1.5%	0.0%	0.0%
	Trade/Voc, Associate degree or some college	41.2%	18.8%	16.2%	11.1%	8.1%	2.1%	2.4%
	Bachelor's degree	65.8%	8.5%	17.9%	2.0%	1.6%	1.4%	2.9%
	Graduate or professional degree	41.4%	12.6%	17.5%	1.7%	22.4%	4.4%	0.0%
Poverty	200% poverty or less	38.1%	11.3%	10.3%	32.7%	4.1%	0.9%	2.7%
200%	Greater than 200% poverty	45.9%	15.0%	17.7%	8.6%	9.4%	2.3%	1.1%
Local	Benton	46.8%	12.2%	22.3%	4.4%	7.3%	6.4%	0.6%
Comparisons	Region	44.8%	14.8%	18.8%	6.3%	8.1%	5.5%	1.7%
	Stearns	44.5%	15.3%	18.7%	4.4%	8.0%	7.2%	2.0%
	St. Cloud	46.7%	12.7%	19.6%	4.6%	7.6%	6.8%	2.1%

107. How often did you drink energy drinks in the past week?

		Never or less than 1 time per week	1 time per week	2-4 times per week	5-6 times per week	1 time per day	2-3 times per day	4 or more times per day
Sherburne Tot	tal	74.9%	7.1%	11.8%	2.2%	2.8%	1.2%	0.0%
Gender	Male	57.4%	12.1%	22.1%	3.6%	2.4%	2.4%	0.0%
	Female	92.9%	2.0%	1.0%	0.8%	3.3%	0.0%	0.0%
Age groups	18-34	DS	DS	DS	DS	DS	DS	DS
	35-44	81.0%	4.1%	1.1%	9.8%	4.0%	0.0%	0.0%
	45-54	84.9%	4.4%	5.1%	0.0%	0.0%	5.6%	0.0%
	55-64	97.2%	0.0%	0.0%	0.0%	2.8%	0.0%	0.0%
	65-74	97.4%	0.0%	1.3%	0.0%	1.3%	0.0%	0.0%
	75+	97.6%	0.1%	2.3%	0.0%	0.0%	0.0%	0.0%
Education	High school graduate/GED or less	53.5%	1.5%	39.9%	0.0%	0.0%	5.1%	0.0%
	Trade/Voc, Associate degree or some college	80.9%	3.1%	2.7%	4.8%	7.2%	1.3%	0.0%
	Bachelor's degree	77.5%	2.0%	20.2%	0.0%	0.3%	0.0%	0.0%
	Graduate or professional degree	75.2%	23.1%	0.0%	1.7%	0.0%	0.0%	0.0%
Poverty	200% poverty or less	89.3%	8.2%	1.4%	0.0%	1.1%	0.0%	0.0%
200%	Greater than 200% poverty	72.9%	7.2%	13.0%	2.5%	3.0%	1.3%	0.0%
Local	Benton	87.7%	3.1%	7.5%	0.2%	0.6%	1.0%	0.0%
Comparisons	Region	84.5%	4.8%	6.3%	2.5%	1.2%	0.6%	0.0%
	Stearns	89.3%	4.0%	2.9%	3.2%	0.5%	0.1%	0.1%
	St. Cloud	86.8%	5.0%	5.0%	3.1%	0.1%	0.1%	0.0%

		Yes	No
Sherburne Total		8.1%	91.9%
Gender	Male	11.5%	88.5%
	Female	4.6%	95.4%
Age groups	18-34	DS	DS
	35-44	3.8%	96.2%
	45-54	4.7%	95.3%
	55-64	3.3%	96.7%
	65-74	4.6%	95.4%
	75+	7.6%	92.4%
Education	High school graduate/GED or less	41.7%	58.3%
	Trade/Voc, Associate degree or some college	4.2%	95.8%
	Bachelor's degree	2.0%	98.0%
	Graduate or professional degree	0.0%	100.0%
Poverty 200%	200% poverty or less	21.1%	78.9%
	Greater than 200% poverty	7.2%	92.8%
Local Comparisons	Benton	11.4%	88.6%
	Region	6.4%	93.6%
	Stearns	4.1%	95.9%
	St. Cloud	5.9%	94.1%

108. During the past 12 months, have you used a community food shelf program or a community food box program?

109. How often do you or others in your household buy or get food from the following places?

	Never or less than 1 time per month	About 1 time per month	About 2 or 3 times per month	About 1 time per week	2 or more times per week
Sherburne Total					
Supermarket or large grocery store	0.6%	7.8%	31.6%	38.1%	21.9%
Small grocery store	37.8%	22.4%	14.7%	17.9%	7.2%
Convenience store or gas station	52.6%	19.5%	11.6%	11.6%	4.7%
Food shelf, food pantry or community	92.9%	6.2%	0.6%	0.0%	0.2%
food box program					
Some other place	94.9%	1.9%	2.1%	0.1%	1.0%

110. How often do you or others in your household buy or get food from a <u>supermarket or large</u> <u>grocery store</u>?

		Never/Less than once per month	Once per month	2-3 times per month	Once per week	2+ times per week
Sherburne Tot	al	0.6%	7.8%	31.6%	38.1%	21.9%
Gender	Male	0.0%	12.2%	35.6%	35.0%	17.2%
	Female	1.1%	3.3%	27.5%	41.2%	26.9%
Age groups	18-34	DS	DS	DS	DS	DS
	35-44	1.1%	2.3%	29.6%	43.7%	23.3%
	45-54	1.3%	10.8%	25.0%	38.2%	24.6%
	55-64	0.0%	0.2%	27.0%	50.0%	22.8%
	65-74	0.0%	0.7%	15.9%	55.9%	27.5%
	75+	0.5%	3.4%	36.1%	28.3%	31.7%
Education	High school graduate/GED or less Trade/Voc, Associate degree or some	1.0%	0.4% 4.1%	62.8% 19.8%	26.4%	9.4%
	college				50.8%	25.0%
	Bachelor's degree	0.0%	3.2%	40.3%	36.2%	20.2%
	Graduate or professional degree	1.2%	23.9%	22.2%	25.8%	27.0%
Poverty 200%	200% poverty or less Greater than 200%	0.1%	1.6%	44.7%	35.4%	18.2%
	poverty	0.6%	8.6%	31.2%	38.0%	21.7%
Local	Benton	4.7%	5.4%	23.6%	47.3%	18.9%
Comparisons	Region	1.6%	7.1%	29.0%	43.2%	19.1%
	Stearns	1.4%	7.0%	29.0%	45.0%	17.5%
	St. Cloud	2.0%	5.4%	23.4%	48.2%	21.0%

		Never/Less than once per month	Once per month	2-3 times per month	Once per week	2+ times per week
Sherburne To	tal	37.8%	22.4%	14.7%	17.9%	7.2%
Gender	Male	33.7%	29.3%	12.6%	21.0%	3.4%
	Female	41.9%	15.4%	16.8%	14.9%	11.0%
Age groups	18-34	DS	DS	DS	DS	DS
	35-44	25.9%	31.3%	18.9%	21.4%	2.5%
	45-54	37.9%	22.8%	16.7%	17.9%	4.7%
	55-64	39.0%	21.9%	23.3%	10.8%	5.0%
	65-74	48.1%	20.6%	13.5%	13.6%	4.2%
	75+	63.1%	14.9%	3.9%	6.0%	12.0%
Education	High school graduate/GED or less Trade/Voc, Associate degree or some college	37.6% 26.2%	47.1% 19.1%	3.6% 21.6%	9.0% 18.8%	2.7% 14.4%
	Bachelor's degree Graduate or professional degree	42.8% 50.4%	20.6% 13.2%	16.0% 10.0%	15.0% 25.6%	5.7% 0.8%
Poverty 200%	200% poverty or less Greater than 200% poverty	26.0% 39.3%	18.3% 22.6%	38.7% 12.3%	4.3%	12.8% 6.9%
		59.570	22.070	12.570	19.070	0.970
Local	Benton	44.0%	19.1%	12.3%	20.2%	4.4%
Comparisons	Region	34.8%	21.3%	16.3%	23.0%	4.6%
	Stearns	30.7%	21.3%	18.1%	26.7%	3.2%
	St. Cloud	38.0%	21.6%	14.5%	24.5%	1.5%
		20.075			=	

111. How often do you or others in your household buy or get food from a small grocery store?

112. How often do you or others in your household buy or get food from a <u>convenience store or gas</u> <u>station</u>?

		Never/Less than once per month	Once per month	2-3 times per month	Once per week	2+ times per week
Sherburne Tot	tal	52.6%	19.5%	11.6%	11.6%	4.7%
Gender	Male	47.7%	23.1%	11.0%	15.7%	2.4%
	Female	57.8%	15.7%	12.1%	7.3%	7.0%
Age groups	18-34	DS	DS	DS	DS	DS
	35-44	36.2%	36.9%	12.7%	9.0%	5.2%
	45-54	51.9%	26.4%	17.5%	2.3%	2.0%
	55-64	54.3%	26.1%	8.6%	2.6%	8.3%
	65-74	70.0%	15.1%	4.8%	8.5%	1.6%
	75+	72.8%	7.1%	3.5%	10.4%	6.1%
Education	High school graduate/GED or less	35.8%	6.9%	19.2%	36.2%	2.0%
	Trade/Voc, Associate degree or some college	39.7%	31.4%	8.4%	10.3%	10.2%
	Bachelor's degree	63.1%	12.0%	22.2%	1.5%	1.1%
	Graduate or professional degree	69.9%	17.9%	0.0%	9.8%	2.4%
Poverty 200%	200% poverty or less Greater than 200%	38.5%	36.5%	8.3%	3.2%	13.5%
	poverty	53.5%	18.3%	12.2%	12.1%	4.0%
Local Comparisons	Benton	39.7%	18.8%	29.3%	5.9%	6.4%
	Region	49.7%	20.3%	14.6%	8.4%	7.0%
	Stearns	50.7%	21.1%	12.3%	7.3%	8.5%
	St. Cloud	45.1%	23.0%	18.2%	7.2%	6.5%

		Never/Less than once per month	Once per month	2-3 times per month	Once per week	2+ times per week
Sherburne Tot	al	92.9%	6.2%	0.6%	0.0%	0.2%
Gender	Male	89.0%	10.9%	0.0%	0.0%	0.1%
	Female	97.0%	1.2%	1.3%	0.0%	0.4%
Age groups	18-34	DS	DS	DS	DS	DS
	35-44	97.0%	1.7%	1.3%	0.0%	0.0%
	45-54	98.5%	0.8%	0.7%	0.0%	0.0%
	55-64	97.7%	0.4%	0.0%	0.0%	1.9%
	65-74	95.9%	4.1%	0.0%	0.0%	0.0%
	75+	94.8%	2.9%	2.3%	0.0%	0.0%
Education	High school graduate/GED or less	59.3%	37.7%	3.0%	0.0%	0.0%
	Trade/Voc, Associate degree or some college	97.6%	1.4%	0.4%	0.0%	0.7%
	Bachelor's degree	99.4%	0.4%	0.3%	0.0%	0.0%
	Graduate or professional degree	100.0%	0.0%	0.0%	0.070	0.0%
Poverty	200% poverty or less	82.5%	11.1%	6.0%	0.0%	0.4%
200%	Greater than 200% poverty	93.7%	5.9%	0.2%	0.0%	0.2%
Local	Benton	96.6%	2.5%	0.9%	0.0%	0.0%
Comparisons	Region	95.4%	3.7%	0.3%	0.4%	0.1%
	Stearns	96.5%	2.7%	0.0%	0.7%	0.0%
	St. Cloud	96.4%	2.7%	0.3%	0.7%	0.0%

113. How often do you or others in your household buy or get food from a <u>food shelf or food pantry</u>?

		Never/Less than once per month	Once per month	2-3 times per month	Once per week	2+ times per week
Sherburne Tot	al	94.9%	1.9%	2.1%	0.1%	1.0%
Gender	Male	98.7%	0.3%	0.6%	0.3%	0.1%
	Female	89.6%	4.1%	4.0%	0.0%	2.2%
Age groups	18-34	DS	DS	DS	DS	DS
	35-44	94.0%	0.0%	2.1%	0.0%	3.9%
	45-54	90.2%	1.1%	7.6%	0.0%	1.1%
	55-64	91.6%	8.0%	0.0%	0.0%	0.4%
	65-74	89.0%	7.8%	0.6%	2.7%	0.0%
	75+	92.4%	5.9%	0.0%	0.0%	1.7%
Education	High school graduate/GED or less	94.2%	2.7%	2.2%	0.9%	0.0%
	Trade/Voc, Associate degree or some college	90.1%	3.9%	5.7%	0.0%	0.3%
	Bachelor's degree	99.4%	0.6%	0.0%	0.0%	0.0%
	Graduate or professional degree	96.1%	0.6%	0.0%	0.0%	3.3%
Poverty 200%	200% poverty or less Greater than 200%	90.5%	0.2%	7.2%	0.0%	2.1%
	poverty	94.9%	2.1%	1.9%	0.2%	1.0%
Local Comparisons	Benton	90.5%	3.4%	4.8%	1.1%	0.2%
50mpan30n5	Region	92.5%	2.9%	2.2%	1.4%	0.9%
	Stearns	91.7%	3.3%	1.6%	2.3%	1.1%
	St. Cloud	92.6%	2.2%	2.8%	2.3%	0.2%

114. How often do you or others in your household buy or get food from some other place?

		Often	Sometimes	Rarely	Never
Sherburne Total		0.6%	4.4%	15.4%	79.5%
Gender	Male	0.0%	2.5%	16.8%	80.7%
	Female	1.3%	6.5%	14.0%	78.2%
Age groups	18-34	DS	DS	DS	DS
	35-44	0.0%	0.9%	7.0%	92.1%
	45-54	1.9%	9.1%	19.1%	69.9%
	55-64	0.9%	4.7%	10.9%	83.6%
	65-74	0.0%	2.7%	7.1%	90.1%
	75+	0.0%	0.2%	1.1%	98.7%
Education	High school graduate/GED or less	0.0%	11.1%	40.8%	48.1%
	Trade/Voc, Associate degree or some college	1.7%	5.8%	20.1%	72.4%
	Bachelor's degree	0.0%	1.9%	5.5%	92.7%
	Graduate or professional degree	0.0%	0.6%	2.3%	97.1%
Poverty 200%	200% poverty or less	7.8%	11.1%	16.5%	64.6%
	Greater than 200% poverty	0.0%	4.0%	15.4%	80.6%
Local Comparisons	Benton	1.5%	9.5%	7.5%	81.6%
	Region	0.9%	5.3%	11.0%	82.7%
	Stearns	0.9%	4.7%	9.5%	84.8%
	St. Cloud	1.4%	7.1%	10.3%	81.2%

115. During the past 12 months, how often did you worry that your food would run out before you had money to buy more?

		Yes	No
Sherburne Total		90.3%	9.7%
Gender	Male	92.4%	7.6%
	Female	88.2%	11.8%
Age groups	18-34	DS	DS
	35-44	96.3%	3.7%
	45-54	87.5%	12.5%
	55-64	86.4%	13.6%
	65-74	76.7%	23.3%
	75+	74.1%	25.9%
Education	High school graduate/GED or less	85.1%	14.9%
	Trade/Voc, Associate degree or some college	82.4%	17.6%
	Bachelor's degree	97.6%	2.4%
	Graduate or professional degree	97.7%	2.3%
Poverty 200%	200% poverty or less	67.6%	32.4%
	Greater than 200% poverty	92.1%	7.9%
Local Comparisons	Benton	70.2%	29.8%
	Region	84.8%	15.2%
	Stearns	85.8%	14.2%
	St. Cloud	80.0%	20.0%

116. During the past 30 days, other than your regular job, did you participate in any physical activity or exercises such as running, calisthenics, golf, gardening or walking for exercise?

		0 days	1-4 days	5-7 days
Sherburne Tota	ll second se	10.9%	58.0%	31.0%
Gender	Male	14.6%	59.2%	26.2%
	Female	7.3%	56.8%	35.9%
Age groups	18-34	DS	DS	DS
	35-44	6.3%	54.9%	38.8%
	45-54	7.9%	66.4%	25.8%
	55-64	8.7%	58.9%	32.5%
	65-74	16.7%	48.9%	34.3%
	75+	19.6%	54.8%	25.6%
Education	High school graduate/GED or less	5.7%	74.1%	20.2%
	Trade/Voc, Associate degree or some college	7.9%	56.3%	35.9%
	Bachelor's degree	26.7%	43.6%	29.8%
	Graduate or professional degree	1.9%	67.4%	30.7%
Poverty 200%	200% poverty or less	10.9%	44.5%	44.5%
	Greater than 200% poverty	10.8%	59.8%	29.5%
Local	Benton	11.6%	67.9%	20.5%
Comparisons	Region	11.1%	60.2%	28.7%
	Stearns	11.0%	59.4%	29.5%
	St. Cloud	9.6%	60.6%	29.8%

117. During an average week, other than your regular job, on how many days do you get at least 30 minutes of moderate physical activity? (Moderate activities cause only light sweating and a small increase in breathing or heart rate.)

118. During an average week, other than your regular job, on how many days do you get at least 20
minutes of vigorous physical activity? (Vigorous activities cause heavy sweating and a large
increase in breathing and heart rate.)

		0 days	1-2 days	3-7 days
Sherburne Tota	ll second se	28.2%	36.1%	35.7%
Gender	Male	30.0%	37.6%	32.4%
	Female	26.4%	34.4%	39.2%
Age groups	18-34	DS	DS	DS
	35-44	13.9%	35.7%	50.4%
	45-54	22.8%	38.8%	38.4%
	55-64	26.8%	41.0%	32.2%
	65-74	36.9%	26.0%	37.0%
	75+	61.7%	21.7%	16.6%
Education	High school graduate/GED or less	18.8%	57.0%	24.1%
	Trade/Voc, Associate degree or some college	20.6%	42.1%	37.4%
	Bachelor's degree	45.2%	23.0%	31.8%
	Graduate or professional degree	28.7%	27.3%	44.0%
Poverty 200%	200% poverty or less	44.3%	12.6%	43.1%
	Greater than 200% poverty	26.7%	38.7%	34.6%
Local	Benton	41.2%	39.1%	19.7%
Comparisons	Region	34.1%	36.4%	29.5%
	Stearns	35.5%	35.8%	28.7%
	St. Cloud	39.3%	36.6%	24.1%

119. Meets physical activity guideline (moderate activity for 30 minutes for 5+ days per week or vigorous activity for 20 minutes for 3+ days per week or both)

		Does not meet guideline	Meets guideline
Sherburne Total		55.9%	44.1%
Gender	Male	59.7%	40.3%
	Female	52.0%	48.0%
Age groups	18-34	DS	DS
	35-44	46.3%	53.7%
	45-54	52.8%	47.2%
	55-64	52.6%	47.4%
	65-74	50.9%	49.1%
	75+	64.8%	35.2%
Education	High school graduate/GED or less	68.1%	31.9%
	Trade/Voc, Associate degree or some college	50.1%	49.9%
	Bachelor's degree	62.7%	37.3%
	Graduate or professional degree	50.6%	49.4%
Poverty 200%	200% poverty or less	47.2%	52.8%
	Greater than 200% poverty	56.9%	43.1%
Local Comparisons	Benton	69.0%	31.0%
	Region	60.5%	39.5%
	Stearns	60.9%	39.1%
	St. Cloud	62.5%	37.5%

120. How much of a problem are the following factors for you in terms of preventing you from being more physically active?

	Not a problem	A small problem	A big problem
Sherburne Total			
Lack of programs or facilities	78.8%	18.1%	3.1%
Public facilities (schools, sports fields, etc.) are not open or available at the times I want to use them	77.9%	15.0%	7.1%
Distance I have to travel to a fitness or community center, parks or walking trails	75.8%	13.2%	11.0%
No safe place to be physically active	89.9%	9.9%	0.2%
Not having sidewalks or walking paths/trails	76.2%	14.4%	9.4%
Poor maintenance of sidewalks or walking paths/trails	78.6%	14.5%	6.8%
Other reason	65.0%	3.8%	31.2%

121. How much of a problem are the following factors for you in terms of preventing you from being more physically active? Lack of programs or facilities

		Not a problem	A small problem	A big problem
Sherburne Total		78.8%	18.1%	3.1%
Gender	Male	73.1%	22.8%	4.1%
-	Female	84.8%	13.1%	2.1%
Age groups	18-34	DS	DS	DS
	35-44	70.3%	19.3%	10.4%
	45-54	79.5%	17.4%	3.1%
	55-64	84.4%	15.4%	0.2%
	65-74	79.2%	20.1%	0.7%
	75+	99.2%	0.8%	0.0%
Education	High school graduate/GED or less	84.2%	12.8%	3.1%
	Trade/Voc, Associate degree or some college	75.4%	21.3%	3.3%
	Bachelor's degree	88.8%	6.3%	4.9%
	Graduate or professional degree	70.3%	28.6%	1.1%
Poverty 200%	200% poverty or less	57.5%	42.0%	0.6%
	Greater than 200% poverty	80.0%	16.5%	3.4%
Local	Benton	77.7%	19.6%	2.7%
Comparisons	Region	78.9%	18.8%	2.2%
	Stearns	79.4%	19.0%	1.6%
	St. Cloud	80.1%	19.0%	0.9%

122. How much of a problem are the following factors for you in terms of preventing you from being more physically active?

Public facilities are not open or available the times I want to use them

		Not a problem	A small problem	A big problem
Sherburne Tota	1	77.9%	15.0%	7.1%
Gender	Male	74.5%	17.1%	8.4%
	Female	81.6%	12.7%	5.7%
Age groups	18-34	DS	DS	DS
	35-44	75.0%	7.6%	17.4%
	45-54	75.6%	23.3%	1.1%
	55-64	88.7%	6.8%	4.5%
	65-74	85.5%	13.8%	0.7%
	75+	99.1%	0.6%	0.2%
Education	High school graduate/GED or less	45.2%	54.5%	0.4%
	Trade/Voc, Associate degree or some college	75.8%	10.3%	13.9%
	Bachelor's degree	92.6%	2.5%	4.9%
	Graduate or professional degree	85.5%	12.2%	2.3%
Poverty 200%	200% poverty or less	62.6%	12.6%	24.8%
	Greater than 200% poverty	79.3%	15.2%	5.5%
Local	Benton	79.7%	15.3%	5.0%
Comparisons	Region	79.1%	14.5%	6.5%
	Stearns	79.6%	14.0%	6.5%
	St. Cloud	80.4%	13.9%	5.6%

123. How much of a problem are the following factors for you in terms of preventing you from being more physically active?

Distance I have to travel to a fitness or community center, parks or walking trails

		Not a problem	A small problem	A big problem
Sherburne Tota	al	75.8%	13.2%	11.0%
Gender	Male	76.9%	9.1%	13.9%
	Female	74.6%	17.5%	7.9%
Age groups	18-34	DS	DS	DS
	35-44	72.5%	14.2%	13.3%
	45-54	81.5%	14.7%	3.8%
	55-64	87.5%	9.3%	3.3%
	65-74	82.8%	13.7%	3.4%
	75+	88.4%	7.1%	4.6%
Education	High school graduate/GED or less	82.1%	14.3%	3.6%
	Trade/Voc, Associate degree or some college	71.0%	21.0%	8.1%
	Bachelor's degree	87.1%	6.9%	6.0%
	Graduate or professional degree	67.9%	6.4%	25.7%
Poverty 200%	200% poverty or less	78.9%	19.1%	2.0%
	Greater than 200% poverty	75.6%	12.4%	12.0%
Local	Benton	76.1%	12.4%	11.5%
Comparisons	Region	78.6%	13.5%	7.9%
	Stearns	80.8%	14.0%	5.2%
	St. Cloud	81.9%	12.1%	6.0%

124. How much of a problem are the following factors for you in terms of preventing you from being more physically active? No safe place to be physically active

		Not a problem	A small problem	A big problem
Sherburne Tota		89.9%	9.9%	0.2%
Gender	Male	94.0%	6.0%	0.0%
	Female	85.6%	13.9%	0.5%
Age groups	18-34	DS	DS	DS
	35-44	93.7%	6.3%	0.0%
	45-54	87.6%	12.4%	0.0%
	55-64	98.8%	1.0%	0.2%
	65-74	91.3%	5.3%	3.4%
	75+	94.7%	5.3%	0.0%
Education	High school graduate/GED or less	92.0%	6.8%	1.2%
	Trade/Voc, Associate degree or some college	78.6%	21.2%	0.2%
	Bachelor's degree	97.8%	2.2%	0.0%
	Graduate or professional degree	98.9%	1.1%	0.0%
Poverty 200%	200% poverty or less	83.8%	15.7%	0.6%
	Greater than 200% poverty	90.5%	9.3%	0.2%
Local	Benton	82.9%	7.6%	9.5%
Comparisons	Region	88.6%	7.9%	3.5%
	Stearns	89.3%	6.9%	3.9%
	St. Cloud	85.7%	8.2%	6.0%

125. How much of a problem are the following factors for you in terms of preventing you from being more physically active? Not having sidewalks or walking paths/trails

		Not a problem	A small problem	A big problem
Sherburne Tota	1	76.2%	14.4%	9.4%
Gender	Male	76.6%	15.4%	8.0%
	Female	75.8%	13.5%	10.8%
Age groups	18-34	DS	DS	DS
	35-44	60.5%	25.5%	14.0%
	45-54	82.4%	16.9%	0.7%
	55-64	73.5%	14.5%	12.0%
	65-74	81.4%	10.9%	7.7%
	75+	87.7%	8.2%	4.1%
Education	High school graduate/GED or less	81.9%	15.6%	2.5%
	Trade/Voc, Associate degree or some college	61.9%	17.7%	20.4%
	Bachelor's degree	80.0%	15.4%	4.6%
	Graduate or professional degree	92.3%	7.3%	0.4%
Poverty 200%	200% poverty or less	65.0%	30.2%	4.8%
	Greater than 200% poverty	77.7%	12.7%	9.6%
Local	Benton	76.8%	16.7%	6.5%
Comparisons	Region	77.4%	15.2%	7.4%
	Stearns	78.2%	15.2%	6.6%
	St. Cloud	78.1%	16.6%	5.3%

126. How much of a problem are the following factors for you in terms of preventing you from being more physically active?

Poor maintenance of sidewalks or walking paths/trails

		Not a problem	A small problem	A big problem
Sherburne Tota	i i	78.6%	14.5%	6.8%
Gender	Male	72.0%	23.2%	4.8%
	Female	85.8%	5.1%	9.1%
Age groups	18-34	DS	DS	DS
	35-44	75.6%	15.6%	8.8%
	45-54	88.4%	11.6%	0.0%
	55-64	82.6%	12.3%	5.1%
	65-74	86.6%	9.7%	3.7%
	75+	92.9%	3.3%	3.8%
Education	High school graduate/GED or less	88.8%	10.9%	0.4%
	Trade/Voc, Associate degree or some college	69.2%	15.7%	15.1%
	Bachelor's degree	73.5%	26.2%	0.4%
	Graduate or professional degree	93.2%	2.7%	4.1%
Poverty 200%	200% poverty or less	60.3%	32.6%	7.1%
	Greater than 200% poverty	80.2%	12.8%	7.0%
Local	Benton	81.2%	9.4%	9.4%
Comparisons	Region	84.0%	10.9%	5.1%
	Stearns	87.7%	9.3%	3.0%
	St. Cloud	84.0%	11.3%	4.7%

127. How much of a problem are the following factors for you in terms of preventing you from being more physically active? Other reasons

		Not a problem	A small problem	A big problem
Sherburne Tota	al	65.0%	3.8%	31.2%
Gender	Male	65.5%	3.4%	31.1%
	Female	64.5%	4.1%	31.4%
Age groups	18-34	DS	DS	DS
	35-44	DS	DS	DS
	45-54	68.5%	5.3%	26.2%
	55-64	65.4%	9.4%	25.2%
	65-74	65.9%	9.6%	24.5%
	75+	83.7%	0.3%	16.0%
Education	High school graduate/GED or less	90.3%	1.5%	8.2%
	Trade/Voc, Associate degree or some college	64.2%	2.1%	33.7%
	Bachelor's degree	34.5%	10.7%	54.8%
	Graduate or professional degree	79.1%	0.8%	20.0%
Poverty 200%	200% poverty or less	51.6%	2.7%	45.7%
	Greater than 200% poverty	64.6%	4.0%	31.5%
Local	Benton	80.9%	3.1%	16.0%
Comparisons	Region	74.2%	4.8%	21.0%
	Stearns	77.7%	6.1%	16.3%
	St. Cloud	78.7%	5.2%	16.1%

128. How often do you feel safe in your community?

		Often	Sometimes	Rarely	Never
Sherburne Total		93.7%	5.1%	1.1%	0.1%
Gender	Male	96.3%	2.1%	1.4%	0.2%
	Female	90.9%	8.2%	0.8%	0.0%
Age groups	18-34	DS	DS	DS	DS
	35-44	94.0%	6.0%	0.0%	0.0%
	45-54	97.8%	0.6%	1.6%	0.0%
	55-64	93.8%	6.0%	0.2%	0.0%
	65-74	93.0%	3.9%	2.0%	1.1%
	75+	97.4%	1.8%	0.3%	0.4%
Education	High school graduate/GED or less	90.7%	8.6%	0.4%	0.3%
	Trade/Voc, Associate degree or some college	94.1%	3.1%	2.8%	0.0%
	Bachelor's degree	97.0%	2.9%	0.0%	0.1%
	Graduate or professional degree	91.1%	8.9%	0.0%	0.0%
Poverty 200%	200% poverty or less Greater than 200%	91.2%	7.9%	0.6%	0.3%
	poverty	93.7%	5.0%	1.2%	0.1%
Local Comparisons	Benton	82.8%	14.8%	1.1%	1.3%
	Region	87.8%	7.3%	3.8%	1.1%
	Stearns	85.8%	6.5%	6.0%	1.7%
	St. Cloud	80.4%	10.5%	7.3%	1.7%

129. If you were to experience or witness a crime or harassment in your community, how safe would you feel calling the police or sheriff for help?

		Very safe	Fairly safe	Not very safe	Not at all safe
Sherburne Total		72.6%	25.4%	1.2%	0.8%
Gender	Male	63.0%	35.2%	1.2%	0.6%
	Female	82.6%	15.2%	1.2%	0.9%
Age groups	18-34	DS	DS	DS	DS
	35-44	76.7%	23.3%	0.0%	0.0%
	45-54	86.6%	11.5%	0.0%	1.9%
	55-64	75.9%	24.0%	0.2%	0.0%
	65-74	81.5%	14.4%	3.5%	0.6%
	75+	77.2%	22.5%	0.3%	0.0%
Education	High school graduate/GED or less	55.5%	39.6%	4.6%	0.3%
	Trade/Voc, Associate degree or some college	72.8%	25.5%	0.6%	1.1%
	Bachelor's degree	85.1%	12.4%	1.2%	1.2%
	Graduate or professional degree	69.4%	30.6%	0.0%	0.0%
Poverty 200%	200% poverty or less Greater than 200%	48.0%	41.4%	4.7%	5.8%
	poverty	74.5%	24.3%	0.9%	0.3%
Local Comparisons	Benton	71.7%	18.9%	8.3%	1.1%
	Region	75.9%	20.7%	2.5%	0.9%
	Stearns	78.7%	18.5%	1.7%	1.0%
	St. Cloud	74.1%	20.3%	4.2%	1.4%

130. During the past 12 months, have you <u>applied for a job</u>? If yes, have you felt you were discriminated against when you <u>applied for a job</u>?

		Experienced the situation	Experienced discrimination
Sherburne Total		16.7%	19.2%
Gender	Male	19.2%	DS
	Female	14.0%	DS
Age groups	18-34	DS	DS
	35-44	18.2%	DS
	45-54	14.5%	DS
	55-64	10.1%	DS
	65-74	2.5%	DS
	75+	0.1%	DS
Education	High school graduate/GED or less	5.7%	DS
	Trade/Voc, Associate degree or some college	19.7%	DS
	Bachelor's degree	28.2%	DS
	Graduate or professional degree	6.1%	DS
Poverty 200%	200% poverty or less	37.9%	0.0%
	Greater than 200% poverty	15.3%	DS
Local	Benton	14.2%	8.7%
Comparisons	Region	15.0%	14.7%
	Stearns	14.3%	13.5%
	St. Cloud	17.5%	13.8%

131. During the past 12 months, have you <u>worked at a job</u>? If yes, have you felt you were discriminated against when you <u>worked at a job</u>?

		Experienced the situation	Experienced discrimination
Sherburne Total		65.9%	7.0%
Gender	Male	60.8%	7.8%
	Female	71.2%	6.4%
Age groups	18-34	DS	DS
	35-44	70.6%	0.7%
	45-54	67.9%	12.8%
	55-64	49.3%	16.3%
	65-74	26.4%	DS
	75+	10.6%	DS
Education	High school graduate/GED or less	29.9%	DS
	Trade/Voc, Associate degree or some college	61.3%	11.5%
	Bachelor's degree	77.6%	2.0%
	Graduate or professional degree	83.0%	5.9%
Poverty 200%	200% poverty or less	60.2%	DS
	Greater than 200% poverty	66.7%	7.5%
Local	Benton	60.7%	15.8%
Comparisons	Region	63.9%	7.7%
	Stearns	63.6%	5.8%
	St. Cloud	65.3%	8.8%

DS: Data suppressed due to < 30 responses

132. During the past 12 months, have you <u>received medical care</u>? If yes, have you felt you were discriminated against when you <u>received medical care</u>?

		Experienced the situation	Experienced discrimination
Sherburne Total		52.4%	3.5%
Gender	Male	37.4%	0.0%
	Female	68.1%	5.5%
Age groups	18-34	DS	DS
	35-44	51.8%	DS
	45-54	57.5%	1.4%
	55-64	56.1%	0.7%
	65-74	58.4%	0.0%
	75+	56.0%	0.4%
Education	High school graduate/GED or less	29.4%	DS
	Trade/Voc, Associate degree or some college	62.6%	6.9%
	Bachelor's degree	58.9%	0.0%
	Graduate or professional degree	42.3%	0.0%
Poverty 200%	200% poverty or less	45.7%	9.0%
	Greater than 200% poverty	53.4%	3.2%
Local	Benton	64.5%	11.2%
Comparisons	Region	55.7%	4.0%
	Stearns	55.1%	2.1%
	St. Cloud	61.3%	4.9%

133. During the past 12 months, have you <u>looked for a different house or apartment</u>? If yes, have you felt you were discriminated against when you <u>looked for a different house or</u> <u>apartment</u>?

		Experienced the situation	Experienced discrimination
Sherburne Total		13.6%	DS
Gender	Male	14.0%	DS
	Female	13.2%	DS
Age groups	18-34	DS	DS
	35-44	6.2%	DS
	45-54	3.6%	DS
	55-64	6.5%	DS
	65-74	0.1%	DS
	75+	5.5%	DS
Education	High school graduate/GED or less	3.2%	DS
	Trade/Voc, Associate degree or some college	4.9%	DS
	Bachelor's degree	16.0%	DS
	Graduate or professional degree	32.0%	DS
Poverty 200%	200% poverty or less	11.6%	DS
	Greater than 200% poverty	13.7%	DS
Local	Benton	15.0%	DS
Comparisons	Region	10.8%	9.6%
	Stearns	7.9%	1.2%
	St. Cloud	10.8%	22.3%

134. During the past 12 months, have you <u>applied for a credit card, bank loan or a mortgage</u>? If yes, have you felt you were discriminated against when you <u>applied for a credit card, bank loan or</u> <u>a mortgage</u>?

		Experienced the situation	Experienced discrimination
Sherburne Total		38.7%	1.4%
Gender	Male	45.0%	DS
	Female	32.1%	1.5%
Age groups	18-34	DS	DS
	35-44	49.7%	DS
	45-54	28.6%	DS
	55-64	12.8%	DS
	65-74	10.1%	DS
	75+	7.4%	DS
Education	High school graduate/GED or less	43.2%	DS
	Trade/Voc, Associate degree or some college	37.2%	0.1%
	Bachelor's degree	25.9%	DS
	Graduate or professional degree	52.4%	DS
Poverty 200%	200% poverty or less	39.8%	DS
	Greater than 200% poverty	39.6%	0.8%
Local	Benton	29.5%	6.2%
Comparisons	Region	30.1%	2.3%
	Stearns	25.2%	1.9%
	St. Cloud	27.6%	4.2%

135. During the past 12 months, have you <u>shopped at a store or eaten at a restaurant</u>? If yes, have you felt you were discriminated against when you <u>shopped at a store or eaten at a</u> <u>restaurant</u>?

		Experienced the situation	Experienced discrimination
Sherburne Total		81.0%	3.7%
Gender	Male	80.1%	0.0%
	Female	82.1%	7.3%
Age groups	18-34	DS	DS
	35-44	75.7%	2.5%
	45-54	75.0%	0.9%
	55-64	67.3%	2.6%
	65-74	68.7%	0.0%
	75+	63.0%	0.0%
Education	High school graduate/GED or less	77.8%	0.0%
	Trade/Voc, Associate degree or some college	77.7%	10.2%
	Bachelor's degree	84.4%	0.0%
	Graduate or professional degree	85.0%	0.7%
Poverty 200%	200% poverty or less	78.1%	0.0%
	Greater than 200% poverty	81.9%	4.0%
Local Comparisons	Benton	74.0%	8.9%
	Region	78.2%	3.2%
	Stearns	77.7%	1.3%
	St. Cloud	79.4%	3.6%

136. During the past 12 months, have you <u>applied for social services or public assistance</u>? If yes, have you felt you were discriminated against when you <u>applied for social services or public</u> <u>assistance</u>?

		Experienced the situation	Experienced discrimination
Sherburne Total		3.6%	DS
Gender	Male	5.9%	DS
	Female	1.3%	DS
Age groups	18-34	DS	DS
	35-44	8.1%	DS
	45-54	5.8%	DS
	55-64	1.8%	DS
	65-74	0.2%	DS
	75+	0.4%	DS
Education	High school graduate/GED or less	1.0%	DS
	Trade/Voc, Associate degree or some college	7.7%	DS
	Bachelor's degree	0.9%	DS
	Graduate or professional degree	1.2%	DS
Poverty 200%	200% poverty or less	28.4%	DS
	Greater than 200% poverty	1.6%	DS
Local	Benton	10.3%	DS
Comparisons	Region	4.4%	29.3%
	Stearns	3.2%	DS
	St. Cloud	5.3%	DS

137. During the past 12 months, have you <u>dealt with the police</u>? If yes, have you felt you were discriminated against when you <u>dealt with the police</u>?

		Experienced the situation	Experienced discrimination
Sherburne Total		22.7%	5.4%
Gender	Male	28.3%	DS
	Female	16.7%	DS
Age groups	18-34	DS	DS
	35-44	10.8%	DS
	45-54	22.5%	DS
	55-64	9.8%	DS
	65-74	11.3%	DS
	75+	5.3%	DS
Education	High school graduate/GED or less	42.7%	DS
	Trade/Voc, Associate degree or some college	12.9%	DS
	Bachelor's degree	14.1%	DS
	Graduate or professional degree	36.0%	DS
Poverty 200%	200% poverty or less	13.8%	DS
	Greater than 200% poverty	23.7%	2.9%
Local	Benton	18.6%	40.6%
Comparisons	Region	16.7%	9.4%
	Stearns	12.6%	1.1%
	St. Cloud	16.1%	18.1%

138. During the past 12 months, have you <u>appeared in court</u>? If yes, have you felt you were discriminated against when you <u>appeared in court</u>?

		Experienced the situation	Experienced discrimination
Sherburne Total		0.8%	DS
Gender	Male	1.0%	DS
	Female	0.5%	DS
Age groups	18-34	DS	DS
	35-44	1.5%	DS
	45-54	1.1%	DS
	55-64	0.2%	DS
	65-74	0.4%	DS
	75+	0.0%	DS
Education	High school graduate/GED or less	0.2%	DS
	Trade/Voc, Associate degree or some college	0.9%	DS
	Bachelor's degree	0.6%	DS
	Graduate or professional degree	1.1%	DS
Poverty 200%	200% poverty or less	4.3%	DS
	Greater than 200% poverty	0.5%	DS
Local	Benton	1.5%	DS
Comparisons	Region	1.8%	DS
	Stearns	2.5%	DS
	St. Cloud	3.1%	DS

139. Experienced discrimination during any of the following situations:

applying for a job, working at a job, receiving medical care, looking for a different house or apartment, applying for a credit card, bank loan or a mortgage, shopping at a store or eating at a restaurant, applying for social services or public assistance, dealing with the police

		Experienced discrimination	Did not experience discrimination
Sherburne Total		13.5%	86.5%
Gender	Male	13.1%	86.9%
	Female	14.0%	86.0%
Age groups	18-34	DS	DS
	35-44	7.6%	92.4%
	45-54	27.7%	72.3%
	55-64	22.9%	77.1%
	65-74	3.7%	96.3%
	75+	1.0%	99.0%
Education	High school graduate/GED or less	8.2%	91.8%
	Trade/Voc, Associate degree or some college	22.9%	77.1%
	Bachelor's degree	7.7%	92.3%
	Graduate or professional degree	8.1%	91.9%
Poverty 200%	200% poverty or less	20.2%	79.8%
	Greater than 200% poverty	13.2%	86.8%
Local	Benton	22.5%	77.5%
Comparisons	Region	37.1%	62.9%
	Stearns	13.9%	86.1%
	St. Cloud	18.7%	81.3%

140. If you felt discriminated against in any of the above situations, what was the reason(s)? (mark all that apply)

	Checked
Sherburne Total	
I did not experience any discrimination	86.5%
Race, color, ethnicity or country of origin	6.3%
Age	4.2%
Gender	5.2%
Sexual orientation	0.9%
Gender identity	0.2%
Disability	0.8%
Religion	0.2%
Being overweight or obese	2.8%
Other	2.2%

141. If you felt discriminated against in any of the above situations, what was the reason(s)? Race, color, ethnicity or country of origin

		Checked
Sherburne Total		6.3%
Gender	Male	9.6%
	Female	2.8%
Age groups	18-34	DS
	35-44	3.2%
	45-54	18.2%
	55-64	5.6%
	65-74	1.0%
	75+	0.2%
Education	High school graduate/GED or less	2.9%
	Trade/Voc, Associate degree or some college	9.5%
	Bachelor's degree	4.7%
	Graduate or professional degree	4.9%
Poverty 200%	200% poverty or less	6.2%
	Greater than 200% poverty	6.4%
Local Comparisons	Benton	3.7%
	Region	3.1%
	Stearns	3.2%
	St. Cloud	4.7%

142. If you felt discriminated against in any of the above situations, what was the reason(s)?
Age

		Checked
Sherburne Total		4.2%
Gender	Male	6.2%
	Female	2.1%
Age groups	18-34	DS
	35-44	0.0%
	45-54	10.1%
	55-64	12.4%
	65-74	2.5%
	75+	0.3%
Education	High school graduate/GED or less	4.0%
	Trade/Voc, Associate degree or some college	6.3%
	Bachelor's degree	6.0%
	Graduate or professional degree	0.0%
Poverty 200%	200% poverty or less	6.1%
	Greater than 200% poverty	4.1%
Local Comparisons	Benton	12.9%
	Region	3.9%
	Stearns	3.9%
	St. Cloud	7.3%

		Checked
Sherburne Total		5.2%
Gender	Male	2.5%
	Female	8.0%
Age groups	18-34	DS
	35-44	2.6%
	45-54	8.2%
	55-64	4.2%
	65-74	1.5%
	75+	0.0%
Education	High school graduate/GED or less	0.0%
	Trade/Voc, Associate degree or some college	13.1%
	Bachelor's degree	1.4%
	Graduate or professional degree	0.0%
Poverty 200%	200% poverty or less	14.7%
	Greater than 200% poverty	4.4%
Local Comparisons	Benton	11.2%
	Region	2.9%
	Stearns	1.2%
	St. Cloud	3.9%

143. If you felt discriminated against in any of the above situations, what was the reason(s)? Gender

		Checked
Sherburne Total		0.9%
Gender	Male	0.0%
	Female	1.8%
Age groups	18-34	DS
	35-44	0.0%
	45-54	3.3%
	55-64	0.0%
	65-74	0.2%
	75+	0.0%
Education	High school graduate/GED or less	0.0%
	Trade/Voc, Associate degree or some college	1.4%
	Bachelor's degree	0.0%
	Graduate or professional degree	1.4%
Poverty 200%	200% poverty or less	1.8%
	Greater than 200% poverty	0.8%
Local Comparisons	Benton	7.7%
	Region	1.3%
	Stearns	0.7%
	St. Cloud	2.6%

144. If you felt discriminated against in any of the above situations, what was the reason(s)? Sexual orientation

		Checked
Sherburne Total		0.2%
Gender	Male	0.0%
	Female	0.3%
Age groups	18-34	DS
	35-44	0.0%
	45-54	0.0%
	55-64	0.0%
	65-74	0.2%
	75+	0.0%
Education	High school graduate/GED or less	0.0%
	Trade/Voc, Associate degree or some college	0.4%
	Bachelor's degree	0.0%
	Graduate or professional degree	0.0%
Poverty 200%	200% poverty or less	1.8%
	Greater than 200% poverty	0.0%
Local Comparisons	Benton	7.8%
	Region	0.9%
	Stearns	0.0%
	St. Cloud	2.6%

145. If you felt discriminated against in any of the above situations, what was the reason(s)? Gender identity

		Checked
Sherburne Total		0.8%
Gender	Male	0.0%
	Female	1.6%
Age groups	18-34	DS
	35-44	0.0%
	45-54	0.8%
	55-64	3.5%
	65-74	1.0%
	75+	0.0%
Education	High school graduate/GED or less	0.0%
	Trade/Voc, Associate degree or some college	1.6%
	Bachelor's degree	0.0%
	Graduate or professional degree	0.7%
Poverty 200%	200% poverty or less	3.2%
	Greater than 200% poverty	0.6%
Local Comparisons	Benton	11.6%
	Region	3.0%
	Stearns	4.0%
	St. Cloud	7.3%

146. If you felt discriminated against in any of the above situations, what was the reason(s)? Disability

		Checked
Sherburne Total		0.2%
Gender	Male	0.0%
	Female	0.5%
Age groups	18-34	DS
	35-44	0.0%
	45-54	0.0%
	55-64	2.1%
	65-74	0.0%
	75+	0.0%
Education	High school graduate/GED or less	0.0%
	Trade/Voc, Associate degree or some college	0.6%
	Bachelor's degree	0.0%
	Graduate or professional degree	0.0%
Poverty 200%	200% poverty or less	0.0%
	Greater than 200% poverty	0.3%
Local Comparisons	Benton	1.5%
	Region	0.5%
	Stearns	0.8%
	St. Cloud	1.0%

147. If you felt discriminated against in any of the above situations, what was the reason(s)? Religion

		Checked
Sherburne Total		2.8%
Gender	Male	0.1%
	Female	5.6%
Age groups	18-34	DS
	35-44	0.0%
	45-54	0.0%
	55-64	5.0%
	65-74	0.7%
	75+	0.0%
Education	High school graduate/GED or less	0.0%
	Trade/Voc, Associate degree or some college	6.6%
	Bachelor's degree	1.4%
	Graduate or professional degree	0.0%
Poverty 200%	200% poverty or less	3.7%
	Greater than 200% poverty	2.7%
Local Comparisons	Benton	9.3%
	Region	1.8%
	Stearns	0.5%
	St. Cloud	3.1%

148. If you felt discriminated against in any of the above situations, what was the reason(s)? Being overweight or obese

149. If you felt discriminated against in any of the above situations, what was the reason(s)? Other

		Checked
Sherburne Total		2.2%
Gender	Male	2.4%
	Female	2.0%
Age groups	18-34	DS
	35-44	3.5%
	45-54	1.4%
	55-64	10.5%
	65-74	0.2%
	75+	0.5%
Education	High school graduate/GED or less	3.7%
	Trade/Voc, Associate degree or some college	2.6%
	Bachelor's degree	1.7%
	Graduate or professional degree	1.2%
Poverty 200%	200% poverty or less	2.8%
	Greater than 200% poverty	2.2%
Local Comparisons	Benton	6.5%
	Region	3.2%
	Stearns	5.0%
	St. Cloud	6.4%

150. Do you use any of the following products?

	Current user
Sherburne Total	
Cigarettes	11.6%
Cigars, cigarillos or little cigars	4.7%
Pipe	6.4%
Snuff, snus or chewing tobacco	9.3%
E-cigarettes or vaping devices to smoke nicotine products	7.9%
A hookah water pipe	0.3%
Any other type of tobacco product	7.0%

151. Cigarette smoking status

		Current smoker	Former smoker	Never smoked
Sherburne Tota	l	11.6%	23.6%	64.7%
Gender	Male	16.3%	24.4%	59.3%
	Female	6.8%	22.8%	70.3%
Age groups	18-34	DS	DS	DS
	35-44	3.8%	26.9%	69.3%
	45-54	15.2%	10.9%	73.8%
	55-64	7.4%	14.5%	78.0%
	65-74	11.4%	40.5%	48.1%
	75+	3.5%	44.1%	52.3%
Education	High school graduate/GED or less	50.2%	16.0%	33.8%
	Trade/Voc, Associate degree or some college	7.8%	30.5%	61.7%
	Bachelor's degree	3.6%	30.0%	66.3%
	Graduate or professional degree	2.8%	10.0%	87.2%
Poverty 200%	200% poverty or less	10.1%	19.5%	70.4%
	Greater than 200% poverty	11.6%	24.5%	63.9%
Local	Benton	9.4%	19.9%	70.7%
Comparisons	Region	9.6%	20.4%	70.0%
	Stearns	8.6%	18.7%	72.7%
	St. Cloud	8.8%	18.8%	72.4%

		Yes
Sherburne Total		73.9%
Gender	Male	85.5%
	Female	45.1%
Age groups	18-34	DS
	35-44	DS
	45-54	DS
	55-64	DS
	65-74	DS
	75+	DS
Education	High school graduate/GED or less	87.8%
	Trade/Voc, Associate degree or some college	DS
	Bachelor's degree	DS
	Graduate or professional degree	DS
Poverty 200%	200% poverty or less	DS
	Greater than 200% poverty	79.5%
Local Comparisons	Benton	31.6%
	Region	54.1%
	Stearns	45.6%
	St. Cloud	41.2%

152. Quit cigarette smoking for one day or more during the past 12 months, among current smokers

153. Cigar smoking status

		Non- smoker	Current smoker
Sherburne Total		95.3%	4.7%
Gender	Male	91.4%	8.6%
	Female	99.3%	0.7%
Age groups	18-34	DS	DS
	35-44	86.1%	13.9%
	45-54	96.8%	3.2%
	55-64	95.9%	4.1%
	65-74	96.7%	3.3%
	75+	97.8%	2.2%
Education	High school graduate/GED or less	96.8%	3.2%
	Trade/Voc, Associate degree or some college	92.2%	7.8%
	Bachelor's degree	95.9%	4.1%
	Graduate or professional degree	99.0%	1.0%
Poverty 200%	200% poverty or less	89.5%	10.5%
	Greater than 200% poverty	95.7%	4.3%
Local Comparisons	Benton	98.6%	1.4%
	Region	96.2%	3.8%
	Stearns	96.2%	3.8%
	St. Cloud	98.2%	1.8%

154. Pipe smoking status

		Non- smoker	Current smoker
Sherburne Total		93.6%	6.4%
Gender	Male	88.0%	12.0%
	Female	99.5%	0.5%
Age groups	18-34	DS	DS
	35-44	97.9%	2.1%
	45-54	100.0%	0.0%
	55-64	97.8%	2.2%
	65-74	97.3%	2.7%
	75+	100.0%	0.0%
Education	High school graduate/GED or less	67.2%	32.8%
	Trade/Voc, Associate degree or some college	96.9%	3.1%
	Bachelor's degree	99.7%	0.3%
	Graduate or professional degree	98.7%	1.3%
Poverty 200%	200% poverty or less	97.3%	2.7%
	Greater than 200% poverty	93.1%	6.9%
Local Comparisons	Benton	100.0%	0.0%
	Region	97.5%	2.5%
	Stearns	99.1%	0.9%
	St. Cloud	98.8%	1.2%

		Non-user	Current user
Sherburne Total		90.7%	9.3%
Gender	Male	81.6%	18.4%
	Female	100.0%	0.0%
Age groups	18-34	DS	DS
	35-44	87.9%	12.1%
	45-54	91.8%	8.2%
	55-64	100.0%	0.0%
	65-74	100.0%	0.0%
	75+	99.7%	0.3%
Education	High school graduate/GED or less	88.3%	11.7%
	Trade/Voc, Associate degree or some college	97.5%	2.5%
	Bachelor's degree	77.1%	22.9%
	Graduate or professional degree	95.8%	4.2%
Poverty 200%	200% poverty or less	100.0%	0.0%
	Greater than 200% poverty	89.6%	10.4%
Local Comparisons	Benton	98.1%	1.9%
	Region	94.5%	5.5%
	Stearns	95.7%	4.3%
	St. Cloud	96.5%	3.5%

		Non- smoker	Current smoker
Sherburne Total		92.1%	7.9%
Gender	Male	87.5%	12.5%
	Female	96.8%	3.2%
Age groups	18-34	DS	DS
	35-44	96.0%	4.0%
	45-54	93.9%	6.1%
	55-64	99.1%	0.9%
	65-74	100.0%	0.0%
	75+	98.4%	1.6%
Education	High school graduate/GED or less	64.3%	35.7%
	Trade/Voc, Associate degree or some college	94.7%	5.3%
	Bachelor's degree	97.3%	2.7%
	Graduate or professional degree	100.0%	0.0%
Poverty 200%	200% poverty or less	98.9%	1.1%
	Greater than 200% poverty	91.3%	8.7%
Local Comparisons	Benton	97.9%	2.1%
	Region	95.5%	4.5%
	Stearns	96.8%	3.2%
	St. Cloud	97.2%	2.8%

156. E-cigarette use status (e-cigarettes or vaping devices to smoke nicotine products)

157. Hookah use status

		Non-user	Current user
Sherburne Total		99.7%	0.3%
Gender	Male	100.0%	0.0%
	Female	99.5%	0.5%
Age groups	18-34	DS	DS
	35-44	98.9%	1.1%
	45-54	100.0%	0.0%
	55-64	100.0%	0.0%
	65-74	100.0%	0.0%
	75+	100.0%	0.0%
Education	High school graduate/GED or less	100.0%	0.0%
	Trade/Voc, Associate degree or some college	99.3%	0.7%
	Bachelor's degree	100.0%	0.0%
	Graduate or professional degree	100.0%	0.0%
Poverty 200%	200% poverty or less	100.0%	0.0%
	Greater than 200% poverty	99.7%	0.3%
Local Comparisons	Benton	99.4%	0.6%
	Region	99.8%	0.2%
	Stearns	100.0%	0.0%
	St. Cloud	99.8%	0.2%

158. Other tobacco use

		Non-user	Current user
Sherburne Total		93.0%	7.0%
Gender	Male	88.2%	11.8%
	Female	98.1%	1.9%
Age groups	18-34	DS	DS
	35-44	98.3%	1.7%
	45-54	98.6%	1.4%
	55-64	95.4%	4.6%
	65-74	97.2%	2.8%
	75+	98.4%	1.6%
Education	High school graduate/GED or less	64.8%	35.2%
	Trade/Voc, Associate degree or some college	96.4%	3.6%
	Bachelor's degree	98.4%	1.6%
	Graduate or professional degree	100.0%	0.0%
Poverty 200%	200% poverty or less	99.9%	0.1%
	Greater than 200% poverty	92.2%	7.8%
Local Comparisons	Benton	95.8%	4.2%
	Region	95.7%	4.3%
	Stearns	97.2%	2.8%
	St. Cloud	96.1%	3.9%

159. Any tobacco use (including e-cigarettes)

		Non-user	Current user
Sherburne Total		74.8%	25.2%
Gender	Male	58.8%	41.2%
	Female	91.4%	8.6%
Age groups	18-34	DS	DS
	35-44	70.0%	30.0%
	45-54	75.7%	24.3%
	55-64	85.8%	14.2%
	65-74	89.5%	10.5%
	75+	92.8%	7.2%
Education	High school graduate/GED or less	43.4%	56.6%
	Trade/Voc, Associate degree or some college	78.9%	21.1%
	Bachelor's degree	71.2%	28.8%
	Graduate or professional degree	91.6%	8.4%
Poverty 200%	200% poverty or less	86.3%	13.7%
	Greater than 200% poverty	73.6%	26.4%
Local Comparisons	Benton	87.6%	12.4%
	Region	81.4%	18.6%
	Stearns	83.5%	16.5%
	St. Cloud	86.2%	13.8%

160. How often do you feel lonely or isolated from those around you?
--

		Always	Often	Sometimes	Rarely	Never
Sherburne Tot	al	1.5%	2.6%	23.9%	33.4%	38.6%
Gender	Male	0.0%	1.2%	23.4%	37.3%	38.2%
	Female	3.1%	4.0%	24.5%	29.3%	39.1%
Age groups	18-34	DS	DS	DS	DS	DS
	35-44	0.0%	1.7%	20.3%	34.1%	43.9%
	45-54	0.0%	4.3%	27.4%	23.4%	44.9%
	55-64	0.5%	3.9%	19.5%	21.9%	54.1%
	65-74	0.0%	3.3%	8.5%	45.7%	42.5%
	75+	0.0%	2.0%	17.7%	30.4%	49.8%
Education	High school graduate/GED or less	0.0%	3.0%	8.9%	59.7%	28.5%
	Trade/Voc, Associate degree or some college	4.0%	3.0%	21.6%	25.0%	46.4%
	Bachelor's degree	0.0%	3.7%	41.3%	15.7%	39.2%
	Graduate or professional degree	0.0%	0.4%	18.6%	50.3%	30.7%
Poverty 200%	200% poverty or less Greater than 200%	0.0%	4.5%	27.3%	40.3%	28.0%
	poverty	1.7%	2.5%	24.2%	33.0%	38.6%
Local Comparisons	Benton	1.8%	12.1%	20.1%	27.9%	38.2%
	Region	2.8%	5.5%	20.9%	31.6%	39.3%
	Stearns	3.7%	5.4%	19.4%	31.5%	40.0%
	St. Cloud	4.6%	8.1%	23.0%	30.2%	34.0%

161. Have you ever considered attempting suicide? (mark ALL that apply)

	Checked
Sherburne Total	
No	84.0%
Yes, during the last 6 months	2.0%
Yes, during the last year	1.4%
Yes, more than a year ago	13.1%

162. Have you ever considered attempting suicide? No

		Checked
Sherburne Total		84.0%
Gender	Male	82.9%
	Female	85.2%
Age groups	18-34	DS
	35-44	93.3%
	45-54	89.0%
	55-64	93.5%
	65-74	95.7%
	75+	93.8%
Education	High school graduate/GED or less	93.9%
	Trade/Voc, Associate degree or some college	82.9%
	Bachelor's degree	76.8%
	Graduate or professional degree	87.5%
Poverty 200%	200% poverty or less	84.5%
	Greater than 200% poverty	83.6%
Local Comparisons	Benton	78.7%
	Region	84.7%
	Stearns	86.6%
	St. Cloud	80.7%

163. Have you ever considered attempting suicide? Yes, during the last 6 months

		Checked
Sherburne Total		2.0%
Gender	Male	0.6%
	Female	3.4%
Age groups	18-34	DS
	35-44	0.0%
	45-54	1.2%
	55-64	0.4%
	65-74	0.6%
	75+	1.6%
Education	High school graduate/GED or less	0.0%
	Trade/Voc, Associate degree or some college	4.7%
	Bachelor's degree	0.0%
	Graduate or professional degree	0.7%
Poverty 200%	200% poverty or less	0.8%
	Greater than 200% poverty	2.1%
Local Comparisons	Benton	8.1%
	Region	2.7%
	Stearns	1.7%
	St. Cloud	3.9%

164. Have you ever considered attempting suicide? Yes, during the last year

		Checked
Sherburne Total		1.4%
Gender	Male	1.9%
	Female	0.8%
Age groups	18-34	DS
	35-44	0.0%
	45-54	5.2%
	55-64	0.7%
	65-74	0.6%
	75+	0.0%
Education	High school graduate/GED or less	0.0%
	Trade/Voc, Associate degree or some college	0.9%
	Bachelor's degree	0.2%
	Graduate or professional degree	4.3%
Poverty 200%	200% poverty or less	1.1%
	Greater than 200% poverty	1.4%
Local Comparisons	Benton	8.4%
	Region	3.0%
	Stearns	2.4%
	St. Cloud	5.0%

165. Have you ever considered attempting suicide? Yes, more than a year ago

		Checked
Sherburne Total		13.1%
Gender	Male	15.5%
	Female	10.7%
Age groups	18-34	DS
	35-44	6.7%
	45-54	7.0%
	55-64	4.8%
	65-74	3.1%
	75+	0.3%
Education	High school graduate/GED or less	5.2%
	Trade/Voc, Associate degree or some college	12.5%
	Bachelor's degree	23.0%
	Graduate or professional degree	8.5%
Poverty 200%	200% poverty or less	13.5%
	Greater than 200% poverty	13.4%
Local Comparisons	Benton	15.1%
	Region	11.9%
	Stearns	10.3%
	St. Cloud	15.7%

166. Have you experienced any losses related to the COVID-19 pandemic? (mark ALL that apply)

	Checked
Sherburne Total	
None	25.5%
Job (layoff, furlough, hours reduction)	26.7%
Income	26.6%
Housing	0.9%
Health Insurance	11.3%
Transportation	0.3%
Childcare	10.6%
Regular school	25.3%
routine	
Social connectedness	49.1%
Social support	16.4%
Sense of wellness	25.4%
Recreation or	48.2%
entertainment	
Exercise opportunities	28.5%
Death of a family member or friend	14.5%
Other	2.8%

167. Have you experienced any losses related to the COVID-19 pande	mic?
--	------

		No losses due to COVID	Any losses due to COVID
Sherburne Total		25.5%	74.5%
Gender	Male	27.9%	72.1%
	Female	23.1%	76.9%
Age groups	18-34	DS	DS
	35-44	20.3%	79.7%
	45-54	24.9%	75.1%
	55-64	26.2%	73.8%
	65-74	29.2%	70.8%
	75+	52.7%	47.3%
Education	High school graduate/GED or less	14.1%	85.9%
	Trade/Voc, Associate degree or some college	22.1%	77.9%
	Bachelor's degree	40.0%	60.0%
	Graduate or professional degree	23.0%	77.0%
Poverty 200%	200% poverty or less	30.0%	70.0%
	Greater than 200% poverty	24.6%	75.4%
Local Comparisons	Benton	27.3%	72.7%
	Region	27.3%	72.7%
	Stearns	28.3%	71.7%
	St. Cloud	24.7%	75.3%

168. Have you experienced any losses related to the COVID-19 pandemic? Job (lay off, furlough, hours reduction)

		Checked
Sherburne Total		26.7%
Gender	Male	27.9%
	Female	25.4%
Age groups	18-34	DS
	35-44	28.8%
	45-54	29.8%
	55-64	21.2%
	65-74	9.1%
	75+	1.7%
Education	High school graduate/GED or less	39.5%
	Trade/Voc, Associate degree or some college	36.6%
	Bachelor's degree	18.8%
	Graduate or professional degree	10.8%
Poverty 200%	200% poverty or less	38.5%
	Greater than 200% poverty	25.7%
Local Comparisons	Benton	21.8%
	Region	18.5%
	Stearns	13.0%
	St. Cloud	16.0%

169. Have you experienced any losses related to the COVID-19 pandemic?
Income

		Checked
Sherburne Total		26.6%
Gender	Male	30.6%
	Female	22.4%
Age groups	18-34	DS
	35-44	35.9%
	45-54	29.1%
	55-64	19.5%
	65-74	10.4%
	75+	4.0%
Education	High school graduate/GED or less	42.6%
	Trade/Voc, Associate degree or some college	32.2%
	Bachelor's degree	22.1%
	Graduate or professional degree	12.0%
Poverty 200%	200% poverty or less	35.2%
	Greater than 200% poverty	26.2%
Local Comparisons	Benton	20.5%
	Region	18.1%
	Stearns	12.8%
	St. Cloud	14.0%

170. Have you experienced any losses related to the COVID-19 pandemic?	
Housing	

		Checked
Sherburne Total		0.9%
Gender	Male	1.8%
	Female	0.0%
Age groups	18-34	DS
	35-44	4.0%
	45-54	0.0%
	55-64	0.0%
	65-74	0.0%
	75+	0.0%
Education	High school graduate/GED or less	0.0%
	Trade/Voc, Associate degree or some college	2.4%
	Bachelor's degree	0.0%
	Graduate or professional degree	0.0%
Poverty 200%	200% poverty or less	0.0%
	Greater than 200% poverty	1.0%
Local Comparisons	Benton	7.5%
	Region	1.4%
	Stearns	0.0%
	St. Cloud	2.1%

171. Have you experienced any losses related to the COVID-19 pandemic? Health insurance

		Checked
Sherburne Total		11.3%
Gender	Male	15.9%
	Female	6.6%
Age groups	18-34	DS
	35-44	8.0%
	45-54	11.2%
	55-64	0.7%
	65-74	0.0%
	75+	0.0%
Education	High school graduate/GED or less	32.8%
	Trade/Voc, Associate degree or some college	16.0%
	Bachelor's degree	2.0%
	Graduate or professional degree	0.0%
Poverty 200%	200% poverty or less	23.1%
	Greater than 200% poverty	10.2%
Local Comparisons	Benton	3.5%
	Region	4.5%
	Stearns	0.9%
	St. Cloud	1.7%

172. Have you experienced any losses related to the COVID-19 pandemic? Transportation

		Checked
Sherburne Total		0.3%
Gender	Male	0.0%
	Female	0.6%
Age groups	18-34	DS
	35-44	0.0%
	45-54	0.6%
	55-64	0.0%
	65-74	0.0%
	75+	0.8%
Education	High school graduate/GED or less	0.0%
	Trade/Voc, Associate degree or some college	0.4%
	Bachelor's degree	0.0%
	Graduate or professional degree	0.6%
Poverty 200%	200% poverty or less	1.7%
	Greater than 200% poverty	0.2%
Local Comparisons	Benton	7.7%
	Region	2.5%
	Stearns	2.4%
	St. Cloud	4.9%

173. Have you experienced any losses related to the COVID-19 pandemic? Childcare

		Checked
Sherburne Total		10.6%
Gender	Male	8.7%
	Female	12.5%
Age groups	18-34	DS
	35-44	18.2%
	45-54	5.3%
	55-64	0.0%
	65-74	0.0%
	75+	0.0%
Education	High school graduate/GED or less	0.0%
	Trade/Voc, Associate degree or some college	17.9%
	Bachelor's degree	2.5%
	Graduate or professional degree	14.2%
Poverty 200%	200% poverty or less	29.5%
	Greater than 200% poverty	9.2%
Local Comparisons	Benton	4.4%
	Region	7.2%
	Stearns	6.1%
	St. Cloud	5.9%

174. Have you experienced any losses related to the COVID-19 pandemic? Regular school routine

		Checked
Sherburne Total		25.3%
Gender	Male	17.8%
	Female	32.9%
Age groups	18-34	DS
	35-44	55.5%
	45-54	24.8%
	55-64	7.9%
	65-74	0.0%
	75+	0.2%
Education	High school graduate/GED or less	4.7%
	Trade/Voc, Associate degree or some college	29.8%
	Bachelor's degree	21.6%
	Graduate or professional degree	34.5%
Poverty 200%	200% poverty or less	42.1%
	Greater than 200% poverty	24.0%
Local Comparisons	Benton	30.2%
	Region	25.8%
	Stearns	24.8%
	St. Cloud	26.7%

175. Have you experienced any losses related to the COVID-19 pandemic? Social connectedness

		Checked
Sherburne Total		49.1%
Gender	Male	40.7%
	Female	57.7%
Age groups	18-34	DS
	35-44	55.7%
	45-54	47.5%
	55-64	47.6%
	65-74	41.0%
	75+	33.6%
Education	High school graduate/GED or less	28.4%
	Trade/Voc, Associate degree or some college	46.1%
	Bachelor's degree	52.8%
	Graduate or professional degree	63.5%
Poverty 200%	200% poverty or less	47.6%
	Greater than 200% poverty	49.6%
Local Comparisons	Benton	47.5%
	Region	49.9%
	Stearns	51.1%
	St. Cloud	53.8%

176. Have you experienced any losses related to the COVID-19 pandemic?
Social support

		Checked
Sherburne Total		16.4%
Gender	Male	9.1%
	Female	23.9%
Age groups	18-34	DS
	35-44	21.7%
	45-54	15.1%
	55-64	13.6%
	65-74	6.2%
	75+	8.5%
Education	High school graduate/GED or less	7.1%
	Trade/Voc, Associate degree or some college	25.5%
	Bachelor's degree	19.4%
	Graduate or professional degree	4.3%
Poverty 200%	200% poverty or less	6.0%
	Greater than 200% poverty	17.4%
Local Comparisons	Benton	17.5%
	Region	15.3%
	Stearns	14.0%
	St. Cloud	16.5%

177. Have you experienced any losses related to the COVID-19 pandemic? Sense of wellness

		Checked
Sherburne Total		25.4%
Gender	Male	28.0%
	Female	22.8%
Age groups	18-34	DS
	35-44	32.4%
	45-54	27.9%
	55-64	15.2%
	65-74	5.9%
	75+	3.0%
Education	High school graduate/GED or less	14.9%
	Trade/Voc, Associate degree or some college	31.7%
	Bachelor's degree	17.8%
	Graduate or professional degree	30.0%
Poverty 200%	200% poverty or less	34.1%
	Greater than 200% poverty	25.0%
Local Comparisons	Benton	19.7%
	Region	20.7%
	Stearns	18.3%
	St. Cloud	22.5%

178. Have you experienced any losses related to the COVID-19 pandemic?
Recreation or entertainment

		Checked
Sherburne Total		48.2%
Gender	Male	41.1%
	Female	55.5%
Age groups	18-34	DS
	35-44	43.1%
	45-54	56.3%
	55-64	49.7%
	65-74	41.3%
	75+	36.2%
Education	High school graduate/GED or less	32.4%
	Trade/Voc, Associate degree or some college	50.8%
	Bachelor's degree	46.2%
	Graduate or professional degree	56.5%
Poverty 200%	200% poverty or less	20.0%
	Greater than 200% poverty	51.1%
Local Comparisons	Benton	45.9%
	Region	49.5%
	Stearns	51.2%
	St. Cloud	51.0%

179. Have you experienced any losses related to the COVID-19 pandemic? Exercise opportunities

		Checked
Sherburne Total		28.5%
Gender	Male	26.8%
	Female	30.3%
Age groups	18-34	DS
	35-44	32.6%
	45-54	30.0%
	55-64	14.0%
	65-74	22.5%
	75+	15.7%
Education	High school graduate/GED or less	11.0%
	Trade/Voc, Associate degree or some college	34.4%
	Bachelor's degree	20.4%
	Graduate or professional degree	39.2%
Poverty 200%	200% poverty or less	8.1%
	Greater than 200% poverty	30.8%
Local Comparisons	Benton	25.7%
	Region	28.5%
	Stearns	29.3%
	St. Cloud	35.1%

180. Have you experienced any losses related to the COVID-19 pandemic?
Death of a family member or friend

		Checked
Sherburne Total		14.5%
Gender	Male	17.2%
	Female	11.6%
Age groups	18-34	DS
	35-44	14.4%
	45-54	5.1%
	55-64	21.1%
	65-74	21.2%
	75+	12.5%
Education	High school graduate/GED or less	44.5%
	Trade/Voc, Associate degree or some college	14.8%
	Bachelor's degree	5.8%
	Graduate or professional degree	4.3%
Poverty 200%	200% poverty or less	13.7%
	Greater than 200% poverty	14.3%
Local Comparisons	Benton	23.6%
	Region	16.0%
	Stearns	14.9%
	St. Cloud	15.5%

181. Have you experienced any losses related to the COVID-19 pandemic? Other

		Checked
Sherburne Total		2.8%
Gender	Male	0.3%
	Female	5.3%
Age groups	18-34	DS
	35-44	0.6%
	45-54	0.0%
	55-64	4.3%
	65-74	6.1%
	75+	0.6%
Education	High school graduate/GED or less	0.9%
	Trade/Voc, Associate degree or some college	2.0%
	Bachelor's degree	1.7%
	Graduate or professional degree	6.4%
Poverty 200%	200% poverty or less	6.1%
	Greater than 200% poverty	2.5%
Local Comparisons	Benton	2.9%
	Region	2.1%
	Stearns	1.4%
	St. Cloud	1.2%

182. Where do you usually get health, wellness, and medical information? (Please mark UP TO 3 sources)

	Checked
Sherburne Total	
E-mail alert or e-newsletter	17.5%
Newspaper (print or online)	17.7%
Brochure, newsletter, magazine, or other print material	8.5%
Text message	2.3%
Social media such as Facebook or Twitter	14.5%
Websites or internet	67.4%
Phone apps	5.8%
	6.0%
Nurse or other health professional at a church, synagogue, mosque, etc.	
Television	21.8%
Radio	12.7%
Medical professionals	65.5%
Pharmacy	12.3%
Community Health Worker	1.0%
Family and Friends	33.3%
Health fairs or other health-related community events	1.9%
Other	4.4%

		Checked
Sherburne Total		17.5%
Gender	Male	15.6%
	Female	19.4%
Age groups	18-34	DS
	35-44	18.3%
	45-54	25.3%
	55-64	25.3%
	65-74	12.4%
	75+	20.6%
Education	High school graduate/GED or less	10.2%
	Trade/Voc, Associate degree or some college	29.3%
	Bachelor's degree	9.9%
	Graduate or professional degree	10.5%
Poverty 200%	200% poverty or less	31.0%
	Greater than 200% poverty	16.4%
Local Comparisons	Benton	18.5%
	Region	17.3%
	Stearns	16.9%
	St. Cloud	20.4%

183. Where do you usually get health, wellness, and medical information? E-mail alert or e-newsletter

184. Where do you usually get health, wellness, and medical information? Newspaper (print or online)

		Checked
Sherburne Total		17.7%
Gender	Male	23.6%
	Female	11.6%
Age groups	18-34	DS
	35-44	22.0%
	45-54	6.4%
	55-64	19.9%
	65-74	20.5%
	75+	21.0%
Education	High school graduate/GED or less	3.4%
	Trade/Voc, Associate degree or some college	20.9%
	Bachelor's degree	30.8%
	Graduate or professional degree	7.1%
Poverty 200%	200% poverty or less	27.1%
	Greater than 200% poverty	16.8%
Local Comparisons	Benton	14.6%
	Region	14.9%
	Stearns	13.3%
	St. Cloud	13.2%

185. Where do you usually get health, wellness, and medical information? Brochure, newsletter, magazine, or other print material

		Checked
Sherburne Total		8.5%
Gender	Male	9.3%
	Female	7.7%
Age groups	18-34	DS
	35-44	15.3%
	45-54	2.9%
	55-64	7.5%
	65-74	11.2%
	75+	31.6%
Education	High school graduate/GED or less	5.8%
	Trade/Voc, Associate degree or some college	10.5%
	Bachelor's degree	3.3%
	Graduate or professional degree	12.6%
Poverty 200%	200% poverty or less	31.1%
	Greater than 200% poverty	6.7%
Local Comparisons	Benton	8.1%
	Region	9.2%
	Stearns	9.8%
	St. Cloud	10.6%

186. Where do you usually get health, wellness, and medical information? Text message

		Checked
Sherburne Total		2.3%
Gender	Male	0.5%
	Female	4.2%
Age groups	18-34	DS
	35-44	2.3%
	45-54	2.6%
	55-64	3.8%
	65-74	8.6%
	75+	3.6%
Education	High school graduate/GED or less	2.1%
	Trade/Voc, Associate degree or some college	4.5%
	Bachelor's degree	1.1%
	Graduate or professional degree	0.0%
Poverty 200%	200% poverty or less	0.6%
	Greater than 200% poverty	2.5%
Local Comparisons	Benton	5.8%
	Region	2.8%
	Stearns	2.4%
	St. Cloud	3.0%

187. Where do you usually get health, wellness, and medical information? Social media such as Facebook or Twitter

		Checked
Sherburne Total		14.5%
Gender	Male	5.8%
	Female	23.5%
Age groups	18-34	DS
	35-44	15.0%
	45-54	9.6%
	55-64	7.1%
	65-74	7.7%
	75+	6.6%
Education	High school graduate/GED or less	2.8%
	Trade/Voc, Associate degree or some college	23.0%
	Bachelor's degree	16.2%
	Graduate or professional degree	6.0%
Poverty 200%	200% poverty or less	14.9%
	Greater than 200% poverty	14.9%
Local Comparisons	Benton	15.5%
	Region	16.3%
	Stearns	17.5%
	St. Cloud	15.8%

		Checked
Sherburne Total		67.4%
Gender	Male	68.0%
	Female	66.8%
Age groups	18-34	DS
	35-44	60.3%
	45-54	61.7%
	55-64	63.4%
	65-74	37.3%
	75+	18.0%
Education	High school graduate/GED or less	50.9%
	Trade/Voc, Associate degree or some college	68.7%
	Bachelor's degree	75.8%
	Graduate or professional degree	67.0%
Poverty 200%	200% poverty or less	31.4%
	Greater than 200% poverty	70.7%
Local Comparisons	Benton	50.6%
	Region	55.4%
	Stearns	49.7%
	St. Cloud	54.7%

188. Where do you usually get health, wellness, and medical information? Websites or internet

		Checked
Sherburne Total		5.8%
Gender	Male	6.6%
	Female	4.9%
Age groups	18-34	DS
	35-44	14.9%
	45-54	4.8%
	55-64	6.8%
	65-74	2.6%
	75+	3.2%
Education	High school graduate/GED or less	0.3%
	Trade/Voc, Associate degree or some college	7.0%
	Bachelor's degree	6.8%
	Graduate or professional degree	6.0%
Poverty 200%	200% poverty or less	5.2%
	Greater than 200% poverty	5.6%
Local Comparisons	Benton	3.4%
	Region	4.3%
	Stearns	3.7%
	St. Cloud	2.9%

189. Where do you usually get health, wellness, and medical information? Phone apps

		Checked
Sherburne Total		6.0%
Gender	Male	5.0%
	Female	7.1%
Age groups	18-34	DS
	35-44	10.9%
	45-54	3.9%
	55-64	3.7%
	65-74	10.4%
	75+	2.8%
Education	High school graduate/GED or less	6.8%
	Trade/Voc, Associate degree or some college	1.5%
	Bachelor's degree	10.7%
	Graduate or professional degree	8.2%
Poverty 200%	200% poverty or less	1.3%
	Greater than 200% poverty	6.6%
Local Comparisons	Benton	7.0%
	Region	7.5%
	Stearns	8.6%
	St. Cloud	8.7%

190. Where do you usually get health, wellness, and medical information? Nurse or other health professional at a church, synagogue, mosque, etc.

		Checked
Sherburne Total		21.8%
Gender	Male	25.4%
	Female	18.0%
Age groups	18-34	DS
	35-44	21.2%
	45-54	12.3%
	55-64	28.7%
	65-74	32.9%
	75+	43.8%
Education	High school graduate/GED or less	43.3%
	Trade/Voc, Associate degree or some college	20.6%
	Bachelor's degree	16.6%
	Graduate or professional degree	15.9%
Poverty 200%	200% poverty or less	39.8%
	Greater than 200% poverty	20.6%
Local Comparisons	Benton	22.6%
	Region	18.9%
	Stearns	16.2%
	St. Cloud	15.5%

191. Where do you usually get health, wellness, and medical information? Television

192. Where do you usually get health, wellness, and medical information? Radio

		Checked
Sherburne Total		12.7%
Gender	Male	20.9%
	Female	4.1%
Age groups	18-34	DS
	35-44	19.5%
	45-54	2.6%
	55-64	18.2%
	65-74	3.3%
	75+	0.3%
Education	High school graduate/GED or less	1.0%
	Trade/Voc, Associate degree or some college	14.1%
	Bachelor's degree	4.6%
	Graduate or professional degree	26.6%
Poverty 200%	200% poverty or less	23.3%
	Greater than 200% poverty	12.1%
Local Comparisons	Benton	9.5%
	Sherburne	10.3%
	Stearns	9.2%
	St. Cloud	8.6%

		Checked
Sherburne Total		65.5%
Gender	Male	59.1%
	Female	72.1%
Age groups	18-34	DS
	35-44	70.4%
	45-54	69.7%
	55-64	64.0%
	65-74	72.2%
	75+	64.6%
Education	High school graduate/GED or less	49.1%
	Trade/Voc, Associate degree or some college	64.3%
	Bachelor's degree	63.8%
	Graduate or professional degree	79.5%
Poverty 200%	200% poverty or less	64.6%
	Greater than 200% poverty	65.4%
Local Comparisons	Benton	59.0%
	Region	66.0%
	Stearns	68.3%
	St. Cloud	67.5%

193. Where do you usually get health, wellness, and medical information? Medical professionals

194. Where do you usually get health, wellness, and medical information? Pharmacy

		Checked
Sherburne Total		12.3%
Gender	Male	9.9%
	Female	14.7%
Age groups	18-34	DS
	35-44	10.7%
	45-54	16.7%
	55-64	17.1%
	65-74	25.3%
	75+	22.2%
Education	High school graduate/GED or less	14.2%
	Trade/Voc, Associate degree or some college	10.7%
	Bachelor's degree	17.1%
	Graduate or professional degree	8.6%
Poverty 200%	200% poverty or less	14.6%
	Greater than 200% poverty	12.4%
Local Comparisons	Benton	19.8%
	Region	16.7%
	Stearns	18.4%
	St. Cloud	18.1%

		Checked
Sherburne Total		1.0%
Gender	Male	1.5%
	Female	0.4%
Age groups	18-34	DS
	35-44	0.0%
	45-54	2.9%
	55-64	2.3%
	65-74	0.6%
	75+	0.0%
Education	High school graduate/GED or less	0.0%
	Trade/Voc, Associate degree or some college	1.3%
	Bachelor's degree	1.1%
	Graduate or professional degree	0.8%
Poverty 200%	200% poverty or less	0.8%
	Greater than 200% poverty	1.0%
Local Comparisons	Benton	1.1%
	Region	1.3%
	Stearns	1.5%
	St. Cloud	1.6%

195. Where do you usually get health, wellness, and medical information? Community Health Worker

		Checked
Sherburne Total		33.3%
Gender	Male	34.3%
	Female	32.4%
Age groups	18-34	DS
	35-44	31.8%
	45-54	26.8%
	55-64	22.9%
	65-74	27.6%
	75+	24.1%
Education	High school graduate/GED or less	59.1%
	Trade/Voc, Associate degree or some college	24.8%
	Bachelor's degree	44.8%
	Graduate or professional degree	19.1%
Poverty 200%	200% poverty or less	58.5%
	Greater than 200% poverty	31.5%
Local Comparisons	Benton	30.1%
	Region	32.7%
	Stearns	33.0%
	St. Cloud	35.7%

196. Where do you usually get health, wellness, and medical information? Family or friends

197. Where do you usually get health, wellness, and medical information? Health fairs or other health-related community events

		Checked
Sherburne Total		1.9%
Gender	Male	0.6%
	Female	3.3%
Age groups	18-34	DS
	35-44	0.0%
	45-54	0.0%
	55-64	3.1%
	65-74	0.9%
	75+	0.2%
Education	High school graduate/GED or less	2.0%
	Trade/Voc, Associate degree or some college	0.5%
	Bachelor's degree	0.0%
	Graduate or professional degree	6.4%
Poverty 200%	200% poverty or less	0.0%
	Greater than 200% poverty	2.1%
Local Comparisons	Benton	1.4%
	Region	1.8%
	Stearns	1.8%
	St. Cloud	0.9%

198. Where do you usually get health, wellness, and medical information?	
Other	

		Checked
Sherburne Total		4.4%
Gender	Male	1.2%
	Female	7.7%
Age groups	18-34	DS
	35-44	0.0%
	45-54	10.3%
	55-64	4.3%
	65-74	2.3%
	75+	0.8%
Education	High school graduate/GED or less	0.1%
	Trade/Voc, Associate degree or some college	5.8%
	Bachelor's degree	5.8%
	Graduate or professional degree	3.3%
Poverty 200%	200% poverty or less	0.7%
	Greater than 200% poverty	4.4%
Local Comparisons	Benton	3.2%
	Region	2.9%
	Stearns	2.0%
	St. Cloud	2.0%

199. Weight status according to BMI

		Not overweight	Overweight but not obese	Obese
Sherburne Tota	l l	23.9%	43.4%	32.6%
Gender	Male	19.4%	53.4%	27.2%
	Female	28.7%	33.0%	38.3%
Age groups	18-34	DS	DS	DS
	35-44	25.0%	50.5%	24.5%
	45-54	16.0%	30.7%	53.3%
	55-64	20.4%	35.6%	44.1%
	65-74	17.3%	46.0%	36.6%
	75+	19.8%	41.9%	38.3%
Education	High school graduate/GED or less	13.0%	59.5%	27.5%
	Trade/Voc, Associate degree or some college	12.6%	45.4%	42.0%
	Bachelor's degree	42.1%	30.1%	27.7%
	Graduate or professional degree	30.9%	44.0%	25.1%
Poverty 200%	200% poverty or less	17.8%	47.2%	35.0%
	Greater than 200% poverty	24.7%	42.8%	32.5%
Local	Benton	29.5%	36.4%	34.1%
Comparisons	Region	29.5%	40.9%	29.6%
	Stearns	32.7%	40.7%	26.6%
	St. Cloud	32.5%	41.3%	26.2%

Community Concerns

200. In your opinion, how much of a problem is each of these issues in your county?

	No Problem	Minor Problem	Moderate Problem	Serious Problem	No Opinion
Sherburne Total					
A. Issues for Families					
Families experiencing financial stress	5.4%	25.7%	41.7%	17.0%	10.2%
Parents with inadequate or poor parenting skills	9.3%	22.2%	36.5%	18.2%	13.7%
Childhood trauma	19.7%	31.0%	27.8%	8.0%	13.5%
Bullying	10.0%	22.9%	34.6%	15.1%	17.4%
Abuse and neglect of children	19.1%	27.7%	26.4%	10.2%	16.6%
Abuse and neglect of vulnerable adults	22.4%	28.3%	22.0%	7.9%	19.4%
B. Social Experience					
Racism	21.6%	19.6%	28.4%	21.6%	8.8%
White privilege (inherent advantages possessed by a white person on the basis of their race in a society characterized by racial inequality and injustice)	31.2%	19.3%	21.7%	17.8%	10.0%
Police brutality	44.2%	20.3%	16.1%	7.5%	11.9%
C. Discrimination					
Discrimination based on race, color, ethnicity or country of origin	23.1%	29.0%	16.3%	19.5%	12.1%
Discrimination based on age	37.0%	37.0%	8.0%	4.5%	13.5%
Discrimination based on gender	30.4%	33.7%	17.1%	5.5%	13.4%
Discrimination based on sexual orientation	32.2%	27.6%	17.8%	8.5%	14.0%
Discrimination based on gender identity	30.3%	31.6%	13.9%	9.5%	14.7%
Discrimination based on disability	35.8%	28.4%	16.2%	6.0%	13.7%
Discrimination based on religion	41.0%	28.8%	7.0%	9.1%	14.1%
Discrimination based on being overweight or obese	35.9%	36.4%	11.0%	3.6%	13.0%
Discrimination based on something else	44.1%	10.7%	2.5%	12.1%	30.6%
D. Tobacco and Other Drug Use					
Smoking or other tobacco use	14.8%	39.6%	28.2%	8.8%	8.6%
Use of e-cigarettes/vaping for nicotine products	19.8%	20.8%	32.9%	13.3%	13.2%
Abuse of prescription drugs	13.1%	16.1%	34.1%	18.3%	18.4%

Illegal drug use among youth	16.5%	21.6%	28.7%	15.6%	17.5%
Illegal drug use among adults	16.1%	16.2%	34.2%	15.5%	18.0%
E. Mental Health					
Depression among youth	5.3%	16.9%	33.1%	31.2%	13.4%
Depression among adults	5.7%	16.8%	38.4%	26.0%	13.2%
Suicide among youth	9.3%	23.0%	28.5%	22.5%	16.7%
Suicide among adults	10.2%	25.2%	37.4%	9.1%	18.1%
Other mental health issues, such as anxiety or panic attacks, memory loss, Alzheimer's or another form of dementia, etc.	7.4%	22.3%	28.7%	25.9%	15.7%
Difficulty obtaining mental health services for youth	15.8%	21.8%	23.8%	25.0%	13.5%
Difficulty obtaining mental health services for adults	15.6%	21.8%	25.3%	23.7%	13.6%

201. In your opinion, how much of a problem is <u>families experiencing financial stress</u> in your county?

		No Problem	Minor Problem	Moderate Problem	Serious Problem	No Opinion
Sherburne Tot	al	5.4%	25.7%	41.7%	17.0%	10.2%
Gender	Male	4.8%	34.9%	37.6%	15.6%	7.0%
	Female	6.0%	16.2%	45.9%	18.5%	13.4%
Age groups	18-34	DS	DS	DS	DS	DS
	35-44	8.7%	32.8%	24.9%	24.2%	9.4%
	45-54	3.1%	30.2%	40.1%	15.9%	10.7%
	55-64	5.7%	26.3%	41.1%	14.0%	12.9%
	65-74	12.9%	16.0%	38.4%	13.9%	18.7%
	75+	20.9%	15.5%	27.8%	6.6%	29.2%
Education	High school graduate/GED or less Trade/Voc, Associate degree or some college	6.8% 7.5%	49.2% 21.4%	23.9% 33.2%	6.0% 27.5%	14.0% 10.5%
	Bachelor's degree Graduate or professional degree	4.5% 1.9%	23.6% 21.0%	55.5% 51.5%	10.0% 14.1%	6.3% 11.6%
Poverty	200% poverty or less	9.3%	16.9%	21.8%	43.6%	8.4%
200%	Greater than 200% poverty	4.4%	27.1%	43.2%	43.0 <i>%</i> 14.7%	10.6%
Local Comparisons	Benton	4.7%	18.7%	42.9%	23.4%	10.3%
Compansons	Region	7.4%	19.0%	43.9%	20.4%	9.3%
	Stearns	9.4%	15.2%	45.3%	21.6%	8.5%
	St. Cloud	6.6%	9.6%	47.9%	29.0%	6.9%

202. In your opinion, how much of a problem is <u>parents with inadequate or poor parenting skills</u> in your county?

		No Problem	Minor Problem	Moderate Problem	Serious Problem	No Opinion
Sherburne Tota	I	9.3%	22.2%	36.5%	18.2%	13.7%
Gender	Male	8.1%	24.9%	40.2%	11.9%	14.8%
	Female	10.6%	19.3%	32.7%	24.8%	12.6%
Age groups	18-34	DS	DS	DS	DS	DS
	35-44	12.7%	14.4%	40.9%	22.7%	9.3%
	45-54	3.7%	31.2%	41.7%	13.6%	9.9%
	55-64	13.5%	26.4%	37.2%	14.9%	7.9%
	65-74	13.7%	22.7%	28.3%	19.6%	15.8%
	75+	22.3%	19.8%	12.4%	20.3%	25.2%
Education	High school graduate/GED or less Trade/Voc, Associate	8.2%	48.6%	27.8%	7.8%	7.6%
	degree or some college	9.9%	15.4%	35.0%	30.1%	9.5%
	Bachelor's degree Graduate or	15.7%	20.2%	48.7%	10.0%	5.5%
	professional degree	2.3%	19.0%	31.5%	13.3%	34.0%
Poverty 200%	200% poverty or less Greater than 200%	13.8%	11.0%	26.6%	41.7%	7.0%
	poverty	8.4%	23.0%	38.0%	16.0%	14.6%
Local Comparisons	Benton	7.7%	21.4%	31.6%	30.0%	9.3%
	Region	8.8%	19.8%	33.8%	25.2%	12.4%
	Stearns	8.8%	17.9%	32.9%	27.9%	12.5%
	St. Cloud	5.9%	13.2%	34.4%	35.5%	11.0%

		No Problem	Minor Problem	Moderate Problem	Serious Problem	No Opinion
Sherburne Total		19.7%	31.0%	27.8%	8.0%	13.5%
Gender	Male	23.7%	38.1%	23.5%	6.5%	8.2%
	Female	15.6%	23.6%	32.2%	9.5%	19.0%
Age groups	18-34	DS	DS	DS	DS	DS
	35-44	19.8%	24.2%	33.4%	12.2%	10.4%
	45-54	16.4%	49.0%	17.6%	2.4%	14.5%
	55-64	18.4%	36.0%	22.4%	8.4%	14.9%
	65-74	20.1%	21.6%	26.3%	1.2%	30.8%
	75+	25.5%	15.8%	18.7%	4.0%	35.9%
Education	High school graduate/GED or less	52.6%	26.0%	4.3%	0.2%	16.9%
	Trade/Voc, Associate degree or some college	13.6%	24.1%	33.0%	13.4%	15.9%
	Bachelor's degree Graduate or professional	22.9%	29.5%	37.3%	2.5%	7.8%
	degree	6.0%	47.7%	23.4%	9.2%	13.7%
Poverty	200% poverty or less	17.9%	18.8%	21.0%	28.0%	14.3%
200%	Greater than 200% poverty	19.6%	32.2%	28.6%	6.2%	13.3%
Local	Benton	14.8%	24.9%	24.1%	20.2%	16.1%
Comparisons	Region	15.4%	26.4%	29.5%	12.9%	15.8%
	Stearns	13.1%	24.1%	31.9%	13.8%	17.1%
	St. Cloud	8.7%	20.2%	35.1%	19.7%	16.3%

203. In your opinion, how much of a problem is childhood trauma in your county?

		No Problem	Minor Problem	Moderate Problem	Serious Problem	No Opinion
Sherburne Tot	al	10.0%	22.9%	34.6%	15.1%	17.4%
Gender	Male	8.4%	28.7%	28.0%	16.1%	18.8%
	Female	11.6%	17.0%	41.5%	14.1%	15.9%
Age groups	18-34	DS	DS	DS	DS	DS
	35-44	9.9%	19.8%	39.8%	21.2%	9.4%
	45-54	8.4%	31.5%	31.0%	14.4%	14.7%
	55-64	13.5%	26.9%	30.0%	16.5%	13.1%
	65-74	17.2%	18.6%	27.5%	16.0%	20.6%
	75+	23.4%	8.5%	25.5%	9.9%	32.7%
Education	High school graduate/GED or less	15.1%	42.1%	13.8%	14.2%	14.7%
	Trade/Voc, Associate degree or some college	11.1%	18.4%	34.1%	22.1%	14.3%
	Bachelor's degree Graduate or professional	11.4%	25.4%	46.4%	8.7%	8.2%
	degree	3.4%	16.2%	35.1%	11.0%	34.4%
Poverty 200%	200% poverty or less Greater than 200%	13.3%	5.0%	28.0%	40.0%	13.7%
	poverty	9.3%	24.5%	35.3%	13.4%	17.6%
Local	Benton	9.3%	17.5%	32.2%	23.1%	18.0%
Comparisons	Region	9.2%	23.2%	33.3%	19.9%	14.4%
	Stearns	8.7%	24.9%	32.8%	21.9%	11.8%

5.9%

204. In your opinion, how much of a problem is bullying in your county?

St. Cloud

19.3%

35.9%

25.1%

13.9%

		No Problem	Minor Problem	Moderate Problem	Serious Problem	No Opinion
Sherburne Tot	al	19.1%	27.7%	26.4%	10.2%	16.6%
Gender	Male	23.7%	28.4%	23.7%	7.9%	16.3%
	Female	14.4%	27.0%	29.1%	12.7%	16.9%
Age groups	18-34	DS	DS	DS	DS	DS
	35-44	17.0%	38.5%	26.5%	11.6%	6.4%
	45-54	17.7%	45.0%	17.0%	8.2%	12.1%
	55-64	16.6%	30.4%	24.3%	12.4%	16.4%
	65-74	19.0%	19.4%	24.5%	8.4%	28.7%
	75+	25.4%	16.2%	16.0%	9.5%	33.0%
Education	High school graduate/GED or less	44.9%	25.6%	14.1%	3.8%	11.7%
	Trade/Voc, Associate degree or some college	15.9%	25.8%	30.3%	13.2%	14.8%
	Bachelor's degree Graduate or professional	18.8%	22.6%	40.1%	9.1%	9.4%
	degree	8.7%	38.2%	12.4%	9.9%	30.7%
Poverty 200%	200% poverty or less Greater than 200%	18.9%	15.3%	20.4%	30.3%	15.0%
	poverty	18.9%	28.5%	27.0%	8.6%	17.1%
Local Comparisons	Benton	11.1%	28.8%	25.2%	15.3%	19.6%
	Region	13.8%	27.0%	30.3%	11.9%	17.0%
	Stearns	11.4%	26.1%	33.9%	12.0%	16.6%
	St. Cloud	7.0%	21.1%	38.7%	15.5%	17.8%

205. In your opinion, how much of a problem is abuse or neglect of children in your county?

206. In your opinion, how much of a problem is <u>abuse and neglect of vulnerable adults</u> in your county?

		No Problem	Minor Problem	Moderate Problem	Serious Problem	No Opinion
Sherburne Tot	al	22.4%	28.3%	22.0%	7.9%	19.4%
Gender	Male	28.6%	28.3%	17.5%	7.6%	18.0%
	Female	15.9%	28.4%	26.7%	8.2%	20.8%
Age groups	18-34	DS	DS	DS	DS	DS
	35-44	21.7%	28.5%	25.4%	10.9%	13.4%
	45-54	26.4%	46.3%	11.8%	0.7%	14.9%
	55-64	19.7%	37.8%	14.0%	8.0%	20.5%
	65-74	20.2%	21.3%	22.0%	4.2%	32.3%
	75+	24.6%	21.8%	17.1%	5.8%	30.8%
Education	High school graduate/GED or less	49.9%	29.5%	4.7%	5.0%	10.9%
	Trade/Voc, Associate degree or some college	17.4%	28.4%	23.8%	12.5%	17.9%
	Bachelor's degree Graduate or professional	26.6%	22.9%	31.1%	7.3%	12.1%
	degree	9.1%	33.8%	19.9%	1.9%	35.2%
Poverty	200% poverty or less	17.4%	19.3%	18.6%	30.0%	14.8%
200%	Greater than 200% poverty	22.6%	29.2%	22.9%	6.0%	19.3%
Local Comparisons	Benton	12.2%	28.8%	22.7%	16.8%	19.6%
	Region	15.5%	29.4%	24.2%	10.4%	20.5%
	Stearns	12.4%	30.1%	25.8%	10.2%	21.5%
	St. Cloud	7.7%	25.8%	30.5%	14.6%	21.3%

207. In your opinion, how much of a problem is <u>racism</u> in your county?

		No Problem	Minor Problem	Moderate Problem	Serious Problem	No Opinion
Sherburne Tot	al	21.6%	19.6%	28.4%	21.6%	8.8%
Gender	Male	28.6%	15.9%	29.1%	24.0%	2.5%
	Female	14.3%	23.6%	27.6%	19.1%	15.4%
Age groups	18-34	DS	DS	DS	DS	DS
	35-44	26.6%	18.3%	29.6%	24.3%	1.2%
	45-54	17.1%	31.9%	23.1%	17.7%	10.1%
	55-64	28.6%	30.2%	20.3%	11.3%	9.6%
	65-74	31.9%	20.5%	27.5%	4.7%	15.4%
	75+	29.0%	11.5%	20.7%	8.9%	29.9%
Education	High school graduate/GED or less Trade/Voc, Associate degree or some college	56.7% 21.6%	14.9% 18.2%	11.7% 27.2%	9.8% 22.6%	6.8% 10.4%
	Bachelor's degree Graduate or professional degree	15.0% 6.9%	25.1% 19.1%	25.4% 43.5%	30.8% 17.5%	3.7% 13.0%
Poverty	200% poverty or less	15.2%	12.0%	40.0%	24.3%	8.4%
200%	Greater than 200% poverty	21.8%	20.2%	27.4%	22.0%	8.6%
Local Comparisons	Benton	21.7%	23.6%	29.1%	19.7%	5.9%
	Region	21.7%	24.5%	26.8%	20.6%	6.4%
	Stearns	21.6%	27.5%	25.4%	20.3%	5.2%
	St. Cloud	15.3%	24.5%	31.0%	26.1%	3.1%

208. In your opinion, how much of a problem is <u>white privilege</u> in your county? (inherent advantages possessed by a white person on the basis of their race in a society characterized by racial inequality and injustice)

		No Problem	Minor Problem	Moderate Problem	Serious Problem	No Opinion
Sherburne Tot	al	31.2%	19.3%	21.7%	17.8%	10.0%
Gender	Male	37.5%	15.0%	23.2%	19.7%	4.5%
	Female	24.7%	23.8%	20.1%	15.8%	15.7%
Age groups	18-34	DS	DS	DS	DS	DS
	35-44	26.2%	22.2%	29.6%	18.6%	3.5%
	45-54	39.2%	21.9%	12.1%	15.1%	11.7%
	55-64	34.1%	31.7%	16.9%	8.8%	8.5%
	65-74	43.5%	23.4%	12.2%	8.2%	12.7%
	75+	27.6%	16.3%	18.8%	6.0%	31.2%
Education	High school graduate/GED or less Trade/Voc, Associate	70.0%	10.5%	7.8%	4.2%	7.4%
	degree or some college	31.9%	19.9%	16.8%	18.9%	12.6%
	Bachelor's degree Graduate or professional	22.5%	31.9%	14.7%	27.5%	3.5%
_	degree	16.1%	10.1%	45.5%	13.7%	14.5%
Poverty 200%	200% poverty or less	12.2%	17.4%	45.3%	12.6%	12.5%
20078	Greater than 200% poverty	32.2%	19.4%	19.7%	18.7%	10.0%
Local Comparisons	Benton	30.2%	20.6%	12.1%	26.0%	11.1%
0011120115	Region	32.7%	21.3%	17.9%	19.0%	9.1%
	Stearns	34.3%	22.6%	17.3%	17.8%	8.0%
	St. Cloud	24.8%	24.0%	19.4%	24.8%	7.0%

		No Problem	Minor Problem	Moderate Problem	Serious Problem	No Opinion
Sherburne Tota	I	44.2%	20.3%	16.1%	7.5%	11.9%
Gender	Male	46.2%	9.9%	28.3%	3.1%	12.5%
	Female	42.1%	31.2%	3.3%	12.1%	11.4%
Age groups	18-34	DS	DS	DS	DS	DS
	35-44	58.2%	14.1%	19.5%	6.4%	1.8%
	45-54	65.0%	21.2%	2.5%	5.3%	6.0%
	55-64	58.6%	23.8%	5.4%	1.9%	10.3%
	65-74	62.4%	12.1%	4.9%	3.6%	17.1%
	75+	40.9%	19.9%	5.8%	0.1%	33.2%
Education	High school graduate/GED or less Trade/Voc, Associate degree or some college	46.2% 52.7%	4.9% 19.3%	36.0% 8.1%	4.4% 12.2%	8.5% 7.8%
	Bachelor's degree Graduate or professional degree	40.6% 33.2%	26.6% 23.9%	23.2% 9.4%	6.3% 2.9%	3.3% 30.6%
Poverty 200%	200% poverty or less	26.6%	18.3%	32.3%	11.8%	11.0%
-	Greater than 200% poverty	45.2%	20.0%	15.1%	7.3%	12.3%
Local	Benton	48.7%	25.0%	10.7%	3.9%	11.7%
Comparisons	Region	50.9%	21.1%	12.9%	5.4%	9.7%
	Stearns	55.4%	20.6%	11.7%	4.5%	7.8%
	St. Cloud	48.6%	23.9%	14.2%	6.4%	7.0%

209. In your opinion, how much of a problem is <u>police brutality</u> in your county?

210. In your opinion, how much of a problem is <u>discrimination based on race, color, ethnicity or</u> <u>country of origin</u> in your county?

		No Problem	Minor Problem	Moderate Problem	Serious Problem	No Opinion
Sherburne Tot	al	23.1%	29.0%	16.3%	19.5%	12.1%
Gender	Male	22.5%	28.3%	13.2%	22.7%	13.2%
	Female	23.6%	29.8%	19.5%	16.2%	10.9%
Age groups	18-34	DS	DS	DS	DS	DS
	35-44	29.1%	29.5%	14.4%	26.9%	0.0%
	45-54	30.1%	34.7%	15.9%	10.1%	9.2%
	55-64	27.4%	27.7%	22.2%	10.8%	11.8%
	65-74	35.5%	27.9%	15.2%	6.1%	15.3%
	75+	28.2%	11.4%	25.2%	5.3%	29.9%
Education	High school graduate/GED or less Trade/Voc, Associate	20.9%	59.7%	2.5%	8.7%	8.2%
	degree or some college	25.4%	25.3%	22.6%	17.5%	9.1%
	Bachelor's degree Graduate or professional	21.5%	29.4%	18.1%	27.6%	3.4%
	degree	22.2%	15.8%	12.2%	20.9%	28.9%
Poverty 200%	200% poverty or less	15.8%	14.0%	17.5%	43.6%	9.0%
200 /8	Greater than 200% poverty	23.1%	29.9%	16.4%	18.0%	12.6%
Local Comparisons	Benton	22.3%	27.1%	16.9%	22.0%	11.7%
	Region	25.0%	27.2%	18.8%	19.7%	9.3%
	Stearns	26.8%	26.1%	20.8%	19.2%	7.0%
	St. Cloud	18.3%	27.8%	21.2%	25.7%	7.0%

		No Problem	Minor Problem	Moderate Problem	Serious Problem	No Opinion
Sherburne Tot	al	37.0%	37.0%	8.0%	4.5%	13.5%
Gender	Male	42.3%	33.1%	5.6%	6.1%	12.9%
	Female	31.4%	41.1%	10.6%	2.8%	14.2%
Age groups	18-34	DS	DS	DS	DS	DS
	35-44	50.7%	28.6%	5.6%	12.2%	2.9%
	45-54	36.9%	45.5%	4.4%	1.3%	11.8%
	55-64	29.5%	33.3%	20.2%	4.9%	12.1%
	65-74	44.6%	23.4%	13.0%	3.9%	15.0%
	75+	30.9%	16.9%	17.5%	4.8%	29.9%
Education	High school graduate/GED or less Trade/Voc, Associate degree or some college	58.9% 33.8%	29.2% 32.9%	3.0% 11.4%	0.1% 9.0%	8.9% 12.9%
	Bachelor's degree Graduate or professional degree	36.4% 29.8%	52.7% 31.9%	5.9% 7.1%	1.6% 2.7%	3.4% 28.6%
Poverty	200% poverty or less	20.9%	24.4%	13.4%	29.2%	12.1%
200%	Greater than 200% poverty	38.1%	38.0%	7.6%	2.4%	13.9%
Local Comparisons	Benton	29.9%	35.4%	16.4%	2.8%	15.5%
Comparisons	Region	37.4%	36.4%	10.9%	3.8%	11.5%
	Stearns	39.5%	36.4%	11.1%	3.6%	9.4%
	St. Cloud	33.4%	39.6%	13.6%	3.3%	10.0%

211. In your opinion, how much of a problem is <u>discrimination based on age</u> in your county?

		No Problem	Minor Problem	Moderate Problem	Serious Problem	No Opinion
Sherburne Tot	al	30.4%	33.7%	17.1%	5.5%	13.4%
Gender	Male	30.9%	31.6%	16.7%	7.9%	12.8%
	Female	29.8%	35.9%	17.4%	2.9%	14.0%
Age groups	18-34	DS	DS	DS	DS	DS
	35-44	46.9%	30.7%	9.0%	12.3%	1.2%
	45-54	32.9%	39.8%	12.2%	2.6%	12.5%
	55-64	32.9%	36.9%	12.2%	5.9%	12.0%
	65-74	38.4%	26.4%	14.0%	3.8%	17.4%
	75+	28.2%	17.6%	21.0%	3.1%	30.1%
Education	High school graduate/GED or less Trade/Voc, Associate	20.7%	61.6%	6.1%	0.0%	11.6%
	degree or some college	32.7%	30.0%	14.4%	11.4%	11.4%
	Bachelor's degree Graduate or professional	34.8%	25.3%	32.1%	4.1%	3.7%
	degree	27.9%	32.0%	11.3%	0.3%	28.6%
Poverty 200%	200% poverty or less	18.1%	25.6%	14.4%	29.5%	12.5%
200 /6	Greater than 200% poverty	31.0%	34.1%	17.5%	3.6%	13.8%
Local Comparisons	Benton	25.1%	34.5%	15.7%	8.6%	16.1%
Compansons	Region	36.2%	30.4%	15.0%	6.9%	11.5%
	Stearns	42.5%	27.4%	13.7%	7.3%	9.1%
	St. Cloud	34.1%	29.7%	16.2%	9.8%	10.3%

212. In your opinion, how much of a problem is discrimination based on gender in your county?

213. In your opinion, how much of a problem is <u>discrimination based on sexual orientation</u> in your county?

		No Problem	Minor Problem	Moderate Problem	Serious Problem	No Opinion
Sherburne Tot	al	32.2%	27.6%	17.8%	8.5%	14.0%
Gender	Male	38.5%	23.0%	15.8%	9.6%	13.1%
	Female	25.6%	32.4%	19.8%	7.3%	14.8%
Age groups	18-34	DS	DS	DS	DS	DS
	35-44	36.3%	30.3%	11.7%	18.8%	2.9%
	45-54	34.4%	34.4%	14.7%	3.9%	12.5%
	55-64	33.3%	28.6%	20.7%	4.5%	12.9%
	65-74	37.9%	18.5%	18.8%	3.5%	21.2%
	75+	33.6%	10.2%	22.5%	3.3%	30.4%
Education	High school graduate/GED or less Trade/Voc, Associate	55.2%	23.8%	0.8%	8.5%	11.6%
	degree or some college	32.9%	25.2%	14.8%	14.8%	12.3%
	Bachelor's degree Graduate or professional	27.6%	31.4%	32.5%	4.3%	4.1%
	degree	22.4%	30.0%	16.3%	2.3%	29.0%
Poverty 200%	200% poverty or less	21.5%	12.9%	19.4%	31.6%	14.6%
20070	Greater than 200% poverty	32.8%	28.5%	17.9%	6.7%	14.2%
Local Comparisons	Benton	24.4%	24.6%	21.2%	13.5%	16.3%
	Region	31.4%	26.0%	18.4%	10.9%	13.4%
	Stearns	32.7%	25.4%	18.0%	11.6%	12.3%
	St. Cloud	22.9%	28.0%	21.3%	14.7%	13.1%

214. In your opinion, how much of a problem is <u>discrimination based on gender identity</u> in your county?

		No Problem	Minor Problem	Moderate Problem	Serious Problem	No Opinion
Sherburne Tot	al	30.3%	31.6%	13.9%	9.5%	14.7%
Gender	Male	37.6%	29.6%	7.3%	11.1%	14.5%
	Female	22.7%	33.8%	20.8%	7.8%	15.0%
Age groups	18-34	DS	DS	DS	DS	DS
	35-44	28.1%	33.3%	14.2%	21.5%	2.9%
	45-54	41.8%	28.4%	14.1%	3.9%	11.8%
	55-64	32.6%	33.8%	12.9%	9.1%	11.6%
	65-74	37.1%	17.8%	16.9%	4.9%	23.2%
	75+	31.5%	15.1%	19.2%	1.6%	32.6%
Education	High school graduate/GED or less Trade/Voc, Associate degree or some college	54.6% 30.9%	24.4% 26.7%	1.0% 12.8%	8.5% 15.5%	11.6% 14.0%
	Bachelor's degree Graduate or professional	21.8% 23.9%	56.9% 16.3%	12.5% 25.1%	4.6% 5.3%	4.1% 29.4%
Poverty	degree					
200%	200% poverty or less Greater than 200% poverty	20.8% 30.7%	16.4% 32.4%	19.8% 13.7%	28.6% 8.1%	14.3% 15.0%
Local Comparisons	Benton	23.5%	24.7%	14.4%	21.9%	15.5%
0011120115	Region	31.0%	26.9%	15.2%	12.9%	14.1%
	Stearns	33.4%	24.7%	16.1%	12.4%	13.3%
	St. Cloud	23.3%	26.7%	17.7%	18.3%	14.1%

		No Problem	Minor Problem	Moderate Problem	Serious Problem	No Opinion
Sherburne Tot	al	35.8%	28.4%	16.2%	6.0%	13.7%
Gender	Male	43.5%	19.1%	17.4%	6.9%	13.0%
	Female	27.5%	38.2%	14.8%	5.0%	14.4%
Age groups	18-34	DS	DS	DS	DS	DS
	35-44	52.5%	17.5%	13.0%	14.1%	2.9%
	45-54	31.7%	44.5%	8.0%	4.6%	11.2%
	55-64	36.3%	26.3%	17.5%	7.6%	12.2%
	65-74	40.2%	23.1%	14.8%	3.2%	18.7%
	75+	30.9%	17.1%	18.7%	1.3%	32.0%
Education	High school graduate/GED or less Trade/Voc, Associate	57.6%	21.9%	7.5%	2.0%	11.0%
	degree or some college	32.4%	33.3%	12.7%	9.7%	11.9%
	Bachelor's degree Graduate or professional	31.0%	31.1%	29.1%	4.8%	4.0%
	degree	33.5%	20.5%	13.3%	3.5%	29.2%
Poverty 200%	200% poverty or less	17.8%	14.5%	22.8%	32.5%	12.5%
200 /8	Greater than 200% poverty	37.0%	29.3%	15.7%	3.9%	14.1%
Local Comparisons	Benton	26.8%	29.7%	17.9%	11.6%	14.0%
00111120115	Region	36.0%	28.4%	16.4%	6.1%	13.1%
	Stearns	38.6%	28.1%	16.2%	4.7%	12.5%
	St. Cloud	29.3%	29.1%	20.8%	8.2%	12.6%

215. In your opinion, how much of a problem is <u>discrimination based on disability</u> in your county?

		No Problem	Minor Problem	Moderate Problem	Serious Problem	No Opinion
Sherburne Tot	al	41.0%	28.8%	7.0%	9.1%	14.1%
Gender	Male	44.0%	21.8%	5.5%	15.8%	13.0%
	Female	37.9%	36.3%	8.5%	2.0%	15.3%
Age groups	18-34	DS	DS	DS	DS	DS
	35-44	51.5%	33.1%	4.8%	8.8%	1.7%
	45-54	41.5%	34.0%	9.9%	0.7%	13.9%
	55-64	38.6%	35.6%	4.1%	7.0%	14.7%
	65-74	46.4%	21.5%	11.7%	3.0%	17.4%
	75+	35.6%	21.1%	14.1%	1.6%	27.6%
Education	High school graduate/GED or less Trade/Voc, Associate degree or some college	61.3% 39.5%	22.9% 28.8%	0.3% 10.6%	6.4% 6.9%	9.1% 14.2%
	Bachelor's degree Graduate or professional degree	41.2% 31.3%	28.2% 33.5%	5.8% 5.5%	21.2% 1.2%	3.6% 28.6%
Poverty	200% poverty or less	29.6%	16.7%	14.6%	30.0%	9.1%
200%	Greater than 200% poverty	41.8%	29.5%	6.3%	7.6%	14.8%
Local Comparisons	Benton	30.2%	29.6%	8.8%	15.6%	15.7%
00111201130113	Region	38.0%	27.6%	12.5%	9.8%	12.1%
	Stearns	38.3%	26.3%	16.6%	8.7%	10.0%
	St. Cloud	27.8%	29.1%	18.5%	13.6%	11.0%

216. In your opinion, how much of a problem is discrimination based on religion in your county?

217. In your opinion, how much of a problem is <u>discrimination based on being overweight or obese</u> in your county?

		No Problem	Minor Problem	Moderate Problem	Serious Problem	No Opinion
Sherburne Tot	al	35.9%	36.4%	11.0%	3.6%	13.0%
Gender	Male	45.4%	28.2%	9.7%	3.7%	13.0%
	Female	26.0%	45.0%	12.4%	3.5%	13.1%
Age groups	18-34	DS	DS	DS	DS	DS
	35-44	35.2%	41.9%	11.2%	10.0%	1.7%
	45-54	34.7%	47.6%	4.6%	2.6%	10.5%
	55-64	29.3%	36.7%	22.0%	1.4%	10.6%
	65-74	35.5%	23.3%	20.0%	3.8%	17.4%
	75+	30.9%	18.3%	17.3%	1.5%	31.9%
Education	High school graduate/GED or less Trade/Voc, Associate	54.6%	25.4%	7.7%	0.0%	12.3%
	degree or some college	26.5%	44.0%	14.1%	5.8%	9.6%
	Bachelor's degree Graduate or professional	48.2%	32.8%	11.4%	3.9%	3.7%
	degree	27.2%	33.9%	7.4%	2.0%	29.5%
Poverty 200%	200% poverty or less	19.7%	22.4%	14.7%	30.2%	13.0%
200 /0	Greater than 200% poverty	37.0%	37.3%	11.0%	1.5%	13.3%
Local Comparisons	Benton	29.1%	31.3%	17.9%	9.3%	12.4%
Companisons	Region	35.9%	33.3%	14.4%	4.6%	11.8%
	Stearns	37.6%	32.1%	15.5%	3.9%	11.0%
	St. Cloud	29.4%	33.5%	20.0%	5.9%	11.2%

218. In your opinion, how much of a problem is <u>discrimination based on something else</u> in your county?

		No Problem	Minor Problem	Moderate Problem	Serious Problem	No Opinion
Sherburne Tot	al	44.1%	10.7%	2.5%	12.1%	30.6%
Gender	Male	56.5%	2.9%	1.0%	8.7%	30.9%
	Female	32.7%	17.9%	3.9%	15.1%	30.4%
Age groups	18-34	DS	DS	DS	DS	DS
	35-44	44.7%	11.6%	6.9%	20.8%	16.0%
	45-54	58.3%	5.8%	0.0%	0.0%	35.9%
	55-64	51.6%	9.2%	1.7%	6.9%	30.6%
	65-74	57.1%	4.4%	8.8%	2.0%	27.7%
	75+	37.0%	0.5%	8.4%	2.3%	51.8%
Education	High school graduate/GED or less Trade/Voc, Associate	69.1%	3.8%	1.2%	0.0%	25.9%
	degree or some college	43.2%	14.6%	1.9%	14.3%	26.0%
	Bachelor's degree Graduate or professional	33.4%	5.0%	2.6%	17.4%	41.6%
	degree	37.4%	15.4%	4.5%	11.8%	30.8%
Poverty 200%	200% poverty or less	23.6%	12.0%	5.8%	34.7%	23.8%
200 /8	Greater than 200% poverty	45.6%	10.4%	2.2%	10.0%	31.7%
Local Comparisons	Benton	41.6%	7.5%	3.2%	4.8%	42.9%
Companisons	Region	48.1%	7.0%	3.3%	5.9%	35.6%
	Stearns	52.5%	4.6%	3.9%	2.3%	36.7%
	St. Cloud	43.5%	4.6%	4.2%	3.2%	44.5%

		No Problem	Minor Problem	Moderate Problem	Serious Problem	No Opinion
Sherburne Tot	al	14.8%	39.6%	28.2%	8.8%	8.6%
Gender	Male	13.7%	44.7%	29.5%	6.9%	5.3%
	Female	16.0%	34.3%	26.9%	10.9%	12.0%
Age groups	18-34	DS	DS	DS	DS	DS
	35-44	15.3%	39.1%	22.5%	13.8%	9.4%
	45-54	21.1%	33.3%	31.5%	5.9%	8.1%
	55-64	18.4%	28.7%	37.0%	5.6%	10.3%
	65-74	20.3%	27.8%	23.3%	13.8%	14.9%
	75+	32.2%	20.5%	13.1%	10.3%	23.9%
Education	High school graduate/GED or less Trade/Voc, Associate degree or some college	9.8% 19.0%	45.8% 33.8%	28.0% 25.7%	6.5% 11.4%	9.9% 10.1%
	Bachelor's degree Graduate or professional degree	15.5% 9.4%	37.8% 47.7%	34.8% 25.6%	9.2% 5.6%	2.7% 11.7%
Poverty	200% poverty or less	24.3%	13.4%	18.2%	33.6%	10.5%
200%	Greater than 200% poverty	13.4%	42.5%	29.0%	6.5%	8.5%
Local Comparisons	Benton	15.6%	29.0%	30.7%	11.5%	13.2%
Comparisons	Region	16.9%	29.0%	30.6%	12.3%	11.2%
	Stearns	18.4%	23.0%	32.0%	14.5%	12.1%
	St. Cloud	10.6%	22.2%	36.4%	18.4%	12.5%

219. In your opinion, how much of a problem is <u>smoking or other tobacco use</u> in your county?

220. In your opinion, how much of a problem is the <u>use of e-cigarettes/vaping for nicotine products</u> in your county?

		No Problem	Minor Problem	Moderate Problem	Serious Problem	No Opinion
Sherburne Tot	al	19.8%	20.8%	32.9%	13.3%	13.2%
Gender	Male	24.3%	20.6%	31.7%	10.4%	13.0%
	Female	15.0%	21.0%	34.2%	16.4%	13.5%
Age groups	18-34	DS	DS	DS	DS	DS
	35-44	18.8%	28.5%	28.4%	19.1%	5.2%
	45-54	17.7%	22.4%	33.1%	16.7%	10.2%
	55-64	19.6%	26.8%	31.9%	10.5%	11.2%
	65-74	16.9%	22.4%	27.4%	15.0%	18.4%
	75+	35.9%	17.4%	17.8%	5.6%	23.3%
Education	High school graduate/GED or less Trade/Voc, Associate	46.5%	8.5%	25.1%	10.0%	9.9%
	degree or some college	20.3%	23.4%	28.3%	17.0%	11.0%
	Bachelor's degree Graduate or professional	16.5%	26.0%	43.2%	11.6%	2.7%
	degree	6.2%	18.5%	33.6%	11.2%	30.4%
Poverty 200%	200% poverty or less	25.8%	9.1%	17.1%	38.5%	9.5%
200 /0	Greater than 200% poverty	18.9%	21.9%	34.3%	11.1%	13.7%
Local Comparisons	Benton	18.9%	22.6%	31.3%	14.2%	12.9%
	Region	18.5%	21.0%	30.1%	16.2%	14.2%
	Stearns	17.6%	20.6%	28.2%	18.4%	15.1%
	St. Cloud	11.5%	18.5%	32.7%	22.6%	14.6%

		No Problem	Minor Problem	Moderate Problem	Serious Problem	No Opinion
Sherburne Tot	al	13.1%	16.1%	34.1%	18.3%	18.4%
Gender	Male	12.2%	17.0%	32.9%	22.9%	15.0%
	Female	14.0%	15.2%	35.3%	13.5%	21.9%
Age groups	18-34	DS	DS	DS	DS	DS
	35-44	7.0%	25.0%	32.0%	26.0%	10.0%
	45-54	19.5%	19.8%	35.0%	10.7%	15.0%
	55-64	23.8%	16.6%	37.2%	13.9%	8.5%
	65-74	18.4%	23.4%	25.4%	15.2%	17.7%
	75+	30.7%	15.3%	17.8%	7.0%	29.2%
Education	High school graduate/GED or less Trade/Voc, Associate	14.3%	10.7%	53.6%	11.5%	9.9%
	degree or some college	14.4%	13.2%	41.2%	16.9%	14.2%
	Bachelor's degree Graduate or professional	14.0%	24.3%	21.9%	35.0%	4.8%
	degree	9.4%	15.4%	23.7%	6.2%	45.4%
Poverty 200%	200% poverty or less	21.2%	4.7%	19.0%	39.6%	15.5%
20078	Greater than 200% poverty	12.0%	17.3%	35.3%	16.3%	19.0%
Local Comparisons	Benton	16.2%	19.8%	30.1%	12.9%	21.1%
00111201120112	Region	15.4%	18.3%	30.7%	18.8%	16.8%
	Stearns	16.5%	19.2%	28.9%	20.7%	14.7%
	St. Cloud	9.6%	15.4%	34.7%	24.2%	16.2%

221. In your opinion, how much of a problem is the abuse of prescription drugs in your county?

		No Problem	Minor Problem	Moderate Problem	Serious Problem	No Opinion
Sherburne Tot	al	16.5%	21.6%	28.7%	15.6%	17.5%
Gender	Male	19.0%	23.5%	31.4%	12.5%	13.6%
	Female	14.0%	19.6%	25.9%	18.8%	21.7%
Age groups	18-34	DS	DS	DS	DS	DS
	35-44	12.8%	22.5%	26.4%	26.7%	11.6%
	45-54	12.6%	31.1%	32.1%	13.0%	11.3%
	55-64	16.9%	23.5%	39.0%	13.8%	6.8%
	65-74	15.5%	20.8%	26.4%	21.1%	16.3%
	75+	29.2%	9.2%	25.1%	8.5%	28.0%
Education	High school graduate/GED or less Trade/Voc, Associate degree or some college	45.7% 13.6%	15.4% 18.7%	14.4% 36.6%	16.7% 20.6%	7.8% 10.5%
	Bachelor's degree Graduate or professional degree	15.7% 4.4%	30.3% 21.1%	35.3% 17.6%	11.8% 10.0%	6.9% 46.9%
Poverty 200%	200% poverty or less Greater than 200%	22.4%	9.9%	13.9%	40.9%	12.9%
	poverty	15.7%	23.0%	29.8%	13.1%	18.3%
Local	Benton	12.8%	24.2%	27.3%	23.0%	12.8%
Comparisons	Region	12.0%	24.2 <i>%</i> 19.0%	32.0%	23.0%	12.0%
	Stearns	11.7%	16.1%	35.2%	21.3%	14.3 %
	Stearns St. Cloud	6.5%	14.3%	35.5%	30.3%	13.4%

222. In your opinion, how much of a problem is <u>illegal drug use among youth</u> in your county?

		No Problem	Minor Problem	Moderate Problem	Serious Problem	No Opinion
Sherburne Tot	al	16.1%	16.2%	34.2%	15.5%	18.0%
Gender	Male	18.6%	18.7%	37.1%	11.6%	14.0%
	Female	13.4%	13.7%	31.2%	19.6%	22.1%
Age groups	18-34	DS	DS	DS	DS	DS
	35-44	8.8%	22.1%	35.5%	21.9%	11.7%
	45-54	12.5%	28.0%	32.9%	14.4%	12.1%
	55-64	16.9%	21.6%	39.7%	14.0%	7.9%
	65-74	17.6%	20.7%	25.2%	20.2%	16.3%
	75+	28.7%	9.3%	21.1%	11.7%	29.2%
Education	High school graduate/GED or less Trade/Voc, Associate	46.7%	9.4%	18.4%	17.5%	7.9%
	degree or some college	12.4%	12.0%	43.4%	20.7%	11.5%
	Bachelor's degree Graduate or professional	12.0%	23.6%	44.4%	13.1%	6.9%
	degree	7.9%	19.5%	18.0%	7.6%	46.9%
Poverty 200%	200% poverty or less	23.0%	10.5%	15.8%	37.5%	13.3%
20078	Greater than 200% poverty	15.2%	16.7%	36.1%	13.4%	18.7%
Local Comparisons	Benton	13.0%	21.2%	31.5%	22.1%	12.2%
Compansons	Region	14.2%	17.9%	32.5%	21.1%	14.3%
	Stearns	13.4%	17.8%	31.8%	24.1%	12.9%
	St. Cloud	8.6%	14.2%	33.3%	30.5%	13.3%

223. In your opinion, how much of a problem is <u>illegal drug use in adults</u> in your county?

		No Problem	Minor Problem	Moderate Problem	Serious Problem	No Opinion
Sherburne Tot	al	5.3%	16.9%	33.1%	31.2%	13.4%
Gender	Male	6.5%	22.8%	29.4%	27.2%	14.1%
	Female	4.1%	10.6%	37.0%	35.5%	12.8%
Age groups	18-34	DS	DS	DS	DS	DS
	35-44	4.7%	17.6%	32.6%	42.8%	2.3%
	45-54	2.2%	35.7%	22.7%	29.1%	10.4%
	55-64	16.0%	18.8%	33.0%	21.8%	10.4%
	65-74	13.4%	21.3%	23.9%	14.2%	27.2%
	75+	21.2%	20.2%	22.2%	2.6%	33.7%
Education	High school graduate/GED or less Trade/Voc, Associate	5.2% 6.8%	15.4% 20.7%	58.4% 26.3%	11.0% 34.9%	10.0% 11.3%
	degree or some college Bachelor's degree Graduate or professional	3.7%	18.7%	33.8%	39.9%	4.0%
Poverty	degree	4.7%	9.5%	28.0%	28.3%	29.4%
200%	200% poverty or less Greater than 200% poverty	9.1% 4.5%	9.7% 17.8%	48.6% 32.5%	20.5% 32.1%	12.1% 13.2%
Local Comparisons	Benton	10.3%	21.4%	26.0%	30.7%	11.5%
00111201130113	Region	8.2%	17.9%	30.5%	29.6%	13.8%
	Stearns	9.2%	17.6%	30.1%	28.4%	14.7%
	St. Cloud	5.0%	13.5%	31.9%	36.3%	13.3%

224. In your opinion, how much of a problem is <u>depression among youth</u> in your county?

		No Problem	Minor Problem	Moderate Problem	Serious Problem	No Opinion
Sherburne Tot	al	5.7%	16.8%	38.4%	26.0%	13.2%
Gender	Male	7.3%	20.2%	39.3%	19.7%	13.5%
	Female	4.0%	13.2%	37.4%	32.6%	12.8%
Age groups	18-34	DS	DS	DS	DS	DS
	35-44	4.7%	11.8%	55.6%	26.7%	1.2%
	45-54	5.6%	37.6%	30.3%	14.2%	12.3%
	55-64	13.0%	23.8%	36.7%	18.4%	8.0%
	65-74	12.5%	23.2%	23.6%	14.9%	25.8%
	75+	22.8%	20.8%	20.0%	3.4%	33.0%
Education	High school graduate/GED or less Trade/Voc, Associate degree or some college	6.1% 6.5%	26.4% 17.4%	50.5% 35.7%	9.8% 28.7%	7.2% 11.7%
	Bachelor's degree Graduate or professional degree	2.6% 7.6%	15.9% 11.2%	37.7% 35.8%	39.9% 16.1%	4.0% 29.4%
Poverty	200% poverty or less	8.1%	11.2%	47.2%	24.8%	8.7%
200%	Greater than 200% poverty	4.9%	17.7%	38.0%	26.1%	13.3%
Local Comparisons	Benton	9.8%	19.9%	30.0%	30.2%	10.2%
0011901130113	Region	8.1%	18.5%	35.7%	25.1%	12.7%
	Stearns	9.0%	19.1%	35.6%	23.3%	13.1%
	St. Cloud	4.7%	15.0%	37.8%	31.1%	11.4%

225. In your opinion, how much of a problem is <u>depression among adults</u> in your county?

		No Problem	Minor Problem	Moderate Problem	Serious Problem	No Opinion
Sherburne Tot	al	9.3%	23.0%	28.5%	22.5%	16.7%
Gender	Male	11.7%	25.7%	22.1%	25.8%	14.7%
	Female	6.7%	20.1%	35.3%	19.1%	18.8%
Age groups	18-34	DS	DS	DS	DS	DS
	35-44	12.3%	28.8%	20.8%	33.3%	4.8%
	45-54	7.8%	38.3%	26.9%	15.1%	11.9%
	55-64	18.4%	27.7%	27.0%	18.9%	8.0%
	65-74	13.5%	25.5%	17.0%	16.2%	27.8%
	75+	30.7%	14.5%	17.4%	5.0%	32.3%
Education	High school graduate/GED or less	6.7%	25.2%	15.1%	40.0%	12.9%
	Trade/Voc, Associate degree or some college	9.0%	28.2%	23.5%	26.4%	12.9%
	Bachelor's degree	12.5%	13.3%	54.0%	13.5%	6.7%
	Graduate or professional degree	7.9%	23.3%	17.2%	15.3%	36.3%
Poverty	200% poverty or less	12.0%	13.7%	24.3%	35.2%	14.8%
200%	Greater than 200% poverty	8.5%	24.4%	29.0%	21.4%	16.7%
Local Comparisons	Benton	14.2%	25.3%	26.1%	21.7%	12.6%
Compansons	Region	13.8%	22.9%	24.9%	22.3%	16.1%
	Stearns	16.3%	22.2%	22.6%	22.2%	16.7%
	St. Cloud	10.5%	19.5%	26.3%	28.0%	15.7%

226. In your opinion, how much of a problem is suicide among youth in your county?

		No Problem	Minor Problem	Moderate Problem	Serious Problem	No Opinion
Sherburne Tot	al	10.2%	25.2%	37.4%	9.1%	18.1%
Gender	Male	13.2%	25.8%	42.2%	2.9%	16.0%
	Female	7.0%	24.6%	32.4%	15.7%	20.4%
Age groups	18-34	DS	DS	DS	DS	DS
	35-44	12.5%	35.8%	39.2%	7.1%	5.4%
	45-54	12.5%	29.8%	34.0%	7.6%	16.1%
	55-64	17.4%	31.7%	26.7%	13.8%	10.4%
	65-74	15.4%	28.5%	18.8%	9.4%	27.9%
	75+	27.0%	23.4%	13.2%	4.8%	31.5%
Education	High school graduate/GED or less Trade/Voc, Associate	6.1%	30.0%	43.7%	4.3%	15.9%
	degree or some college	9.2%	25.1%	35.1%	14.9%	15.7%
	Bachelor's degree Graduate or professional	11.9%	27.5%	48.0%	5.9%	6.7%
	degree	12.5%	20.2%	25.7%	5.8%	35.9%
Poverty 200%	200% poverty or less	12.3%	11.3%	50.5%	7.4%	18.6%
20076	Greater than 200% poverty	9.5%	27.0%	36.3%	9.2%	18.0%
Local Comparisons	Benton	14.7%	27.6%	27.8%	17.1%	12.8%
	Region	13.8%	26.2%	28.5%	15.5%	16.1%
	Stearns	15.5%	26.5%	23.6%	18.7%	15.8%
	St. Cloud	9.7%	24.4%	27.3%	23.1%	15.5%

227. In your opinion, how much of a problem is suicide among adults in your county?

		No Problem	Minor Problem	Moderate Problem	Serious Problem	No Opinion
Sherburne Tot	al	7.4%	22.3%	28.7%	25.9%	15.7%
Gender	Male	9.3%	27.6%	31.1%	16.0%	16.1%
	Female	5.4%	16.8%	26.3%	36.4%	15.2%
Age groups	18-34	DS	DS	DS	DS	DS
	35-44	5.9%	17.3%	28.6%	40.0%	8.3%
	45-54	10.3%	32.0%	29.3%	14.4%	14.1%
	55-64	13.9%	21.7%	33.3%	22.1%	9.1%
	65-74	11.8%	21.2%	26.2%	16.3%	24.4%
	75+	22.9%	17.5%	22.9%	6.6%	30.1%
Education	High school graduate/GED or less Trade/Voc, Associate degree or some college	5.3% 9.0%	55.7% 20.4%	24.3% 18.7%	4.3% 38.2%	10.5% 13.6%
	Bachelor's degree Graduate or professional degree	2.9% 10.8%	12.2% 16.4%	54.9% 20.3%	25.0% 18.7%	5.0% 33.8%
Poverty	200% poverty or less	9.0%	17.4%	16.5%	41.8%	15.3%
200%	Greater than 200% poverty	6.7%	23.0%	30.4%	24.4%	15.5%
Local Comparisons	Benton	13.9%	17.2%	32.8%	27.7%	8.5%
oompansons	Region	9.2%	19.7%	31.7%	28.2%	11.2%
	Stearns	9.0%	18.9%	33.0%	29.7%	9.3%
	St. Cloud	6.9%	16.1%	33.9%	35.7%	7.4%

228. In your opinion, how much of a problem are <u>other mental health issues, such as anxiety or panic</u> <u>attacks, memory loss, Alzheimer's or another form of dementia, etc.</u> in your county?

229. In your opinion, how much of a problem is <u>difficulty obtaining mental health services for youth</u> in your county?

		No Problem	Minor Problem	Moderate Problem	Serious Problem	No Opinion
Sherburne Tot	al	15.8%	21.8%	23.8%	25.0%	13.5%
Gender	Male	16.8%	31.2%	28.0%	19.3%	4.7%
	Female	14.8%	11.9%	19.4%	31.0%	22.9%
Age groups	18-34	DS	DS	DS	DS	DS
	35-44	17.7%	2.9%	29.2%	46.6%	3.5%
	45-54	16.3%	29.7%	29.2%	10.9%	13.8%
	55-64	21.7%	17.6%	27.6%	17.1%	16.0%
	65-74	16.2%	23.6%	19.1%	8.3%	32.9%
	75+	30.1%	14.3%	14.7%	9.7%	31.2%
Education	High school graduate/GED or less Trade/Voc, Associate degree or some college	7.5% 12.0%	52.0% 14.4%	22.8% 24.6%	6.6% 34.6%	11.0% 14.4%
	Bachelor's degree Graduate or professional	27.2%	10.4%	32.8%	23.6%	5.9%
Poverty	degree	15.2%	28.2%	13.0%	21.7%	21.9%
200%	200% poverty or less Greater than 200% poverty	10.4% 16.0%	17.1% 22.7%	15.3% 24.5%	46.6% 23.2%	10.7% 13.6%
Local Comparisons	Benton	15.4%	17.5%	21.5%	30.5%	15.1%
	Region	16.2%	21.6%	21.1%	27.0%	14.1%
	Stearns	16.6%	22.6%	19.4%	27.3%	14.2%
	St. Cloud	12.4%	19.2%	20.4%	35.6%	12.3%

230. In your opinion, how much of a problem is <u>difficulty obtaining mental health services for adults</u> in your county?

		No Problem	Minor Problem	Moderate Problem	Serious Problem	No Opinion
Sherburne Tot	al	15.6%	21.8%	25.3%	23.7%	13.6%
Gender	Male	16.4%	29.8%	30.7%	18.4%	4.7%
	Female	14.7%	13.4%	19.6%	29.2%	23.1%
Age groups	18-34	DS	DS	DS	DS	DS
	35-44	17.7%	5.3%	25.7%	47.7%	3.5%
	45-54	16.3%	26.2%	32.9%	10.7%	13.8%
	55-64	21.7%	20.4%	28.6%	13.3%	16.0%
	65-74	18.9%	19.8%	20.5%	8.5%	32.3%
	75+	27.0%	17.3%	16.8%	4.6%	34.3%
Education	High school graduate/GED or less Trade/Voc, Associate degree or some college	8.4% 11.3%	48.3% 13.9%	23.5% 28.5%	8.7% 31.7%	11.0% 14.7%
	Bachelor's degree Graduate or professional	26.7%	12.1%	33.9%	21.4%	5.9%
Poverty	degree	15.2%	29.6%	11.3%	22.0%	21.9%
200%	200% poverty or less	10.9%	19.3%	15.8%	41.6%	12.4%
	Greater than 200% poverty	15.6%	22.6%	25.8%	22.5%	13.5%
Local Comparisons	Benton	15.1%	17.7%	23.2%	29.0%	15.0%
00111201130113	Region	15.7%	22.0%	22.3%	26.6%	13.5%
	Stearns	15.9%	23.2%	20.2%	27.6%	13.1%
	St. Cloud	10.9%	20.2%	22.2%	35.5%	11.3%

Appendices

Central Minnesota Community Health Survey Tool

CENTRAL MINNESOTA COMMUNITY HEALTH SURVEY

SURVEY INSTRUCTIONS				
Orrect marks	💰 🐹 💿 Incorrect marks	 Please use #2 pencil or blue or black pen to complete this survey. Do not use red pencil or ink. Do not use X's or check marks to indicate your responses. Fill response ovals completely with heavy, dark marks. 		


INSTRUCTION: Please give this survey to the adult (age 18 or over) in the household who has most recently had a birthday.

	GENE	RAL HEALTH AN	ND HEALTH	CARE		
1. In general,	vould you say that you	health is:				
O Excelle	nt O Very goo	d 🔿 Good	○ Fair	O Poor		
2. Have you ev	<u>er</u> been told by a docto that you had any of the	or, nurse or other heal	th care	No	Yes	Yes, but only related to pregnancy
a. Diabetes				0	0	0
b. Pre-diabe	tes			0	0	0
c. High blo	d pressure/hypertension	า		0	0	0
d. Pre-hyper	tension			0	0	0
e. Depressio	n			0	0	0
f. Anxiety c	r panic attacks			0	0	
g. Memory	oss, Alzheimer's diseas	e or another form of de	ementia	0	0	
h. Post-traur	natic stress disorder (PT	SD)		\bigcirc	0	
i. Other me	ntal health issues			0	0	
j. Sleep-rela	ted disorders (such as in	nsomnia, restless leg sy	ndrome or sleep	apnea) 🔿	0	
k. Cancer				0	0	
	ıble or angina			\bigcirc	0	
	stroke-related health iss	ues		0	0	
-	esterol or triglycerides			\bigcirc	0	
	ung disease (including C	OPD, chronic bronchit	is or emphysema)	0	0	
p. Asthma				0	0	
q. Arthritis				0	0	
r. Risk of fa	•			0	0	
s. Sexually	ransmitted diseases/infe	ctions (Chlamydia, HI	√, etc.)	0	0	
(Mark only (O I do no O A doct O A hosp O Public O A chire	t have a place I usually or's office ital outpatient clinic		al care cy room nealth center e-visit ine	Care? CReligious I CGoogle/Int Trusted far Some othe	ernet nily or	

DO NOT WRITE IN THIS BOX

4. About how long has it been since	you last visited a doctor or other h	ealth care professional for a routine check-up?
Within the past yearWithin the past 2 years	Within the past 5 years5 or more years ago	O Never
getting it?		needed <u>medical care</u> but did not get it or delayed
\bigcirc Yes \bigcirc No \blacktriangleright IF NO, GO	O TO QUESTION 7	
6. Why did you not get or delay gett (Mark ALL that apply)	ting the <u>medical care</u> you thought y	/ou needed?
 The care I needed cost too mu My co-pay was too expensive My deductible was too expension My insurance did not cover it I did not have insurance I could not get an appointment I had transportation problems 	sive O I was too nerv O I don't trust th O The clinic can O I cancelled my O I did not have	it was serious enough ous or afraid e health care system celled my appointment due to COVID-19 / appointment due to COVID-19 access to telehealth or a virtual visit
7. During the <u>past 12 months</u> , was the getting it?	here a time when you thought you	needed <u>dental care</u> but did not get it or delayed
O Yes O No ► IF NO, G	O TO QUESTION 9	
8. Why did you not get or delay gett (Mark ALL that apply)	ting the <u>dental care</u> you thought yo	u needed?
 The care I needed cost too mu My co-pay was too expensive My deductible was too expensive My insurance did not cover it I did not have insurance The dentist would not accept m I could not get an appointment I had transportation problems 	sive O I was too nerv O I don't trust th O The office can O I cancelled my O I did not have O Other reason	it was serious enough ous or afraid e health care system celled my appointment due to COVID-19 / appointment due to COVID-19 access to telehealth or a virtual visit
· · · · · · · · · · · · · · · · · · ·	stress, depression, excess worrying, t	alk with or seek help from a health professional troubling thoughts or emotional problems, but did
○ Yes ○ No ► IF NO, G	O TO QUESTION 11	
10. Why did you not get or delay gett (Mark ALL that apply)	ting the <u>mental health care</u> you tho	ught you needed?
 The care I needed cost too mu My co-pay was too expensive My deductible was too expension My insurance did not cover it I did not have insurance I could not get an appointment I had transportation problems 	 I was afraid so I don't trust th The office can I cancelled my 	ous or afraid meone I know would see me e health care system celled my appointment due to COVID-19 / appointment due to COVID-19 access to telehealth or a virtual visit

 \bigcirc I did not think it was serious enough



13. Why did you not fill at least one prescription?

(Mark ALL that apply)

- O The medication I needed cost too much
- O My co-pay was too expensive
- O My deductible was too expensive
- O My insurance did not cover it
- I did not have insurance

- I do not like taking medications
- I did not like the side effects
- O I had transportation problems
- O Pharmacy services are not available in my community
- Other reason ____

14. Which of the following types of health insurance do you have?

(Please mark yes or no for each.)	Yes	No
a. Health insurance or coverage through your employer or your spouse/partner, parent, or		
someone else's employer	\bigcirc	\bigcirc
b. Health insurance or coverage bought directly by you or your family	0	0
c. Indian or Tribal Health Service	0	\bigcirc
d. Medicare or Medicare Supplement (such as Part D)	0	0
e. Medicaid, Medical Assistance (MA), or Prepaid Medical Assistance Program (PMAP)	\bigcirc	\bigcirc
f. MinnesotaCare	0	0
g. Health Insurance through MnSure	\bigcirc	\bigcirc
h. CHAMPUS, TRICARE, or Veteran's benefits	0	0
i. Other health insurance or coverage (please specify)	_ O	\bigcirc
j. I don't have health insurance	0	0

15. A serving of fruit is a medium-sized fruit or a half cup chopped, cut, or canned fruit. How many servings of fruit did you have <u>yesterday</u>?

 Number of Servings:

 (0) (1) (2) (3) (4) (5) (6) (7) (8) (9) (0) (1) (1) or more

16. A serving of 100% fruit juice is 6 ounces. How many servings of fruit juice did you have <u>yesterday</u>?

Number of Servings: 0 1 2 3 4 5 6 7 8 9 10 11 12 or more

17. A serving of vegetables-not including french fries- is one cup of salad greens or a half cup of vegetables. How many servings of vegetables did you have <u>yesterday</u>?

 Number of Servings:

 (0) (1) (2) (3) (4) (5) (6) (7) (8) (9) (10) (10) (10) or more

	ow often did you drink the llowing beverages in the <u>ast week</u> ?	Never or less than 1 time per week	1 time per week	2-4 times per week	5-6 times per week	1 time per day	2-3 times per day	4 or more times per da
	drinks (such as Snapple, flavored teas, Sun or Kool-Aid)	0	0	0	0	0	0	0
	s drinks (such as Gatorade or Powerade); drinks usually do <u>not</u> have caffeine	0	0	0	0	0	0	0
-	lar soda or pop (include all kinds such as , Pepsi, 7-Up, Sprite or root beer)	0	0	0	0	0	0	0
	gy drinks (such as Rockstar, Red Bull, Monste II Throttle); these drinks usually have caffeine		0	0	0	0	0	0
CO	uring the <u>past 12 months</u> , have you used o mmunity food box program? O Yes O No	a communi	ity food sh	elf program	or a			
bu	ow often do you or others in your househ y or get food from the following places?			Never or less than 1 time per month	About 1 time per month	About 2 or 3 times per month	About 1 time per week	2 or more times per wee
	Supermarket or large grocery store			0	0	0	0	0
h	. Small grocery store			\bigcirc	0	0	0	0
c.	. Convenience store or gas station			0	0	0	0	0
c. d.	 Convenience store or gas station Food shelf, food pantry or community for Some other place:	ood box pro	ogram	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0
с. d. e. 21. D u	 Food shelf, food pantry or community for Some other place:			0 0	0	0	0	0
c. d. e. 21. Du ha	. Food shelf, food pantry or community fo . Some other place: uring the <u>past 12 months</u> , how often did y d money to buy more?	you worry	that your f	0 0	0	0	0	0
c. d. e. 21. Du hau O	 Food shelf, food pantry or community for some other place: uring the past 12 months, how often did y and money to buy more? Often O Sometimes O Ra 	you worry arely (egular job, a	that your f	ood would	orun out be	o o fore you	0	0
c. d. e. 21. Du ha O 22. Du exe	 Food shelf, food pantry or community for some other place: uring the past 12 months, how often did y and money to buy more? Often O Sometimes O Ra 	you worry arely (egular job, a	that your f	ood would	orun out be	o o fore you	0	0
C. d. e. 21. Du had 0 22. Du exc 23. Du mo	 Food shelf, food pantry or community for some other place: uring the past 12 months, how often did y and money to buy more? Often O Sometimes O Ra uring the past 30 days, other than your recercises such as running, calisthenics, golf 	you worry arely (egular job, f, gardening egular job,	that your f Never did you pa g or walkin	ood would rticipate in 19 for exerc	o you get a	o ofore you cal activity of at least 30 n	or ninutes of	
c. d. e. 21. Du had 0 22. Du exc 23. Du mo he	 Food shelf, food pantry or community for some other place: uring the past 12 months, how often did y and money to buy more? Often O Sometimes O Ra Often O Sometimes O Ra uring the past 30 days, other than your recreases such as running, calisthenics, golf Yes O No uring an average week, other than your r oderate physical activity? (Moderate activity art rate.) 	you worry arely (egular job, f, gardening egular job, ivities cause	that your f Never did you pa g or walkin on how m e only light	ood would rticipate in 19 for exerc	o you get a nd a small	Cal activity of the second sec	or ninutes of	
c. d. e. 21. Du hau 0 22. Du exu 23. <u>Du</u> ma he 0 24. <u>Du</u> vig	 Food shelf, food pantry or community for some other place: uring the past 12 months, how often did y and money to buy more? Often O Sometimes O Ra Often O Sometimes O Ra uring the past 30 days, other than your recreases such as running, calisthenics, golf Yes O No uring an average week, other than your r oderate physical activity? (Moderate activity art rate.) 	you worry arely (egular job, f, gardening egular job, ivities cause 3 days (regular job,	that your f Never did you pa g or walkin on how m e only light 4 days , on how m	ood would ood would rticipate in ag for exerc any days do t sweating a 0 5 days any days do	o you get a nd a small	Cal activity of the fore you of the fore as the fore you of th	or breathing days	e g or

25.	How much of a problem are the fo terms of preventing you from being	5		Not a problem	A small problem	A big problem
a.	Lack of programs or facilities			0	0	0
b	Public facilities (schools, sports fiel the times I want to use them	ds, etc.) are not open or available at		0	0	0
C.	Distance I have to travel to a fitnes: walking trails	s or community center, parks or		\circ	\bigcirc	0
ام	-			0	0	-
	No safe place to be physically active Not having sidewalks or walking p			0	0	0
	Poor maintenance of sidewalks or			0	0	0
	Other reason (please specify):			0	0	0
5.	Other reason (prease speeny).			. ()	0	0
26.	How often do you feel safe in your	community?				
	 Often Sometimes 26a. Why do you feel this way? 	O Rarely O Never				
27.	If you were to experience or witney you feel calling the police or sherif	ss a crime or harassment in your com f for help?	munity,	how safe v	vould	
	O Very safe O Fairly safe	O Not very safe O Not at	all safe			
28.	During the past 12 months, have ye following situations? If yes, have ye	• •		erienced		riminated
	against during the situation?		the	situation	ag	ainst
a.	Applied for a job?		ONo	OYes→	O No	O Yes
b	. Worked at a job?		<mark>O</mark> No	OYes→	O No	O Yes
С.	Received medical care?		ONo	OYes→	O No	⊖ Yes
d	. Looked for a different house or apa	irtment?	<mark>O</mark> No	OYes→	O No	O Yes
e.	Applied for a credit card, bank loar	n or a mortgage?	ONo	OYes→	O No	⊖ Yes
f.	Shopped at a store or eaten at a res	taurant?	<mark>O</mark> No	OYes→	O No	○ Yes
g.	Applied for social services or publi	c assistance?	O No	OYes→	O No	⊖ Yes
h	. Dealt with the police?		<mark>O</mark> No	OYes→	O No	○ Yes
i.	Appeared in court?		O No	OYes→	ONo	O Yes
29.	If you felt discriminated against in (Mark ALL that apply) O I did not experience any discrim O Race, color, ethnicity or country O Age O Gender O Sexual orientation		ght or ol			
30	Gender identityHave you smoked at least	31. Do you now smoke cigarettes		32 Duri	ng the past	ŀ
30.	100 cigarettes in your entire life? (100 cigarettes = 5 packs) ○ Yes ○ No ► GO TO QUESTION 33	 by you now smoke cigarettes every day, some days or not at all? Every day Some days Not at all > GO TO QUESTIC 	ON 33	<u>12 m</u> you s for o	nonths, hav stopped sm one day or use you we uit? (es	re noking longer

5

	Circum signallas en little signa			Some days	
	a. Cigars, cigarillos or little cigars		0	0	
	b. Pipesc. Snuff, snus or chewing tobacco		0	0	
	d. E-cigarettes or vaping devices to smoke nico	tino producto		0	
	include marijuana or THC products)	tine products		0	
	e. A hookah water pipe		0	0	
	f. Any other type of tobacco product		0	0	
	, , <u>,</u>				
	How often do you feel lonely or isolated from those around you?		Have you ever considered a uicide? (Mark ALL that app		
(Always O Rarely) No		
	Often ONever		Yes, during the last 6 mo	onths	
	Sometimes		Yes, during the last year		
			Yes, more than a year ag	0	
	Income Housing	-	l support of wellness pation or entertainment		
() () ()	 Housing Health Insurance Transportation Child care 	RecreExercDeath			
((((() 37.)	 Housing Health Insurance Transportation Child care Regular school routine Where do you usually get health, wellness, and (Please mark UP TO 3 sources)	RecreExercDeathOther	e of wellness nation or entertainment ise opportunities n of family member or friend :		
((((() 37.) ()	 Housing Health Insurance Transportation Child care Regular school routine Where do you usually get health, wellness, and (Please mark UP TO 3 sources) E-mail alert or e-newsletter 	RecreExercDeathOther	e of wellness bation or entertainment ise opportunities in of family member or friend r: rmation? O Television		
37. V ((Housing Health Insurance Transportation Child care Regular school routine Where do you usually get health, wellness, and (Please mark UP TO 3 sources) E-mail alert or e-newsletter Newspaper (print or online) 	 Recre Exerc Death Other medical information	e of wellness nation or entertainment ise opportunities n of family member or friend r: mation? O Television O Radio		
37. V ((((() () () ()	 Housing Health Insurance Transportation Child care Regular school routine Where do you usually get health, wellness, and (Please mark UP TO 3 sources) E-mail alert or e-newsletter Newspaper (print or online) Brochure, newsletter, magazine or other print 	 Recre Exerc Death Other medical information	e of wellness eation or entertainment ise opportunities n of family member or friend :: rmation? O Television O Radio O Medical professiona		
37. 1 ((() () () () () () () () () () () ()	 Housing Health Insurance Transportation Child care Regular school routine Where do you usually get health, wellness, and (Please mark UP TO 3 sources) E-mail alert or e-newsletter Newspaper (print or online) 	 Recre Exerc Death Other medical information	e of wellness mation or entertainment ise opportunities of family member or friend r: mation? O Television O Radio O Medical professiona O Pharmacy	als	
37. V ((((() () () () () () () () () () ()	 Housing Health Insurance Transportation Child care Regular school routine Where do you usually get health, wellness, and (Please mark UP TO 3 sources) E-mail alert or e-newsletter Newspaper (print or online) Brochure, newsletter, magazine or other print Text message 	 Recre Exerc Death Other medical information	e of wellness mation or entertainment ise opportunities of family member or friend remation? O Television O Radio O Medical professiona O Pharmacy O Community Health	als	
37. V (((((((((((((((((((Housing Health Insurance Transportation Child care Regular school routine Where do you usually get health, wellness, and (Please mark UP TO 3 sources) E-mail alert or e-newsletter Newspaper (print or online) Brochure, newsletter, magazine or other print Text message Social media such as Facebook or Twitter 	 Recre Exerc Death Other medical information	e of wellness mation or entertainment ise opportunities of family member or friend r: mation? O Television O Radio O Medical professiona O Pharmacy	als Worker	

COMMUNITY CONCERNS

38. In <u>your opinion</u> , how much of a problem is each of these issues <u>in your county</u> ?	No Problem	Minor Problem	Moderate Problem	Serious Problem	No Opinion
A. ISSUES FOR FAMILIES					
1. Families experiencing financial stress	0	0	0	0	0
2. Parents with inadequate or poor parenting skills	0	0	0	0	0
3. Childhood trauma	0	0	0	0	0
4. Bullying	0	0	0	0	0
5. Abuse and neglect of children	0	0	0	0	0
6. Abuse and neglect of vulnerable adults	0	0	0	0	0
B. SOCIAL EXPERIENCE					
1. Racism	0	0	0	0	0
2. White privilege (inherent advantages possessed by a white person on the basis of their race in a society characterized by racial inequality and injustice)	\sim	\sim	\sim	\sim	\sim
	0	0	0	0	0
3. Police brutality	0	0	0	0	0
C. DISCRIMINATION					
1. Discrimination based on race, color, ethnicity or					
country of origin	0	0	0	0	0
2. Discrimination based on age	Õ	Õ	Õ	Õ	Õ
3. Discrimination based on gender	0	Õ	Õ	Õ	Õ
4. Discrimination based on sexual orientation	Õ	Õ	Õ	Õ	Õ
5. Discrimination based on gender identity	0	Õ	Õ	Õ	Õ
6. Discrimination based on disability	Õ	Õ	Õ	Õ	Õ
7. Discrimination based on religion	0	Õ	Õ	0	Õ
8. Discrimination based on being overweight or obese	Õ	Õ	Õ	Õ	0
9. Discrimination based on something else Please specify:	0	0	0	0	0
D. TOBACCO AND OTHER DRUG USE	0	\bigcirc	0	0	\bigcirc
 Smoking or other tobacco use Use of e-cigarettes/vaping for nicotine products 	0	0	0	0	0
	0	0	0	0	0
 Abuse of prescription drugs Illegal drug use among youth 	0	0	0	0	0
	0	0	0	0	0
5. Illegal drug use among adults	0	0	0	0	0
E. MENTAL HEALTH					
1. Depression among youth	0	0	0	0	0
2. Depression among adults	0	0	0	0	0
3. Suicide among youth	0	0	0	0	0
4. Suicide among adults	0	0	0	0	0
5. Other mental health issues, such as anxiety or panic					
attacks, memory loss, Alzheimer's or another form of			6		
dementia, etc.	0	0	0	0	0
6. Difficulty obtaining mental health services for youth	0	0	0	0	0
7. Difficulty obtaining mental health services for adults	\bigcirc	\bigcirc	\bigcirc	\bigcirc	0

	υτ γου			
9. What best describes your gender identity? (Mark AL				
O Male O Female O Transgender Male	○ Transgender Female ○ Non-Binary			
O Please describe:				
10. What best describes your sexual orientation? (Mark	ALL that apply)			
O Straight/Heterosexual O Gay/Lesbian	O Bisexual O Pansexual O Queer			
O Asexual O Please describe:				
1. Your age group:				
0 18-24 0 35-44 0 55-64	○ 75 or older			
O 25-34 O 45-54 O 65-74				
2. How many adults (including you) and children	46. Which of the following best describe you?			
live in your household?	(Mark ALL that apply)			
Number of adults age 18 or older (including you):	O American Indian or Alaska Native			
① ② ③ ④ ⑤ ⑥ ⑦ ⑧ ⑨ ⑩ ① ⑫ or more	Asian or Asian American			
Number of children under age 18:	O Black or African American			
0 1 2 3 4 5 6 7 8 9 10 11 12 or more	African Native			
	Native Hawaiian or Pacific Islander			
	○ White			
13. About how tall are 44. About how much	Other:			
you without shoes? do you weigh				
without shoes?	47. Your education level:			
Feet Inches	 Did not complete 8th grade 			
Image: Optimized state Image: Optimized state Image:	 Did not complete high school 			
	 High school diploma/GED 			
	Trade/Vocational school			
3 3 2 2 2	Some college			
4 4 333	 Associate degree 			
	 Bachelor's degree 			
	 Graduate/Professional degree 			
8 777	48. What was your household's total income			
9 88	from all earners and all sources in 2020?			
	\$25,000 or less			
	\$25,501 - \$34,500			
	\$34,501 - \$43,500			
	\$43,501 - \$52,500			
15. Are you a member of either of the following	○ \$52,501 - \$61,500			
ethnic or cultural groups?	\$61,501 - \$70,000			
Yes No	\$70,001 - \$79,000			
a. Hispanic or Latino/Latina	\$79,001 - \$88,000			
b. Somali O O	\$88,001 - \$100,000			
	More than \$100,000			

Thank you for your participation!